



Scientific maps should reach everyone: The `cblindplot` R package to let colour blind people visualise spatial patterns

Duccio Rocchini^{a,b,*}, Jakub Nowosad^{c,1}, Rossella D'Introno^d, Ludovico Chieffallo^a, Giovanni Bacaro^e, Roberto Cazzolla Gatti^a, Giles M. Foody^f, Reinhard Furrer^{g,h}, Lukáš Gábor^{i,j}, Marco Malavasi^{b,k}, Matteo Marcantonio^l, Elisa Marchetto^a, Vítězslav Moudrý^b, Carlo Ricotta^m, Petra Šimová^b, Michele Torresaniⁿ, Elisa Thouverai^a

^a BIOME Lab, Department of Biological, Geological and Environmental Sciences, Alma Mater Studiorum University of Bologna, via Irnerio 42, Bologna 40126, Italy

^b Czech University of Life Sciences Prague, Faculty of Environmental Sciences, Department of Spatial Sciences, Kamýcká 129, Praha - Suchbát 16500, Czech Republic

^c Institute of Geoeology and Geoinformation, Adam Mickiewicz University, Krygowskiego 10, Poznań 61-680, Poland

^d Luigi Sacco Hospital, Via Giovanni Battista Grassi, 74, Milan 20157, Italy

^e Department of Life Sciences, University of Trieste, Trieste, Italy

^f School of Geography, University of Nottingham, University Park, Nottingham NG7 2RD, UK

^g Department of Mathematics, University of Zurich, Zurich, Switzerland

^h Department of Computational Science, University of Zurich, Zurich, Switzerland

ⁱ Department of Ecology and Evolutionary Biology, Yale University, New Haven, CT, USA

^j Center for Biodiversity and Global Change, Yale University, New Haven, CT, USA

^k Department of Chemistry, Physics, Mathematics and Natural Sciences, University of Sassari, Via Vienna 2, Sassari 07100, Italy

^l Group of Evolutionary Ecology and Genetics, Biodiversity Research Centre, Earth and Life Institute, Université Catholique de Louvain (UCLouvain), Louvain-la-Neuve, Belgium

^m Department of Environmental Biology, University of Rome La Sapienza, Rome 00185, Italy

ⁿ Faculty of Agricultural, Environmental and Food Sciences, Free University of Bolzano-Bozen, Italy

ARTICLE INFO

Keywords:

Colour blindness
Computational ecology
Ecological informatics
Mapping
R
Scientific communication

ABSTRACT

Maps represent powerful tools to show the spatial variation of a variable in a straightforward manner. A crucial aspect in map rendering for its interpretation by users is the gamut of colours used for displaying data. One part of this problem is linked to the proportion of the human population that is colour blind and, therefore, highly sensitive to colour palette selection. The aim of this paper is to present the `cblindplot` R package and its founding function - `cblind.plot()` - which enables colour blind people to just enter an image in a coding workflow, simply set their colour blind deficiency type, and immediately get as output a colour blind friendly plot. We will first describe in detail colour blind problems, and then show a step by step example of the function being proposed. While examples exist to provide colour blind people with proper colour palettes, in such cases (i) the workflow include a separate import of the image and the application of a set of colour ramp palettes and (ii) albeit being well documented, there are many steps to be done before plotting an image with a colour blind friendly ramp palette. The function described in this paper, on the contrary, allows to (i) automatically call the image inside the function without any initial import step and (ii) explicitly refer to the colour blind deficiency type being experienced, to further automatically apply the proper colour ramp palette.

“Colour is a power which directly influences the soul.” (Kandinsky, 1911)

1. Introduction

Maps are widely used to convey geographical information in

* Corresponding author at: BIOME Lab, Department of Biological, Geological and Environmental Sciences, Alma Mater Studiorum University of Bologna, via Irnerio 42, Bologna 40126, Italy.

E-mail address: duccio.rocchini@unibo.it (D. Rocchini).

¹ Authors equally contributed to the manuscript.

<https://doi.org/10.1016/j.ecoinf.2023.102045>

Received 7 October 2022; Received in revised form 8 February 2023; Accepted 26 February 2023

Available online 3 March 2023

1574-9541/Crown Copyright © 2023 Published by Elsevier B.V. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

different activities ranging from day-to-day tasks such as route planning to furthering scientific studies, such as the effects of climate change or the spread of invasive species. Despite their widespread use, maps can be problematic information resources (Burrough, 1986). Any map is a generalisation, hence an imperfect representation of the features shown, as any data gathering and representation which inevitably leads to a reduction of the original data complexity (Palmer et al., 2008). A map is also typically interpreted visually, thus different people may come to dissimilar conclusions about the mapped features.

Standard procedures and good practices for map making to generally account for vagueness exist but may not always be followed or may not fully address concerns (Burrough, 1986; Fisher, 2000). Moreover, maps can be produced in a way that may, accidentally or deliberately, deceive the reader (McNoleg, 1996; Monmonier, 2018). Indeed, maps are “the most used and least understood documents of modern civilisation” (Brown, 1953, cited in Maling, 1989, p.144, and, more recently, in Foody, 2021).

Showing the variation of a variable over space on a map considering

the whole gamut of colours is not a simple matter (Pointer, 1980). In most cases, maps full of colours are used, because colour is a very effective coding device (Tufte, 2002). Misuse of colour could produce a misleading perception. As an example, yellow is expected to catch the human retina more than other colours. If used in the wrong palette position, it would lead the eye to assign more importance to the range represented by that colour. Using it in the middle of the palette would lead the reader to see such values as maxima (Crameri et al., 2020).

One common problem with contemporary mapping is that software packages often offer a range of colour palettes for data display, and these may vary in suitability for both a mapping task and the target audience. One part of this problem is linked to the proportion of the human population that is colour blind and, therefore, highly sensitive to colour palette selection. *Colour vision impairments*, also known as *colour vision deficiency* (CVD, Simunovic, 2010) (hereafter even referred to as *colour blindness*), should seriously be taken into account. Such people cannot see some of the displayed colours and, consequently, cannot appreciate differences between minima and maxima in a map, as well as the full




Fig. 1. Light rays coming from outside hit the cornea of the human eye, they pass through the lens and the vitreous humor and focus on the retina, which is a nerve structure. Here the translation of the light into electric signal takes place. This electrical impulse travels along the visual pathways to the occipital cortex where it is converted into a visual image. There are different manners to perceive colours, once the human eye is exposed to external light rays: (a) standard vision; (b) protanopia, i.e., the inability to perceive the red colour (560 nm); (c) deuteranopia, i.e., the inability to recognize the green colour (530 nm); (d) tritanopia, i.e., the inability to distinguish the blue colour (420 nm). Refer to Box 1 for specific information.

color gradient. This might seriously impact scholars and students of scientific learning having no proper access to graphing parts of articles and/or books (Albany-Ward and Sobande, 2015).

Colour blindness is basically represented by three main colour misperceptions: (i) protanopia, i.e., the inability to perceive the red colour (560 nm); (ii) deuteranopia, i.e., the inability to recognize the green colour (530 nm); (iii) tritanopia, i.e., the inability to distinguish the blue colour (420 nm, Fig. 1, Viénot et al., 1995; Gordon, 1998; Gegenfurtner, 2003). Box 1 explains every deficiency type in detail. This leads to the impossibility of recognizing some types of colour ramps in which there is a gradient from blue to green/yellow to red. This is the case of the frequently (mis) used rainbow colour palettes (Golebiowska and Coltekin, 2020; Stoelzle and Stein, 2021; Golebiowska and Coltekin, 2022), which are common in the scientific literature (e.g., Mesgaran et al., 2014; Gardner et al., 2019; Ellis-Soto et al., 2021; Feilhauer et al., 2021; Rocchini et al., 2021).

Inherited colour blindness affects more than 5% of the human population (8% of males and 0.5% of females, being inherited as X-linked recessive disease) mainly because of founder events and genetic drift (Simunovic, 2010; Birch, 2012). There is an extensive literature recording problems for colour blind people: from the hampering of medical profession (Spalding, 1999) to students proper learning (Ramachandran et al., 2014), and from road accidents (Cole, 2002) to unintentional injuries (Cumberland et al., 2004). Potential problems emerging from this phenomenon are somewhat disregarded in the design of scientific maps. In order to implement routines to help colour blind people, website examples exist to (i) choose colour ramp palettes (seaborn: https://seaborn.pydata.org/tutorial/colour_palettes.html,

```
cblind.plot <- function(im,
  cvd = c("protanopia", "deuteranopia", "tritanopia"),
  r = 1, g = 2, b = 3,
  crop_manual = FALSE,
  select_class = FALSE)
```

ColorBrewer: <https://colourbrewer2.org/>, Harrower and Brewer, 2003) or (ii) create them (colourschemedesigner: <https://paletton.com/#uid=1000u0kllllaFw0g0qFqFg0w0aF>) with an online platform dedicated to the creation of colour schemes. However, in some cases, they might appear too complex for effectively benefit colour blind people.

Furthermore, packages in R (R Core Team, 2022) - perhaps the mostly used software for statistical computing under an open source philosophy - are devoted to test for colour blindness (colour-blindcheck package, Nowosad, 2021) or to make use of colour ramp palettes that are also interpretable by colour blind people (viridis, Garnier et al., 2021). However, as far as we know, no analytical and straightforward function exists to just input an image in a throughput

workflow and plot it in a simple manner that is also intelligible by colour blind people. The aim of this paper is to present the cblindplot R package and its founding function - cblind.plot() - which enables colour blind people to just enter an image in a coding workflow, simply set the specific form of the colour perception discrepancy, and immediately get an output in a "colour blind friendly" format.

2. The function: step by step

2.1. Code

We implemented our idea in the cblindplot package (<https://github.com/ducciorocchini/cblindplot>). To install the package one can simply import the whole package from GitHub by making use of the devtools R package, by:

```
devtools::install_github("ducciorocchini/
cblindplot")
```

Its main function cblind.plot() updates the colour palette on an input image and returns a new visualization along with a new colour legend. The function has three basic steps (Fig. 2). In the first step, an image is imported into R. Then, a Principal Component Analysis (PCA) is performed on the input image, and only the first principal component is extracted. In the third step, once a new colour palette is applied to the single dimension derived from PCA, the plot with a meaningful legend for colour blind people is returned (Fig. 2).

The user is asked to just choose the input image and a type of colour vision deficiency, as:

The cvd is a meaningful argument directly related to the type of colour blindness (Box 1 and Fig. 1): cvd = c("protanopia", "deuteranopia", "tritanopia"). They will directly link to the cividis, viridis and magma, respectively, palettes that are going to enhance the main colours seen by people affected by such deficiency types. We chose such colour schemes following Viénot et al. (1995), who developed a simulation of the reduced colour gamut of colour defective people, explicitly considering the three aforementioned colour blind deficiency types (see also Box 1 and Fig. 1). The cblind.plot() function also allows to change the order of the RGB bands (by default, the first image band relates to the red colour, the second to the green colour, and the third to the blue colour), manually crop the input image (the crop_manual() argument), and the select_class() makes it

Box 1

Colour blind deficiency types

- **Protanopia:** Inability to perceive the red colour. Due to genetic mutations that cause the "L" type retinal cones to fail, or those photoreceptors sensitive to large wavelengths (560 nm), which allow the vision of the red colour. It has a genetic transmission of the x-linked recessive type, for which it largely affects the male sex.
- **Deuteranopia:** inability to recognize the green colour (the most common). Caused by genetic mutations that result in the failure of the "M" cones, those photoreceptors sensitive to medium wavelengths (530 nm), that is, which allow the vision of the green colour. It has a genetic, x-linked recessive inheritance, for which it largely affects the male sex.
- **Tritanopia:** inability to distinguish the blue colour (the rarest). Given by genetic mutations that cause the failure of the "S" cones, photoreceptors sensitive to radiation of short wavelengths (420 nm), or that allow the vision of the blue colour. It has an autosomal dominant genetic inheritance, therefore independent of sex.




Fig. 2. The main steps composing the `cblind.plot()` function. The original image is imported by the `rast()` function in R as an RGB. Then, a PCA is applied to create a single dimension. Finally a plot is generated making use of colour ramps from the `viridis` package which are set explicitly considering the different colour blind deficiency types reported in [Box 1](#) (protanopia, deuteranopia, tritanopia).

possible to select only certain colours in the image for the further processing.

The complete code of the `cblindplot` package is available at <https://github.com/ducciorocchini/cblindplot>, while we provide an empirical example of its application in the next section.

2.2. Empirical example

In order to test the function we decided to directly make use of a rainbow-colour based - and thus incorrect - plot as in [Rocchini et al. \(2021\)](#), which showed the variability in space of the Similaun Glacier (Italy, [Fig. 3](#)). In that case, the rainbow colour ramp palette is going from: (i) low spatial variability, represented by blue and green, related to a small lake at north-east and snow at north-west, respectively; (ii) medium variability (yellow) related to woodlands and high elevation grasslands; and (iii) high variability (red), related to crevasses and cracks of the calcareous rock composing the glacier. All of this description would not make sense for colour blind people.

The issue can be solved in a straightforward manner by storing a screenshot of the image and import it in R by the `cblind.plot()` function. No previous import is required but a direct call is done into the function under the argument `im`. The three bands composing the RGB of the image are generally mounted as: red in the first band, green in the second, and blue in the third one, which is the default importing order used by the `cblind.plot()` function and can be changed at any time. As previously stated, the output is straightforward once the user declares her/his specific type of colour deficiency. For protanopia ([Box 1](#) and [Fig. 1](#)) a `viridis` colour ramp palette from the `viridis` package is applied to enhance the contrast between blue and yellow which can easily be seen by people affected by this deficiency; for deuteranopia a `viridis` colour ramp palette is used to smoothly pass from blue to green to yellow, all colours that can easily be seen; and for tritanopia, the `magma` colour ramp palette is used to avoid the use of pure blue. As previously stated, this is in line with the simulation screen figure of the ‘Jardin des Plantes’ (photo: Jean Le Rohellec; Grande Galerie, FNAC)

seen by colour-blind people provided by [Viénot et al. \(1995\)](#), associating a smooth blue-to-yellow colour ramp to protanopia-affected people, sharp blue-to-yellow colour ramp to deuteranopia-affected people, and deep blue-to-yellow colour ramp to tritanopia-affected people. We suggest the reader compare colours used in [Fig. 3](#) for the different colour deficiency types with that published by [Viénot et al. \(1995\)](#).² According to [Fig. 1](#) for protanopia and deuteranopia the colour ramp palettes can be used interchangeably ([Rigden, 1999](#)).

3. Outlook and take home message

3.1. Perspective and limitations

A critical step toward lowering the effort required by colour blind people to read and interpret maps is to provide them with the ability to do so with a simple function. Doing that in a free and open source environment is even more advantageous. In fact, open source software would allow the possibility to reproduce analysis exactly by guaranteeing high robustness ([Rocchini and Neteler, 2012](#)). Apart from the previously cited `viridis` package, examples exist for oceanography, in the `cmocean` package in R ([Thyng et al., 2016](#); [Thyng et al., 2020](#)). Additional examples exist making use of Python ([Van Rossum and Drake, 1995](#)) language ([Nuñez et al., 2018](#)). However, in such cases, the workflow includes a separate import of the image and the application of a set of colour ramp palettes ([Garnier et al., 2021](#)). Furthermore, albeit being well documented, there are many steps to be done before plotting an image with a colour blind friendly ramp palette.

The founding function of the `cblindplot` package described in this paper (`cblind.plot()`) allows to (i) automatically call the image inside the function without any initial import step and (ii) explicitly refer to the colour blind deficiency type being experienced, to further automatically apply the proper colour ramp palette. The focus of this manuscript was on map visualisation but the `cblindplot` package can be successfully used with any kind of graphs or images, proving to be a powerful data visualisation tool in R.

Obviously, open source code is always in motion. As an example, concerning point (i), an image might also be gathered via screenshot and sent to R, e.g. based on standalone software like `flameshot` (<https://flameshot.org/>). Moreover, additional and more sophisticated methods to let a function distinguish between minima and maxima in a rainbow colour palette like Random Forest or neural networks can be implemented in the `cblindplot` package.

Inspiring R packages have been devoted to improve mapping of various scientifically sound response variables like biodiversity ([Féret and de Boissieu, 2020](#)) or species distributions ([Schuetz et al., 2020a](#); [Schuetz et al., 2020b](#)). Connecting the `cblindplot` package with such libraries would be an enormous advantage for colour blind people. Hence, the authors of the present paper have contacted the developers of such packages to implement such function in their packages.

3.2. Conclusions

How the magnitude of spatial variation of data is represented in a map has a high impact on the perception of the main processes shaping it, since different colour signals are processed differently by the human visual system ([Rogowitz et al., 1996](#)). From this point of view monotonic palettes based on a monotonic continuous gradient ([Stevens, 1966](#)) - like those used in the presented function `cblind.plot()` from the `viridis` R package - rather than on abrupt thresholds - like the rainbow colour ramp palette ([Borland and ii, 2007](#)) - must be preferred not only referred to colour blindness problems, but also for the common

² Notice that in [Viénot et al. \(1995\)](#) the images for the different colour deficiency types are arranged in a clockwise manner, hence they relate to panels a), b), d) and c) in [Fig. 3](#).




Fig. 3. The variability in space of the Similaun Glacier shown by a rainbow colour ramp palette (a) as in Rocchini et al. (2021). Low spatial variability is represented in blue and green (lake), while medium variability is in yellow (woodlands), high variability is in red (crevasses and cracks). Colour blind people cannot ascertain differences between minima (blue) and maxima (red). Hence, different colour ramps are applied considering the different diseases, according to previous tests by Viénot et al. (1995): (b) a smooth blue-to-yellow colour ramp to protanopia-affected people (*cividis* colour ramp in the *viridis* package, see Fig. 2), (c) sharp blue-to-yellow colour ramp to deuteranopia-affected people (*viridis* colour ramp), and (d) deep blue-to-yellow colour ramp (*magma* colour ramp) to tritanopia-affected people.

perception of spatial variability. In fact, this is generally based on a monotonic increase in eye stimulus intensity, as well established by pioneering papers on psychological perception of colour variation (Ekman and Sjöberg, 1965; Panek and Stevens, 1966).

Based on previous observation, the `cblind.plot()` function guarantees to avoid perceptual discontinuities and thus the appearance of false spatial features (Kovesi, 2015) - in most cases related to noise in the original images/maps - being based on a continuous monotonic colour ramp, i.e. on an incremental and uniform change of colours over the whole output image/map. Although one cannot be certain about the real visual perception of someone else, the provided function is a straightforward tool based on well-established simulations on colour vision about the residual colour information coming out from the above described deficiency types (Brettel et al., 1997). This is just based on the fact that a certain stimulus is perceived differently by people affected by various kinds of colour blindness versus normal vision, with a well-known reaction from every single variant considered in this paper. That is why we avoided, at the time being, a test with colour blind

people, relying rather on medical papers on the matter (Capilla et al., 2004).

Beside problems related to colour blind deficiency, non-perceptually uniform colour ramps, like the rainbow colour gamut, have widely been acknowledged as a fundamental problematic palette for plotting scalar values to colours. This is mainly because it introduces artifacts and obscures some data by e.g. putting yellow colours as mid values, by finally confusing the user, despite her/his ability to properly see colours, if there is any proper manner to see colours (Moreland, 2009).

Colour gamut is of primary importance to synthesise the information contained in a dataset/map. Summarising, there are three main important elements/steps when applying a colour gamut to data rendering: (i) the possibility of using different colour palettes in a software, (ii) the choice made by the map producer about one of the possible palettes, and (iii) how such a choice is perceived by users. From this point of view, awareness of the uncertainty and potential limitations of the use of colours in maps may enhance map interpretation and use. While colour-coding guidelines are needed, we are far from having an etiquette on this

theme, especially when considering continuous pseudocolour maps, i.e. maps coming out from analytical processes on geographical data (Reda et al., 2018). The `cblind.plot()` function partially solves this issue by providing a direct way to rescale pseudocolour values and plot them in a colour blind free scheme, which is robustly grounded in optical theory. One of the main strengths of the function is that users are not required to exit their analysis process and enter, e.g., internet sites, but they can integrate the function in their throughput code to see output results properly.

Authors' contribution statement

D.R., J.N. and E.T. contributed to the development of the algorithms and the coding of the `colorblind` package. D.R., J.N., R.D.I. and L.C. contributed to the conceptual development of the theoretical background of this paper. All authors contributed to the writing of the manuscript.

Declaration of Competing Interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

Data availability

The code and the data shown in this paper are available under GitHub at: <https://github.com/ducciorocchini/cblindplot>.

Acknowledgments

We thank the handling Editor and an anonymous Reviewer for suggestions on a previous version of this manuscript. We are grateful to Prof. Gabor Lövei and Dr. Giovanna Pezzi for a critical assessment of a previous draft of this manuscript. We thank Barbara Guida for having worked on the graphical sketch of Fig. 1. This study has received funding from the project SHOWCASE (SHOWCASing synergies between agriculture, biodiversity and ecosystems services to help farmers capitalising on native biodiversity) within the European Union's Horizon 2020 Researcher and Innovation Programme under grant agreement No. 862480. DR, MM, VM and PS were partially funded by the Horizon Europe project Earthbridge. DR was also funded by: (i) a research project implemented under the National Recovery and Resilience Plan (NRRP), Mission 4 Component 2 Investment 1.4 - Call for tender No. 3138 of 16 December 2021, rectified by Decree n.3175 of 18 December 2021 of Italian Ministry of University and Research funded by the European Union - NextGenerationEU. Project code CN\00000033, Concession Decree No. 1034 of 17 June 2022 adopted by the Italian Ministry of University and Research, CUP J33C22001190001, Project title "National Biodiversity Future Center - NBFC"; (ii) the Horizon Europe project B3. This work was supported by Friuli Venezia Giulia Region Operative Program, European Social Fund – 2014/2020 Program, Specific Action n. 53/16: Integrative professional training courses within degree programs. RF is supported by the Swiss National Science Foundation SNSF-175529.GMF is supported by the School of Geography, University of Nottingham.MT is supported by the Autonomous Province of Bolzano.

This paper is dedicated to the memory of Prof. Peter Alan Burrough (formerly at Oxford University) and Prof. Peter Fisher (formerly at Leicester University), who significantly changed the Geographical Information Science.

Appendix A. Supplementary data

Supplementary data associated with this article can be found, in the online version, at <https://doi.org/10.1016/j.ecoinf.2023.102045>.

References

- Albany-Ward, K., Sobande, M., 2015. What do you really know about colour blindness? *Br. J. Sch. Nurs.* 10 (4), 197–199.
- Birch, J., 2012. Worldwide prevalence of red-green colour deficiency. *J. Opt. Soc. Am. A* 29, 313–320.
- Borland, D., II, R.M.T., 2007. Rainbow colour map (still) considered harmful. *IEEE Comput. Graphics Appl.* 27, 14–17.
- Brettel, H., Viénot, F., Mollon, J.D., 1997. Computerized simulation of colour appearance for dichromats. *J. Opt. Soc. Am. A* 14, 2647–2655.
- Brown, L.A., 1953. *The story of maps*. Little Brown, Boston, USA.
- Burrough, P.A., 1986. *Principles of geographical. Clarendon Press, Oxford, Information systems for land resource assessment*.
- Capilla, P., Diez-Ajenjo, M.A., Luque, M.J., Malo, J., 2004. Corresponding-pair procedure: a new approach to simulation of dichromatic colour perception. *J. Opt. Soc. Am. A* 21, 176–186.
- Cole, B.L., 2002. Protan colour vision deficiency and road accidents. *Clin. Exp. Optom.* 85, 246–253.
- Cramer, F., Shephard, G.E., Heron, P.J., 2020. The misuse of colour in science communication. *Nat. Commun.* 11, 1–10.
- Cumberland, P., Rahi, J.S., Peckham, C.S., 2004. Impact of congenital colour vision deficiency on education and unintentional injuries: findings from the 1958 British birth cohort. *Br. Med. J.* 329, 1074–1075.
- Ekman, G., Sjöberg, L., 1965. Scaling. *Annu. Rev. Psychol.* 16, 451–474.
- Ellis-Soto, D., Merow, C., Amatulli, G., Parra, J.L., Jetz, W., 2021. Continental-scale 1 km hummingbird diversity derived from fusing point records with lateral and elevational expert information. *Ecography* 44, 640–652.
- Feilhauer, H., Zlinszky, A., Kania, A., Foody, G.M., Doktor, D., Lausch, A., Schmidtlein, S., 2021. Let your maps be fuzzy!—Class probabilities and floristic gradients as alternatives to crisp mapping for remote sensing of vegetation. *Remote Sens. Ecol. Conserv.* 7 (2), 292–305.
- Féret, J.B., de Boissieu, F., 2020. BiodivMapR: an R package for α - and β -diversity mapping using remotely sensed images. *Methods Ecol. Evol.* 11, 64–70.
- Fisher, P., 2000. Sorites paradox and vague geographies. *Fuzzy Sets Syst.* 113 (1), 7–18.
- Foody, G.M., 2021. Impacts of ignorance on the accuracy of image classification and thematic mapping. *Remote Sens. Environ.* 259, 112367.
- Gardner, A.S., Maclean, I.M., Gaston, K.J., 2019. Climatic predictors of species distributions neglect biophysically meaningful variables. *Divers. Distrib.* 25, 1318–1333.
- Garnier, S., Ross, N., Rudis, B., Sciacini, M., Camargo, A.P., Scherer, C., 2021. *viridis: Colorblind-Friendly Color Maps for R.R* package version 0.6.2. [url:https://CRAN.R-project.org/package=viridis](https://CRAN.R-project.org/package=viridis).
- Gegenfurtner, K.R., 2003. Cortical mechanisms of colour vision. *Nat. Rev. Neurosci.* 4, 563–572.
- Golebiowska, I., Coltekin, A., 2020. Rainbow Dash: Intuitiveness, interpretability and memorability of the rainbow colour scheme in visualization. *IEEE Trans. Visual Comput. Graph.* 28, 2722–2733.
- Golebiowska, I., Coltekin, A., 2022. What's wrong with the rainbow? An interdisciplinary review of empirical evidence for and against the rainbow color scheme in visualizations. *ISPRS J. Photogramm. Remote Sens.* 194, 195–208.
- Gordon, N., 1998. Colour blindness. *Public Health* 112, 81–84.
- Harrower, M., Brewer, C.A., 2003. *ColorBrewer.org: an online tool for selecting colour schemes for maps*. *Cartogr. J.* 40, 27–37.
- Kandinsky, Wassily, 1911. *Concerning the Spiritual in Art*. translated by Michael T.H. Sadler (2004). Kessinger Publishing, pp. 32.
- Kovesi, P., 2015. Good colour maps: How to design them. *arXiv preprint arXiv:1509.03700*.
- Maling, D.H., 1989. *Measurements from maps: principles and methods of cartometry*. Pergamon Press, Oxford, UK.
- McNole, O., 1996. The integration of GIS, remote sensing, expert systems and adaptive co-kriging for environmental habitat modeling of the highland haggis using object-oriented, fuzzy-logic and neural-network techniques. *Comput. Geosci.* 22, 585–588.
- Mesgaran, M.B., Cousens, R.D., Webber, B.L., 2014. Here be dragons: a tool for quantifying novelty due to covariate range and correlation change when projecting species distribution models. *Divers. Distrib.* 20, 1147–1159.
- Monmonier, M., 2018. *How to lie with maps, Third Edition*. University of Chicago Press, Chicago, USA.
- Moreland, K., 2009. Diverging colour maps for scientific visualization. In: *International Symposium on Visual Computing*. Springer, Berlin, Heidelberg, pp. 92–103.
- Nowosad, J., 2021. *colourblindcheck: Check Color Palettes for Problems with Color Vision Deficiency*. R package version 1.0.0. [url:https://CRAN.R-project.org/package=colourblindcheck](https://CRAN.R-project.org/package=colourblindcheck).
- Núñez, J.R., Anderton, C.R., Renslow, R.S., 2018. Optimizing colourmaps with consideration for colour vision deficiency to enable accurate interpretation of scientific data. *PLoS One* 13, e0199239.
- Palmer, M.W., McGlenn, D.J., Fridley, J.D., 2008. Artifacts and artificions in biodiversity research. *Folia Geobot.* 43, 245–257.
- Panek, W., Stevens, S.S., 1966. Saturation of red: a prothetic continuum. *Percept. Psychophys.* 1, 59–66.
- Pointer, M.R., 1980. The gamut of real surface colours. *Color Res. Appl.* 5, 145–155.
- R Core Team, 2022. *R: A Language and Environment for Statistical Computing*. R Foundation for Statistical Computing, Vienna, Austria <https://www.R-project.org/>.
- Ramachandran, N., Wilson, G.A., Wilson, N., 2014. Is screening for congenital colour vision deficiency in school students worthwhile? A review. *Clin. Exp. Optom.* 97, 499–506.

- Reda, K., Nalawade, P., Ansah-Koi, K., 2018. Graphical perception of continuous quantitative maps: the effects of spatial frequency and colourmap design. In: Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems, pp. 1–12.
- Rigden, C., 1999. 'The eye of the beholder' - Designing for colour-blind users. *Br. Telecommun. Eng.* 17, 291–295.
- Rocchini, D., Neteler, M.G., 2012. Let the four freedoms paradigm apply to ecology. *Trends Ecol. Evol.* 27, 310–311.
- Rocchini, D., Thouveral, E., Marcantonio, M., Iannacito, M., Da Re, D., Torresani, M., et al., 2021. *rasterdiv* - An Information Theory tailored R package for measuring ecosystem heterogeneity from space: To the origin and back. *Methods Ecol. Evol.* 12, 1093–1102.
- Rogowitz, B.E., Treinish, L.A., Bryson, S., 1996. How not to lie with visualization. *Comput. Phys.* 10, 268–273.
- Schuetz, J.G., Strimas-Mackey, M., Auer, T., 2020a. *colourist*: An R package for colouring wildlife distributions in space-time. *Methods Ecol. Evol.* 11, 1476–1482.
- Schuetz, J.G., Strimas-Mackey, M., Auer, T., 2020b. *colourist*: Coloring Wildlife Distributions in Space-Time. R package version 0.1.2. url:<https://CRAN.R-project.org/package=colourist>.
- Simunovic, M.P., 2010. Colour vision deficiency. *Eye* 24, 747–755.
- Spalding, J.A., 1999. Colour vision deficiency in the medical profession. *Br. J. Gen. Pract.* 49, 469–475.
- Stevens, S.S., 1966. Matching functions between loudness and ten other continua. *Percept. Psychophys.* 1, 5–8.
- Stoelzle, M., Stein, L., 2021. Rainbow colour map distorts and misleads research in hydrology—guidance for better visualizations and science communication. *Hydrol. Earth Syst. Sci.* 25, 4549–4565.
- Thyng, K.M., Greene, C.A., Hetland, R.D., Zimmerle, H.M., DiMarco, S.F., 2016. True colours of oceanography: Guidelines for effective and accurate colourmap selection. *Oceanography* 29, 9–13.
- Thyng, K., Richards, C., Kocken, I., Krylov, I., 2020. *cmocean*: Beautiful Colour Maps for Oceanography. R package version 0.3-1. url:<https://CRAN.R-project.org/package=cmocean>.
- Tufte, E.R., 2002. *The Visual Display of Quantitative Information*, second ed. Graphics Press, Cheshire (USA).
- Van Rossum, G., Drake Jr, F.L., 1995. Python tutorial, vol. 620. Centrum voor Wiskunde en Informatica, Amsterdam, The Netherlands.
- Viénot, F., Brettel, H., Ott, L., M'barek, A.B., Mollon, J.D., 1995. What do colour-blind people see? *Nature* 376, 127–128.