

Application of Analytic Signal and Smooth Interpolation in Pulsewidth Modulation for Conventional Matrix Converters

Pawel Szczepankowski¹, Member, IEEE, Patrick Wheeler², Senior Member, IEEE, and Tomasz Bajdecki¹

Abstract—This article proposes an alternative and novel approach to the pulsewidth modulation (PWM) duty cycles computation for conventional matrix converters (CMC) fed by balanced, unbalanced, or nonsinusoidal ac voltage sources. The presented solution simplifies the prototyping of direct modulation algorithms. PWM duty cycles are calculated faster by the smooth interpolation technique, using only vector coordinates, without trigonometric functions, and angles. Both input voltages and output reference voltages are expressed by analytic signals in the proposed direct modulation. Input voltages are represented by the rotating vector collection in the 2-D Cartesian coordinate system. All reference output voltages are located inside the triangular surface, named here as the voltage synthesis field, formed by these rotating vectors. A certain degree of reference signals placement freedom allows us to maximize the voltage transfer ratio to 0.866 with less switching compared to the optimum-Venturini direct method. The proposed solution was verified by simulations and experiments for $\text{CMC}3 \times k$. The comparison with the optimum-Venturini modulation is included. The proposed PWM duty cycle computation approach can also be applied to multiphase CMC converters for any number of inputs as well as outputs.

Index Terms—Ac-ac converters, matrix converters, pulsewidth modulation (PWM).

NOMENCLATURE

j	$\sqrt{-1}$.
x	Real part subscript of complex number.
y	Imaginary part subscript of complex number.
i	Subscript corresponding to input of CMC.
o	Subscript corresponding to output of CMC.
k	Number of outputs.

Manuscript received May 22, 2019; revised August 21, 2019 and October 31, 2019; accepted November 13, 2019. Date of publication December 19, 2019; date of current version August 18, 2020. This work was supported by the LINTE² Laboratory, under Grant DS 033784, Gdansk University of Technology. (Corresponding author: Pawel Szczepankowski.)

P. Szczepankowski is with the Department of Power Electronics and Electrical Machines, Gdansk University of Technology, 80-233 Gdansk, Poland (e-mail: pawel.szczepankowski@pg.edu.pl).

P. Wheeler is with the University of Nottingham, Nottingham NG10 1NX, U.K. (e-mail: pat.wheeler@nottingham.ac.uk).

T. Bajdecki is with the Gdansk Division, Institute of Power Engineering, 80-870 Gdansk, Poland (e-mail: t.bajdecki@ien.gda.pl).

Digital Object Identifier 10.1109/TIE.2019.2956391

T	Transposition of the matrix.
\mathbf{v}_i	Measured input voltages $[v_{i1}, v_{i2}, v_{i3}]^T$.
\mathbf{v}_o	Average output voltages $[v_{o1}, v_{o2}, \dots, v_{ok}]^T$.
$\bar{\mathbf{v}}_i$	$= \mathbf{v}_{ix} + j \cdot \mathbf{v}_{iy}$ Analytic form of input voltage.
$\bar{\mathbf{v}}_o$	$= \mathbf{v}_{ox} + j \cdot \mathbf{v}_{oy}$ Analytic form of output voltage.
\mathbf{i}_i	Average input currents $[i_{i1}, i_{i2}, i_{i3}]^T$.
\mathbf{i}_o	Measured output currents $[i_{o1}, i_{o2}, \dots, i_{ok}]^T$.
\mathbf{d}_n	PWM duty cycle matrix for n output $[d_{1n}, d_{2n}, d_{3n}]^T$.
\mathbf{D}	Complete PWM duty cycle matrix for all switches.
ϕ_i	Input displacement angle.
ω_i	$= 2\pi f_i$, where f_i is the source frequency.
ω_o	$= 2\pi f_o$, where f_o is the load frequency.
q	$= V_o/V_i$ Voltage transfer ratio.
q_{\max}	Maximum value of voltage transfer ratio.
$\Delta_{[1,2,3]}$	Area of triangle Δ with vertices 1, 2, and 3.

I. INTRODUCTION

THE conventional matrix converter (CMC), shown in Fig. 1, is an ac-ac power converter, which generates the load voltage with arbitrary amplitude and frequency with unity input power factor operation and sinusoidal input and output currents [1], [2]. Many pulsewidth modulation (PWM) modulation strategies have been widely reported in the literature, mainly as the direct control by Venturini approach [3]–[5], scalar control realized according to Roy method [6], carrier-based PWM method and the space vector modulation [7], [8]. In addition to the numerous applications in a multiphase electric drive, due to their advantages over classic solutions [9]–[12], matrix converters also find use in an energy conditioning solutions [13], [14]. Research on matrix converters has resulted in multilevel and indirect topologies [15], [16]. However, this topology is still interesting in terms of both in the application and prototype design [17], [18]. Many PWM modulation algorithms reported in literature are usually focused on the three inputs with an assumption of sinusoidal input waveforms. Although several articles provide modulation schemes under unbalanced sources or abnormal input conditions, the studies concern the $\text{CMC}3 \times 3$ case [19]–[21], while the $\text{CMC}m \times n$ case seems not be much explored. As presented in [22], the $m \times n$ topology can also be used in multiphase wind energy generation with a direct matrix converter using a general approach introduced in [23]. Due to




Fig. 1. Conventional k -phase matrix converter.

the requirements of multiphase machines and converters, the classic Venturini's technique has been adopted and extended in [23] using advanced trigonometrical approach. Modulating signals have been elaborated and proposed for a number of inputs greater than three, whereas the PWM duty cycle computation formula has not been proposed so far. A similar solution developed using heuristic methods has been presented in [24], where research results have been only demonstrated for three inputs, under the assumption of the balanced voltage source. A new interesting idea of a direct modulation is also proposed in [25], where detailed mathematical treatment, based on the power balance equations, is described. This modulation approach only addresses the CMC 3×3 converter.

To conclude, the elaboration of the PWM duty cycle computing formula for the direct method of modulation is a challenging task due to different numbers of inputs and outputs—in particular when the number of inputs is greater than the number of outputs. A second important issue concerning modulation algorithms is to maintain the good quality of load currents during abnormal input voltage conditions. Thus, the PWM duty cycle computing issue becomes more and more complicated for multiphase topologies. The aims of this article are as follows.

- 1) To find a general, understandable, and easy to apply the description of the direct ac voltages synthesis for symmetrical three-phase power supply that is not limited to sinusoidal voltages and allows to reach the maximum voltage transfer ratio and adjusting the power angle at the input of the system for any number of the output voltages.
- 2) To formulate assumptions of the load voltage synthesis in systems with any number of the output phases and arbitrarily selected sets of input voltages.
- 3) To maintain the sinusoidal current at the output of CMC with voltage synthesis based on unbalanced or nonsinusoidal ac sources.

The second important aspect is the time reduction of executing the program instructions, as well as the simplification of the calculation scheme. The gallium nitride and silicon carbide semiconductors offer fundamental advantages over silicon solutions, in particular, the higher critical electrical field and smaller capacitances compared to silicon switches [26]–[31]. The switching frequency of these power semiconductors can be very high compared to the silicon counterparts, which makes these devices great for high-frequency application [32], [33]. Elimination of the trigonometry and angles from the algorithm,

due to their computing time, allows us to implement the proposed CMC control in FPGA digital structures using the standard function blocks.

The article proposes a solution of the direct ac–ac conversion also for nonsinusoidal and deformed sources for any number of converter inputs and outputs. The smooth interpolation method described in Section V was used for the implementation of the voltage synthesis for a given number of output voltages based on a selected dynamically number of inputs.

Section II contains a brief introduction into the analytic signals and the voltage synthesis field concepts. The proposed approach of fast PWM duty cycle computing for CMC with three inputs is explained in Section III. The method of PWM duty cycle computation is demonstrated in Section IV, where a direct analytic vector–PWM (DAV–PWM) for CMC with k -outputs is presented. Section V discusses the assignments of Wachspress's smooth interpolation method for generalization of the ac–ac voltage synthesis. Simulation results are presented in Section VI, while experimental research, including the comparative results, are placed in the next section.

II. ANALYTIC SIGNAL CONCEPT

Signal $z(t)$, which has no negative-frequency components, is called an analytic signal [34], [35] and in continuous time can be represented as

$$z(t) = \frac{1}{2\pi} \int_0^\infty Z(\omega) e^{j\omega t} d\omega \quad (1)$$

where $Z(\omega)$ is the complex coefficient, which sets the amplitude $|z|$ and phase $\varphi(t)$, shown in Fig. 2(a), of the positive-frequency complex sinusoid $\exp(j\omega t)$ at frequency ω . The sampled input voltages, which are usually the pure three sinusoids

$$\begin{aligned} v_{i1x} &= V \cos(\omega_i t) \\ v_{i2x} &= V \cos(\omega_i t + 2\pi/3) \\ v_{i3x} &= V \cos(\omega_i t - 2\pi/3) \end{aligned} \quad (2)$$

by generating a phase-quadrature components

$$\begin{aligned} v_{i1y} &= V \sin(\omega_i t) \\ v_{i2y} &= V \sin(\omega_i t + 2\pi/3) \\ v_{i3y} &= V \sin(\omega_i t - 2\pi/3) \end{aligned} \quad (3)$$

can be converted to a set of positive-frequency complex expressions

$$\begin{aligned} \bar{v}_{i1} &= V e^{j\omega_i t} \\ \bar{v}_{i2} &= V e^{j(\omega_i t + 2\pi/3)} \\ \bar{v}_{i3} &= V e^{j(\omega_i t - 2\pi/3)} \end{aligned} \quad (4)$$

by a well-known quarter-cycle time shift method or using the Clarke transform-based formula as follows:

$$\begin{bmatrix} v_{i1x} & v_{i1y} \\ v_{i2x} & v_{i2y} \\ v_{i3x} & v_{i3y} \end{bmatrix} = \begin{bmatrix} v_{i1x} & v_{i2x} & v_{i3x} \\ v_{i2x} & v_{i3x} & v_{i1x} \\ v_{i3x} & v_{i1x} & v_{i2x} \end{bmatrix} \begin{bmatrix} 1 & 0 \\ 0 & 1/\sqrt{3} \\ 0 & -1/\sqrt{3} \end{bmatrix}. \quad (5)$$




Fig. 2. Geometrical interpretation of analytic signal: (a) theoretical trajectory Γ of signal $z(t)$, (b) three pure sinusoids representation by rotating vectors in xy reference frame.

The positive complex expression from (4) can be represented by three rotating vectors in xy two-dimensional (2-D) coordinate system, as shown in Fig. 2(b). In most practical cases, the quality of the grid supply voltage is proper and the calculation of quadrature components is reduced to (5), then the proposed algorithm takes a simple effective form. The calculation of analytical signals for ac unbalanced and distorted voltages requires the use of advanced operations. This is, however, not the disadvantage of the proposed approach because frequency analysis is widely implemented and supported in digital signal processors (DSPs) and FPGA devices. If high precision of output voltage generation is needed, the accurate calculation of vectors coordinates requires the Hilbert Transform Filter [36] or other operation based on fast Fourier transform (FFT) [37]. The calculation can be limited to several dominant harmonics, thus the discrete Fourier transform (DFT)-based approach, such as moving-window DFT, may be applied [38].

Each ac input voltage waveform can be represented by an analytic signal and samples of these input voltages are transformed into points with coordinates xy . These points—minimum three selected—are vertices of the convex polygon, which is the voltage synthesis field. A similar proposal was introduced in [39] as the duty cycle space vectors concept, in which the synthesis field is presented only as of the stationary equilateral triangle, which does not rotate and cannot express abnormal voltage conditions such as unbalance and higher-order harmonics. For three-phase balanced sources, even if they are not sinusoidal, the synthesis field can be easily constructed using (5). For symmetric and balanced multiphase voltage sources, the algebraic construction




Fig. 3. Presentation of the main geometric relationships between the input and output voltages: (a) the voltage synthesis field, (b) three input rotating vectors, (c) the real value of the reference output voltage v_{o1x} within sampling interval T_s , (d) vectors arrangement to perform general algebraic construction of PWM duty cycles computation.

of the voltage synthesis field is rather intuitive. If the input voltages are arbitrary and do not create symmetric voltage systems or contain higher harmonics, a precise ac–ac conversion requires special signal processing techniques, as reported earlier.

Input voltages can be expressed by analytic signals, which are represented by the Hilbert pairs—the real (which is physically measurable), and the imaginary values. There are exactly three pairs, represented by points P_1 , P_2 , and P_3 shown in Fig. 3(a), for the three-phase ac voltage source. Moreover, as presented in Fig. 3(b), the distances between the real coordinates of these points are equal to the instantaneous line-to-line voltages. The reference output voltages can be also represented by the real and imaginary values and only the real coordinate v_{o1x} , shown in Fig. 3(c), directly influences the output currents. Theoretically, the value of the imaginary components can be arbitrary. However, all instantaneous output voltages, due to the physical restriction, are limited by the input voltages envelope. This limitation can be expressed graphically by the triangle named the voltage synthesis field as proposed previously.

III. PWM DUTY CYCLE COMPUTATION FOR CMC WITH THREE INPUTS

A mathematical expression for computing the PWM duty cycles can be constructed in an explicit algebraic form based on coordinates of the triangle vertices [40]. These coordinates are presented in the 2-D Cartesian reference frame. Considering the vector arrangement illustrated in Fig. 3(a), points P_4 and




Fig. 4. Point P_4 positions outside the synthesis field: (a) the vector origin is located at the point (0,0), (b) the origin has arbitrary interior location, and (c) the origin represented by P_0 overlaps point P_3 .

P_5 represent two basic cases, while point P_6 —with the same x coordinate—designates the general output vector position \vec{v}_{o1} in the voltage synthesis field. The following proportions based on the sine rule applied to the geometry as in Fig. 3(d) can be formulated

$$\frac{|P_2P_6|}{\sin(\pi - \phi)} = \frac{|P_2P_8|}{\sin(\varphi)} = \frac{|P_2P_7|}{\sin(\phi - \varphi)}. \quad (6)$$

Duty cycles d_1 and d_3 , which correspond to points P_1 and P_3 , respectively, can be calculated as a ratio of the absolute value of the appropriate vector products as expressed below

$$d_1 = \frac{|P_2P_7|}{|P_2P_1|} = \frac{|P_2P_6|}{|P_2P_1|} \frac{\sin(\phi - \varphi)}{\sin(\phi)} \cdot \frac{|P_2P_3|}{|P_2P_3|} = \frac{|\vec{P_2P_6} \times \vec{P_2P_3}|}{|\vec{P_2P_1} \times \vec{P_2P_3}|} \quad (7)$$

$$d_3 = \frac{|P_2P_8|}{|P_2P_3|} = \frac{|P_2P_6|}{|P_2P_3|} \frac{\sin(\varphi)}{\sin(\phi)} \cdot \frac{|P_2P_1|}{|P_2P_1|} = \frac{|\vec{P_2P_6} \times \vec{P_2P_1}|}{|\vec{P_2P_3} \times \vec{P_2P_1}|}. \quad (8)$$

Note that the magnitude of the cross product of two vectors is the area of the parallelogram with the two vectors as adjacent sides. Thus, (7) and (8) can be transformed finally to expression

$$d_1 = \xi \cdot \left| \det \begin{bmatrix} v_{i2x} - v_{o1x} & v_{i2y} - v_{o1y} \\ v_{i3x} - v_{o1x} & v_{i3y} - v_{o1y} \end{bmatrix} \right| = \frac{\Delta_{[2,6,3]}}{\Delta_{[1,2,3]}} \quad (9)$$

$$d_3 = \xi \cdot \left| \det \begin{bmatrix} v_{i1x} - v_{o1x} & v_{i1y} - v_{o1y} \\ v_{i2x} - v_{o1x} & v_{i2y} - v_{o1y} \end{bmatrix} \right| = \frac{\Delta_{[2,6,1]}}{\Delta_{[1,2,3]}} \quad (10)$$

where \det means the determinant of the matrix 2×2 , and

$$\xi = \left| \det \begin{bmatrix} v_{i2x} - v_{i1x} & v_{i2y} - v_{i1y} \\ v_{i3x} - v_{i1x} & v_{i3y} - v_{i1y} \end{bmatrix} \right|^{-1}. \quad (11)$$

Thus, any angles or trigonometric functions do not need to be ever evaluated. If the reference vector $\vec{P_0P_4}$ lies outside the synthesis field, as in Fig. 4(a)–(c), the length of this vector can be shortened in respect to its original point P_0 and direction by the following factor:

$$\gamma_{(a)} = \frac{|P_0P_r|}{|P_0P_r| + |P_rP_4|} = \frac{\Delta_{[0,2,3]}}{\Delta_{[0,2,3]} + \Delta_{[2,3,4]}} \quad (12)$$

for the case (a), and in the analogous way for cases (b) and (c). Each reference output voltage sample can be also presented as the pair of two coordinates. Only the real part, which corresponds




Fig. 5. Example voltage waveforms and the PWM duty cycles for CMC3 \times 3 and $\omega_i = 3\omega_o$ for different types of modulation with: (a) the circular trajectory Γ_I , (b) centered straight trajectory Γ_{II} , and (c) shifted straight trajectory Γ_{III} connected with the vertex v_{i3} .

to x coordinate, determines the peak-to-peak output line-to-line voltage, while the imaginary part can be modified to obtain certain features of the PWM modulation, such as the control of the input displacement angle ϕ_i . Modifications cannot move any reference point outside the synthesis field [41]. Changes in the position of the pair representing the output voltage in the synthesis field can be expressed by Γ trajectory shape, as shown in Fig. 2(b), where the circular trajectory is presented.

The main purpose of modifying the real part is increasing the range of linear modulation. For the basic circular trajectory Γ_I , shown in Fig. 5(a), the maximum voltage transfer ratio q_{\max} is equal to the radius of the circle inscribed in an equilateral triangle and takes the value 0.5. By setting each y coordinate value to zero and adding the standard common-mode signal to all x coordinates, the 0.577 value can be obtained, as illustrated in Fig. 5(b). The last and most important modification consists of the appropriate trajectory Γ_{III} shift inside the synthesis field, which allows to reach the q_{\max} value equal to 0.866—this case




Fig. 6. Straight Γ trajectory inclined at an angle of ϕ_i inside the synthesis field $\Delta_{[1,2,3]}$.

is illustrated in Fig. 5(c). For a balanced three-phase source and the input angle $\phi_i = 0$, the maximum length of the trajectory Γ , shown in Fig. 6, is equal to the following expression:

$$l_{\Gamma\max} = \sqrt{(\max_x - \min_x)^2 + (\max_y - \min_y)^2} = 0.75. \quad (13)$$

Considering the reference nonzero input displacement angle ϕ_i and k odd number of outputs, the maximum voltage transfer ratio is limited to

$$q_{\max}(k, \phi_i) = \frac{1 + \cos(\frac{\pi}{3})}{2 \cdot \cos(\frac{\pi}{2k})} \cdot \cos(\phi_i). \quad (14)$$

In particular, the applied offset may shift the trajectory Γ to the nearest vertex of the voltage synthesis field, which is illustrated in Fig. 5(c). When the two points, which represent the reference and the input voltages overlap each other, the switching is not performed for a certain period of time. In consequence, the total losses can be reduced as a result of this operation. The modulation diagram of the discussed approach is shown in Fig. 8. The proposed concept can be extended to a greater number of converter outputs, which is presented in detail in the next section as the DAV-PWM modulation for CMC with three inputs and odd number of outputs.

IV. DAV-PWM MODULATION FOR CMC3 \times k

For three-phase sinusoidal input voltages v_{i1} , v_{i2} , and v_{i3} , the required analytic signals \bar{v}_i , can be easily calculated using (5). To increase the maximum voltage transfer ratio q for a given number of outputs and control the input angle ϕ_i , the sinusoidal reference output voltage

$$\mathbf{v}_o = q \left[\cos(\omega_o t) \cdots \cos\left(\omega_o t - \frac{(k-1)2\pi}{k}\right) \right]^T \quad (15)$$

can be converted into the following formula of the modified output analytic voltages:

$$\bar{\mathbf{v}}_o = (\mathbf{v}_o + v_{cm}) \cdot [1 \tan(\phi_i)] \quad (16)$$

where the common-mode signal v_{cm} is expressed as follows:

$$\begin{aligned} v_{cm} &= -0.5(\max_x + \min_x) \\ \max_x &= \text{MAX}\{v_{o1}, v_{o2}, \dots, v_{ok}\} \\ \min_x &= \text{MIN}\{v_{o1}, v_{o2}, \dots, v_{ok}\}. \end{aligned} \quad (17)$$




Fig. 7. All possible shift cases of the trajectory Γ inside the triangle $\Delta_{[1,2,3]}$.




Fig. 8. DAV-PWM modulation diagram for CMC3 \times 3.

The voltage synthesis field $\Delta_{[1,2,3]}$, input vectors $\bar{\mathbf{v}}_i$, and the straight-line Γ trajectory with reference analytic voltages $\bar{\mathbf{v}}_o$ are shown in Fig. 6. To achieve the maximum voltage transfer ratio (14), the trajectory Γ can be shifted to the nearest vertex of the triangle $\Delta_{[1,2,3]}$, as shown in Figs. 5(c) and 7. This operation can be performed by adding the following coordinates:

$$\mathbf{v}_s = [v_{sx}, v_{sy}] \quad (18)$$

to each reference voltage pair (16), as illustrated in Fig. 8. Finally, the modulating signals can be written as follows:

$$\bar{\mathbf{v}}_o = (\mathbf{v}_o + v_{cm}) \cdot [1 \tan(\phi_i)] + \begin{bmatrix} \mathbf{v}_s \\ \vdots \\ \mathbf{v}_s \end{bmatrix}_{[k \times 2]} \quad (19)$$

where \mathbf{v}_s is calculated depending on the case, shown in Fig. 7, as follows:

$$\begin{aligned} \mathbf{v}_{s1} &= [v_{i1x} - \max_x, v_{i1y} - \max_y] \\ \mathbf{v}_{s2} &= [v_{i3x} - \min_x, v_{i3y} - \min_y] \\ \mathbf{v}_{s3} &= [v_{i2x} - \max_x, v_{i2y} - \max_y] \\ \mathbf{v}_{s4} &= [v_{i1x} - \min_x, v_{i1y} - \min_y] \\ \mathbf{v}_{s5} &= [v_{i3x} - \max_x, v_{i3y} - \max_y] \\ \mathbf{v}_{s6} &= [v_{i2x} - \min_x, v_{i2y} - \min_y]. \end{aligned} \quad (20)$$

In the case of balanced voltage source, the proper case can be selected according to the given input voltage sextant shown in




Fig. 9. DAV-PWM algorithm flowchart for $\text{CMC}3 \times k$.

Fig. 11. Assuming that all output voltage subscripts start from 4, the required PWM duty cycles matrix \mathbf{d}_n for n -output phase can be calculated using the simple formulas (9)–(10), based on barycentric coordinates as follows:

$$\mathbf{d}_n = \begin{bmatrix} d_{1n} \\ d_{2n} \\ d_{3n} \end{bmatrix} = \begin{bmatrix} \frac{\Delta_{[n+3,2,3]}}{\Delta_{[1,2,3]}} \\ \frac{\Delta_{[1,n+3,3]}}{\Delta_{[1,2,3]}} \\ \frac{\Delta_{[1,2,n+3]}}{\Delta_{[1,2,3]}} \end{bmatrix} \quad (21)$$

where $n \in \{1, 2, 3, \dots, k\}$.

The DAV-PWM modulation diagram for $\text{CMC}3 \times 3$ is shown in Fig. 8, while the algorithm flowchart for $\text{CMC}3 \times k$ is presented in Fig. 9. The proposed trajectory shift operation affects the values of the PWM duty cycle matrix elements of the l -column, which corresponds to the given converter output

$$\mathbf{D} = [\mathbf{d}_1 \ \mathbf{d}_2 \ \dots \ \mathbf{d}_l \ \dots \ \mathbf{d}_k]. \quad (22)$$

Therefore, the PWM duty cycles for l output can be formally expressed as follows:

$$\mathbf{d}_l = \begin{cases} [1, 0, 0]^T \Leftrightarrow \bar{\mathbf{v}}_{ol} = \bar{\mathbf{v}}_{i1} \\ [0, 1, 0]^T \Leftrightarrow \bar{\mathbf{v}}_{ol} = \bar{\mathbf{v}}_{i2} \\ [0, 0, 1]^T \Leftrightarrow \bar{\mathbf{v}}_{ol} = \bar{\mathbf{v}}_{i3} \end{cases} \quad (23)$$

where $l \in \{1, 2, 3, \dots, k\}$. It means that for a certain period of time, one of the input voltage is permanently connected with the properly selected converter output, thus the number of switching is also reduced. Example voltages, between the outputs terminal and the neutral point N of the input capacitor star connection, are shown in Fig. 10. Apap *et al.* [42] compared and presented several PWM signal gating methods. Among them, the cyclic Venturini and min-mid-max (MMM) schemes of modulation are proposed. The first method can be implemented by applying the same PWM modulation duty cycles to a double-sided symmetrical switching sequence. This sequence changes cyclically according to the sextant, in which the input voltage space vector




Fig. 10. Example voltage between converter $\text{CMC}3 \times 3$ output and the neutral point N of the input filter capacitor star connection: $q = 0.866$, $\phi_i = 0$, $\omega_o = \omega_i$.

lies. The space vector is represented by coordinates $(v_{i\alpha}, v_{i\beta})$ as illustrated in Fig. 11.

When the input voltage source is not purely sinusoidal or balanced, the trajectory shifting operation is performed in a different way. Maintaining the maximum q voltage transfer ratio and the sinusoidal character of the output currents, in the case of an abnormal or distorted voltage source, requires solution for two key problems: proper presentation of all source voltages \mathbf{v}_i —in the meaning of the Hilbert transformation and analytic signal concept—and selection of an optimal Γ trajectory position inside the synthesis field $\Delta_{[1,2,3]}$. The first problem has many solutions, among them, the methods based on the Hilbert filter, FFT, or DFT can be indicated [34]–[37]. Nowadays, signal processors have hardware support for FFT algorithms in the form of coprocessors and often a special optimized DSP library is available. Nevertheless, taking into account the typical three-phase grid voltage frequency spectrum, the quadrature signals can be calculated selectively by DFT only for the fundamental and $6n \pm 1$ harmonics. The general concept of PWM duty cycle computed by (21) remains unchanged. An optimal placement Γ trajectory inside the triangle $\Delta_{[1,2,3]}$ can be performed by selecting the smallest control sum σ_r , calculated for the six cases shown in Fig. 7, as follows:

$$\sigma_r = \sigma_{1r} + \sigma_{2r} + \sigma_{3r} \quad (24)$$

where $r \in \{1, 2, 3, 4, 5, 6\}$ and

$$\begin{aligned} \sigma_{1r} &= \left| \det \begin{bmatrix} v_{i2x} - v_{srx} & v_{i2y} - v_{sry} \\ v_{i3x} - v_{srx} & v_{i3y} - v_{sry} \end{bmatrix} \right| \\ \sigma_{2r} &= \left| \det \begin{bmatrix} v_{i1x} - v_{srx} & v_{i1y} - v_{sry} \\ v_{i3x} - v_{srx} & v_{i3y} - v_{sry} \end{bmatrix} \right| \\ \sigma_{3r} &= \left| \det \begin{bmatrix} v_{i2x} - v_{srx} & v_{i2y} - v_{sry} \\ v_{i1x} - v_{srx} & v_{i1y} - v_{sry} \end{bmatrix} \right| \end{aligned} \quad (25)$$

represent determinants calculated for all the shift vector candidates represented by (20). The given case is optimal and finally selected, if the following condition is met:

$$\text{case} = r \Leftrightarrow \sigma_r = \min \{\sigma_1, \dots, \sigma_6\}. \quad (26)$$





Fig. 11. Cyclic Venturini switching sequence.

Fig. 12. Illustration of rapid change of an input voltage amplitude: CMC3 \times 5 converter, $\phi_i = 0$, $q = 0.65$.

The proposed DAV-PWM modulation has two variants of operation.

- 1) The simple variant: Input voltage quadrature components are calculated using (5) only and the Γ trajectory is shifted according to the sextants illustrated in Fig. 11.
- 2) The advanced variant: Analytic signals for the collection of input voltage vectors are computed using the quarter-cycle shifters or advanced technique of signal processing, and the trajectory Γ is shifted based on the approach represented by the (24)–(26).

In fact, the sinusoidal output current is obtained for both variants of DAV-PWM modulations, and the active power balance is also maintained. The main differences can be observed in the input current shapes during the abnormal input condition, such as amplitude asymmetry as shown in Fig. 12 (waveforms are presented in a per unit format). Input currents are distorted but load currents quality remains unchanged. An effect of advanced variant activation is shown in Fig. 13, where all input currents become sinusoidal waveforms.

The control of the input displacement angle has been analyzed using the mathematical model of the modulation strategy, which is expressed by two following fundamental equations:

$$\mathbf{v}_{o[1 \times k]} = \mathbf{v}_{i[1 \times 3]} \cdot \mathbf{D}_{[3 \times k]} \quad (27)$$

$$\mathbf{i}_{i[1 \times 3]} = \mathbf{i}_{o[1 \times k]} \cdot \mathbf{D}_{[k \times 3]}^T \quad (28)$$

Assuming the three-phase sinusoidal output currents with amplitude I_o , and a load angle φ_o

$$\mathbf{i}_o = \begin{bmatrix} i_{o1} \\ i_{o2} \\ i_{o3} \end{bmatrix} = I_o \cdot \begin{bmatrix} \cos(\omega_o t + \varphi_o) \\ \cos(\omega_o t + \varphi_o - 2\pi/3) \\ \cos(\omega_o t + \varphi_o + 2\pi/3) \end{bmatrix} \quad (29)$$





Fig. 13. Effect of advanced variant of DAV-PWM activation.

Fig. 14. Input angle control of CMC3 \times 5 converter for $\phi_i = \{\pi/4, 0, -\pi/4\}$: $q = \cos(\pi/4)(0.75/\cos(\pi/10))$.

the more practical expression of the input currents can be elaborated using (28) and the Clarke transform, which results in the following formula:

$$\begin{aligned} i_{i\alpha} &= I_i \cdot (\cos(\omega_i t) - \tan(\phi_i) \cdot \sin(\omega_i t)) \\ i_{i\beta} &= I_i \cdot (\sin(\omega_i t) + \tan(\phi_i) \cdot \cos(\omega_i t)) \end{aligned} \quad (30)$$

where

$$I_i = q \cdot I_o \cdot \cos(\varphi_o). \quad (31)$$

The above equations for CMC3 \times 3 have been elaborated using the Math Symbolic Toolbox, where all elements of matrix \mathbf{D} have been presented as a ratio of triangles according to (9)–(11), and (21). The approach allows us to realize an algorithm for any outputs number k and desired input angle ϕ_i . Simulation results of DAV-PWM modulation for CMC3 \times 5 and CMC3 \times 11 are shown in Figs. 14 and 15, respectively. Most important simulation parameters are listed in Table I.

V. SMOOTH INTERPOLATION METHOD

Multiphase sources can be represented as a set of rotating vectors by conversion of the sampled voltages into the analytic signals. Each voltage is expressed as a pair of two elements—real and imaginary, which correspond to the x and y coordinates of vertices of the convex polygon. This polygon, with the number of vertices $N \geq 3$, rotates and is the voltage synthesis field. All output vectors, inside the synthesis field, can be also represented by analytic signals. The movement of each reference output




Fig. 15. Control of CMC3 \times 11 converter under unity power factor operation: $\phi_i = 0$, $q = q_{\max} = 0.757$.

TABLE I
SIMULATION PARAMETERS USED IN PSIM11 SOFTWARE

Parameter	Value
Source phase-to-phase voltage	$V_i = 100\text{V}$
Input frequency	$f_i = 50\text{Hz}$
Input filter	$C_f = 15\mu\text{F}$, $L_f = 200\mu\text{H}$
Cabling resistance	$R_f = 0.1\Omega$
PWM sampling frequency	$f_s = 10\text{kHz}$
RL load parameters	$R = 0.5\Omega$, $L = 8.3\text{mH}$




Fig. 16. Application of the Wachspress coordinates for CMC6 \times 6: (a) synthesis field and (b) six input voltage vectors.

voltage inside a synthesis field can be graphically represented by trajectory, which can be a circle or straight line in particular. The position of each point inside the synthesis field can be expressed by the Wachspress coordinates, which are relatively simple rational functions. The value of the mathematical relation—in the meaning of PWM duty cycles value—between any internal point and all vertices of the synthesis field can be determined using the smooth interpolation. This approach can be successfully adopted for PWM modulation [40], and can be applied for ac–ac voltage conversion as well.

Let us assume that a point p_o represents the analytic output voltage and lies inside the synthesis field shown in Fig. 16(a). PWM duty cycle for \bar{v}_{im} input phase, which corresponds to the p_m vertex, can be computed using Wachspress formula

$$d(p_m) = \frac{w_m(p_o, p_m)}{\sum_{k=1}^N w_k(p_o, p_k)} \quad (32)$$




Fig. 17. CMC6 \times 6: $q = 0.6$ and $\omega_i = 4\omega_o$, RL type load, $v_{o1,2}$ load line-to-line voltage, $i_{o1...o6}$ load currents, v_{i1} input voltage, d_{11} PWM duty cycle.




Fig. 18. Illustration of the example modulation scenario, which uses the straight-line shape of the trajectory Γ for CMC5 \times 3: (a) synthesis field, (b) reference output voltages based on Venturini generalized approach from [23], and (c) sinusoidal reference v with common-mode signal injection.

where the numerator is the weight calculated as follows:

$$w_m(p_o, p_m) = \frac{\Delta[p_{m-1}, p_m, p_{m+1}]}{\Delta[p_{m-1}, p_m, p_o] \cdot \Delta[p_o, p_m, p_{m+1}]} \quad (33)$$

According to the Wachspress approach properties [43], [44], the sum of all calculated duty cycles is equal unity

$$\sum_{k=1}^N d(p_k) = 1 \quad (34)$$

and in particular

$$d(p_m) = 1 \Leftrightarrow p_m = p_o. \quad (35)$$

It should be pointed out that the voltage synthesis field does not have to contain all input voltages, but only selected ones. Thus, the size of the subset of input voltages can be dynamically changed, i.e., during an unexpected fault. An example voltage vector diagram of the six-phase system, which is connected with CMC6 \times 6 is shown in Fig. 16(b). An example output vector \bar{v}_{o1} represents the purely sinusoidal reference voltage, thus the shown trajectory Γ_o is a circle. A PWM duty cycle waveform d_1 , calculated for v_{i1} , is shown in Fig. 17, where the input voltage is intentionally distorted by known higher-order harmonics to demonstrate that the output voltage is correctly synthesized and the output currents $i_{o1...o6}$ remain sinusoidal—this is an advantage of the proposed approach. If the number of input vectors is 3, formula (32) is reduced to the relation of two triangle areas as expressed by (21). The smooth interpolation method can be used for CMC converters where the number of




Fig. 19. Comparison of the proposed advanced variant of DAV-PWM and the Optimum-Venturini for three example input voltage conditions and $\phi_i = 0$.

inputs is greater, equal to the number of outputs. If a maximum value of q is needed, a straight-line trajectory Γ can be applied, as shown in Fig. 18(a). The reference output voltage can be selected arbitrarily for maximizing the peak-to-peak line-to-line voltage. The optimum-Venturini and the sinusoidal, with common-mode signal injection, references are illustrated in Fig. 18(b) and 18(c), respectively. The algorithm flowchart is the same as in Fig. 9, only number of the input voltages is changed. More research on multiphase CMC will be discussed in detail in a separate paper.

VI. SIMULATION RESULTS

Some simulation results have been partially presented in Section IV. Nonsinusoidal input waveforms, such as rectangular or distorted by the higher-order voltage harmonics, have been analyzed through simulation. The DAV-PWM modulation has been also compared with the optimum-Venturini direct modulation method.

A. Comparison With the Optimum-Venturini Direct Modulation Method for CMC 3×3

The proposed modulation approach is a direct method of modulation and can be compared with the optimum-Venturini solution. This method is used to generate variable frequency

and amplitude sinusoidal output voltage v_{jN} from the fixed-frequency, fixed-amplitude input voltage v_{iN} with the amplitude V_i , where $j = a, b, c$ indicates CMC outputs, while $i = A, B, C$ denotes the CMC input. The $d_{ij}(t)$ PWM duty cycle can be calculated using the following expression:

$$d_{ij} = \frac{1}{3} \left(1 + \frac{2v_{iN}(t)\bar{v}_{jN}}{V_i^2} + \frac{4q}{3\sqrt{3}}\zeta \right) \quad (36)$$

where the modulating signal \bar{v}_{jN} represents the mean value of the output voltage, $\zeta = \sin(\omega_i t + \beta_i) \sin(3\omega_i t)$, and $\beta_i = 0, (2\pi/3), (4\pi/3)$. To increase the gain voltage to $q = 0.866$ Venturini proposed the injection of a third harmonic, thus in the optimum-Venturini approach, modulating signals are expressed as follows:

$$v_{jN}(t) = qV_i (\cos(\omega_o t + \alpha_o) - \zeta_o) \quad (37)$$

where $\zeta_o = \frac{\cos(3\omega_o t)}{6} - \frac{\cos(3\omega_i t)}{2\sqrt{3}}$ and $\alpha_o = 0, (2\pi/3), (4\pi/3)$.

The comparison for simulation and experiment, shown in Fig. 19, has been performed for normal supply conditions, 20% amplitude asymmetry, and the $\pi/6$ angle asymmetry of one source voltage. The presented simulation results and oscilloscope collection confirm the positive features of the proposed method of modulation such as maintaining the sinusoidal input and output currents during the abnormal supply condition. Due to observed currents distortion in the case of the optimum-Venturini




Fig. 20. Changes of input current angle for $\text{CMC}3 \times 3$ during harmonic distortion of the input voltage: $\omega_i = 3\omega_o$, $\phi_i = \{0, -\pi/6, \pi/6\}$.




Fig. 21. Control of $\text{CMC}3 \times 3$ converter fed by a three-phase rectangular source: $q = 0.5$, $\phi_i = \{0, -\pi/3, \pi/3\}$, $\omega_i = 3\omega_o$.

method, the conclusion is that the method is not suitable for such conditions and the robustness of the DAV-PWM modulation is proved. Comparative tests were carried out using the regulated ac voltage source (30 V–50 V) specially equipped with an RL load ($R = 8 \, \Omega$, $L = 6 \, \text{mH}$). Practical conditions have been faithfully reproduced in the simulation using the PSIM11, with the algorithm frequency equal to the 10 kHz.

B. Nonsinusoidal Input Waveforms Case

Using the proposed advanced variant of modulation, the sinusoidal output current has been generated properly even if the input voltages contained higher-order harmonics, shown in Fig. 20. Changing the amplitude of one of the input voltages causes the supply asymmetry, which translates into the deformation of the synthesis field, so the triangle, shown in Fig. 6, is not equilateral in this case. If the reference voltages still lie inside the synthesis field, all output voltages will also be generated properly, which illustrated in Fig. 12. Theoretically, by using (5), the proposed approach can be used for any symmetric, balanced three-phase source such as rectangular voltages. This case has been illustrated in Figs. 21 and 22. In this particular supply case, a pure sinusoidal output current has been also obtained. The triangle $\Delta_{[1,2,3]}$ rotates discretely, i.e., its position in the xy coordinate system is fixed within one of the six rotation cycles. Such type of voltage supply also allows for achieving a higher $q_{\max} = 2/\sqrt{3}$. This result is presented only as a demonstration of the capability of the proposed approach.




Fig. 22. Control of $\text{CMC}3 \times 3$ converter with three-phase rectangular voltage supply: $q = 1.1$, $\phi_i = 0$, $\omega_i = 3\omega_o$.




Fig. 23. $\text{CMC}3 \times 3$ and control board.




Fig. 24. Model of $\text{CMC}3 \times 5$ converter connected with the five-phase, 5 kW squirrel cage engine prototype.

VII. EXPERIMENTAL RESULTS

The developed DAV-PWM modulation has been tested for $\text{CMC}3 \times 3$ and $\text{CMC}3 \times 5$. In the first case, the experiments have been performed for a three-phase RL loads. The prototype of the $\text{CMC}3 \times 3$ converter and control board are shown in Fig. 23. The solution for the $\text{CMC}3 \times 5$ has been verified using a 5 kW/140 V five-phase squirrel-cage motor, shown in Fig. 24, and two converters CMC_1 and CMC_2 . The proposed algorithm has been implemented with floating-point multicore DSP Analog Devices ADSP-SC589. A programmable logic devices Intel field-programmable gate array (FPGA) MAX10 has been used mainly for perform the four-step commutation and analog-to-digital signal conversion. System commands and




Fig. 25. Typical waveforms for DAV-PWM modulation applied to the CMC3 \times 3: $\omega_o = 0.5\omega_i$, load $R = 30\ \Omega$, $L = 9\text{ m}$.




Fig. 26. Five-phase IM supplied by CMC3 \times 5 during the 20% of input voltage asymmetry: $q = 0.6$, $\phi_i = 0$, $\omega_o = 0.8\omega_i$.

TABLE II
COMPARISON OF THE NUMBER OF TMS320C6672 1 GHz PROCESSOR
CPU CYCLES FOR SELECTED ALGORITHMS

Algorithm	Cycles
Classic Venturini, $q_{max} = 0.5$	337
Extended Venturini, $q_{max} = 0.866$	2038
DAV-PWM with the circle trajectory, $q_{max} = 0.5$	224
DAV-PWM with the straight-line trajectory, $q_{max} = 0.866$	259
DAV-PWM with the straight-line shifted trajectory	548

other operations have been served using additional software, which operated via fiber optic.

Typical waveforms for the simple variant of the DAV-PWM modulation for CMC3 \times 3 fed by balanced three-phase voltage source are shown in Fig. 25. Presented results confirm the correct regulation of the load voltage and the input angle. The proposed advanced variant of DAV-PWM has been tested during the amplitude asymmetry of the voltage source, which is presented in one of the oscillograms shown in Fig. 19, where both the input and the output currents remained undistorted. The proposed modulation algorithms for a converter with five outputs—the simple modulation variant and the advanced one—have been also verified in the same abnormal source condition. The effects are presented in Fig. 26, where the input current for both DAV-PWM variants and obtained sinusoidal load currents have been shown.

Assuming potential use of the proposed method in multiphase high-frequency applications, the high-performance DSP processor TMS320C6672-1 GHz has been selected for the benchmark,

number of CPU cycles of which has been measured by a special timestamp timer. All algorithms in the benchmark have been designed and programmed using special math functions from the digital signal processor (DSP) library, thus the standard C functions have not been applied. Results are presented in Table II.

VIII. CONCLUSION

The use of analytical signal and smooth interpolation in ac-ac voltage synthesis facilitated modulation algorithm prototyping. Although the vector terminology still appeared in the proposed method description, the idea of computing the PWM duty cycle is free from trigonometry and angles, which, in consequence, accelerates the calculation. The discussed approach can be used under the wide range of input voltage conditions, starting from amplitude asymmetry, ending with the radical voltage waveform shape change. Voltages presentation, using an analytic signal, is intuitive and can express almost all input voltage conditions. However, as discussed in the article, it can require advanced harmonic analysis but nowadays it is strongly supported, both in hardware and software. The PWM duty cycle can be computed based on the barycentric coordinates using the ratio of triangle areas or applying the smooth interpolation by Wachspress formula. The PWM duty cycle can be computed using the barycentric coordinates using the ratio of triangle areas or applying the smooth interpolation using the Wachspress formula. The presented solution, in particular, the barycentric coordinates, can be adopted to develop a solution for other multiphase matrix converters, such as multipulse matrix converters, which is the aim of further research.

REFERENCES

- [1] L. Empringham, J. Kolar, J. Rodriguez, P. Wheeler, and J. C. Clare, "Technological issues and industrial application of matrix converters: A review," *IEEE Trans. Ind. Electron.*, vol. 60, no. 10, pp. 4260–4271, Oct. 2013.
- [2] C. Klumpner, P. Nielsen, I. Boldea, and F. Blaabjerg, "A new matrix converter motor (MCM) for industry applications," *IEEE Trans. Ind. Electron.*, vol. 49, no. 2, pp. 325–335, Apr. 2002.
- [3] M. Venturini and A. Alesina, "The generalised transformer: A new bidirectional, sinusoidal waveform frequency converter with continuously adjustable input power factor," in *Proc. IEEE Power Electron. Spec. Conf.*, Jun. 1980, pp. 242–252.
- [4] A. Alesina and M. G. B. Venturini, "Analysis and design of optimum-amplitude nine-switch direct ac-ac converters," *IEEE Trans. Power Electron.*, vol. 4, no. 1, pp. 101–112, Jan. 1989.
- [5] T. Friedli and J. Kolar, "Milestones in matrix converter research," *IEEE J. Ind. Appl.*, vol. 1, no. 1, pp. 2–14, Jul. 2012.
- [6] A. K. Dey, G. Mohapatra, T. K. Mohapatra, and R. Sharma, "A modified venturini PWM scheme for matrix converters," in *Proc. IEEE Int. Conf. Sustain. Energy Technol. Syst.*, Feb. 2019, pp. 013–018.
- [7] J. Rodriguez, M. Rivera, J. Kolar, and P. Wheeler, "A review of control and modulation methods for matrix converters," *IEEE Trans. Ind. Electron.*, vol. 59, no. 1, pp. 58–70, Jan. 2012.
- [8] Z. Malekjamshidi, M. Jafari, and J. Zhu, "Analysis and comparison of direct matrix converters controlled by space vector and venturini modulations," in *Proc. IEEE 11th Int. Conf. Power Electron. Drive Syst.*, Jun. 2015, pp. 635–639.
- [9] S. M. Ahmed, Z. Salam, and H. Abu-Rub, "An improved space vector modulation for a three-to-seven-phase matrix converter with reduced number of switching vectors," *IEEE Trans. Ind. Electron.*, vol. 62, no. 6, pp. 3327–3337, Dec. 2015.
- [10] S. M. Ahmed, A. Iqbal, H. Abu-Rub, J. Rodriguez, C. Rojas, and M. Saleh, "Simple carrier-based PWM technique for a three-to-nine phase direct ac-ac converter," *IEEE Trans. Ind. Electron.*, vol. 58, no. 11, pp. 5014–5023, Nov. 2011.
- [11] S. M. Ahmed, A. Iqbal, and H. Abu-Rub, "Generalized duty-ratio-based pulsewidth modulation technique for a three-to-k phase matrix converter," *IEEE Trans. Ind. Electron.*, vol. 58, no. 9, pp. 3925–3937, Sep. 2011.
- [12] T. D. Nguyen and H. Lee, "Development of a three-to-five-phase indirect matrix converter with carrier-based PWM based on space-vector modulation analysis," *IEEE Trans. Ind. Electron.*, vol. 63, no. 1, pp. 13–24, Sep. 2016.
- [13] P. Zanchetta, P. Wheeler, J. Clare, M. Bland, L. Empringham, and D. Katsis, "Control design of a three-phase matrix-converter-based ac-ac mobile utility power supply," *IEEE Trans. Ind. Electron.*, vol. 55, no. 1, pp. 209–217, Jan. 2008.
- [14] X. Liu, P. Wang, P. Loh, and F. Blaabjerg, "A three-phase dual-input matrix converter for grid integration of two ac type energy resources," *IEEE Trans. Ind. Electron.*, vol. 60, no. 1, pp. 20–29, Jan. 2013.
- [15] M. Y. Lee, P. Wheeler, and C. Klumpner, "Space-vector modulated multilevel matrix converter," *IEEE Trans. Ind. Electron.*, vol. 57, no. 10, pp. 3385–3394, Oct. 2010.
- [16] R. Pena, R. Cardenas, E. Reyes, J. Clare, and P. Wheeler, "Control of a doubly fed induction generator via an indirect matrix converter with changing dc voltage," *IEEE Trans. Ind. Electron.*, vol. 58, no. 10, pp. 20–29, Oct. 2011.
- [17] L. Helle, K. Larsen, A. Jorgensen, S. Munk-Nielsen, and F. Blaabjerg, "Evaluation of modulation schemes for three-phase to three-phase matrix converters," *IEEE Trans. Ind. Electron.*, vol. 51, no. 1, pp. 158–171, Feb. 2004.
- [18] U. Nasir, A. Costabeber, P. Wheeler, and M. Rivera, "A new ac/ac power converter," in *Proc. IEEE Southern Power Electron. Conf.*, Dec. 2017, pp. 1–6.
- [19] P. Boonseam, N. Jarutus, and Y. Kumsuwan, "A control strategy for a matrix converter based on Venturini method under unbalanced input voltage conditions," in *Proc. 13th Int. Conf. Elect. Eng./Electron., Comput., Telecommun. Inf. Technol.*, Jun. 2016, pp. 1–6.
- [20] W. Xiong *et al.*, "A cost-effective and low-complexity predictive control for matrix converters under unbalanced grid voltage conditions," *IEEE Access*, vol. 7, pp. 43895–43905, 2019.
- [21] X. Wang, H. Lin, H. She, and B. Feng, "A research on space vector modulation strategy for matrix converter under abnormal input-voltage conditions," *IEEE Trans. Ind. Electron.*, vol. 59, no. 1, pp. 93–104, Jan. 2012.
- [22] O. Abdel-Rahim, H. Funato, H. Abu-Rub, and O. Ellabban, "Multiphase wind energy generation with direct matrix converter," in *Proc. IEEE Int. Conf. Ind. Technol.*, Feb. 2014, pp. 519–523.
- [23] M. Ali, A. Iqbal, M. R. Khan, M. Ayyub, and M. A. Anees, "Generalized theory and analysis of scalar modulation techniques for a $m \times n$ matrix converter," *IEEE Trans. Power Electron.*, vol. 32, no. 6, pp. 4864–4877, Jun. 2017.
- [24] M. Ali, A. Iqbal, M. Anas Anees, M. Rizwan Khan, K. Rahman, and M. Ayyub, "Differential evolution-based pulse-width modulation technique for multiphase MC," *IET Power Electron.*, vol. 12, no. 9, pp. 2224–2235, 2019.
- [25] S. Pipolo, A. Formentini, A. Trentin, P. Zanchetta, M. Calvini, and M. Venturini, "A new modulation approach for matrix converter," in *Proc. 10th Int. Conf. Power Electron. ECCE Asia*, May 2019, pp. 1021–1027.
- [26] M. Ishida, T. Ueda, T. Tanaka, and D. Ueda, "Gan on Si technologies for power switching devices," *IEEE Trans. Electron Devices*, vol. 60, no. 10, pp. 3053–3059, Oct. 2013.
- [27] D. Lan, P. Das, and S. K. Sahoo, "A high-frequency link matrix rectifier with a pure capacitive output filter in a discontinuous conduction mode," *IEEE Trans. Ind. Electron.*, vol. 67, no. 1, pp. 4–15, Jan. 2020.
- [28] R. J. Kaplar *et al.*, "Characterization and reliability of SiC- and GaN-based power transistors for renewable energy applications," in *Proc. IEEE Energytech*, May 2012, pp. 1–6.
- [29] L. Keuck, P. Hosemann, B. Strothmann, and J. Boecker, "A comparative study on Si-SJ-MOSFETs vs. GaN-HEMTs used for LLC-single-stage battery charger," in *Proc. PCIM Eur. Int. Exhib. Conf. Power Electron., Intell. Motion, Renewable Energy Energy Manage.*, May 2017, pp. 1–8.
- [30] K. Kumar, M. Bhattacharya, S. Garlapati, and S. Banerjee, "Impact of Gallium Nitride semiconductor devices in tri-state boost converter," in *Proc. IEEE Int. Conf. Sustain. Energy Technol. Syst.*, Feb. 2019, pp. 292–296.
- [31] A. Taylor, J. Lu, L. Zhu, K. Bai, M. McAmmond, and A. Brown, "Comparison of SiC MOSFET-based and GaN HEMT-based high-efficiency high-power-density 7.2 kW EV battery chargers," *IET Power Electron.*, vol. 11, no. 11, pp. 1849–1857, 2018.
- [32] N. He, M. Chen, J. Wu, N. Zhu, and D. Xu, "20-kW zero-voltage-switching SiC-MOSFET grid inverter with 300 kHz switching frequency," *IEEE Trans. Power Electron.*, vol. 34, no. 6, pp. 5175–5190, Jun. 2019.
- [33] T. Hirota, K. Inomata, D. Yoshimi, and M. Higuchi, "Nine switches matrix converter using bi-directional GaN device," in *Proc. Int. Power Electron. Conf.*, May 2018, pp. 3952–3957, doi: [10.23919/IPEC.2018.8507399](https://doi.org/10.23919/IPEC.2018.8507399).
- [34] G. Todoran and R. Holonec, "Analysis of the multi-phased system based on the concept of analytic signals," in *Proc. 4th Int. Conf. Power Eng., Energy Elect. Drives*, May 2013, pp. 664–669.
- [35] C. Rader, "A simple method for sampling in-phase and quadrature components," *IEEE Aerosp. Electron. Syst. Mag.*, vol. AES-20, no. 6, pp. 821–824, Nov. 1984.
- [36] A. Reilly, G. Frazer, and B. Boashash, "Analytic signal generation-tips and traps," *IEEE Trans. Signal Process.*, vol. 42, no. 11, pp. 3241–3245, Nov. 1994.
- [37] L. Marple, "Computing the discrete-time 'Analytic' signal via FFT," *IEEE Trans. Signal Process.*, vol. 47, no. 9, pp. 2600–2603, Sep. 1999.
- [38] L. Asiminoel, F. Blaabjerg, and S. Hansen, "Computing the discrete-time 'analytic' signal via FFT," *IEEE Ind. Appl. Mag.*, vol. 13, no. 4, pp. 22–33, Jul. 2007.
- [39] H. Hojabri, H. Mokhtari, and L. Chang, "A generalized technique of modeling, analysis, and control of a matrix converter using SVD," *IEEE Trans. Ind. Electron.*, vol. 58, no. 3, pp. 949–959, Mar. 2011.
- [40] P. Szczepankowski and J. Nieznanski, "Application of barycentric coordinates in space vector PWM computations," *IEEE Access*, vol. 7, pp. 91499–91508, 2019.
- [41] D. Casadei, G. Serra, A. Tani, and L. Zarri, "Matrix converter modulation strategies: A new general approach based on space-vector representation of the switch state," *IEEE Trans. Ind. Electron.*, vol. 49, no. 2, pp. 370–381, Apr. 2002.
- [42] M. Apap, J. Clare, P. Wheeler, and K. Bradley, "Analysis and comparison of ac-ac matrix converter control strategies," in *Proc. IEEE 34th Annu. Conf. Power Electron. Spec.*, Jun. 2003, pp. 1287–1292.
- [43] N. S. E. Malsch, "Recent advanced in the construction of polygonal finite element interpolants," *Arch. Comput. Methods Eng.*, vol. 11, pp. 1–38, Sep. 2005.
- [44] G. Dasgupta, "Interpolants within convex polygons: Wachspress shape functions," *J. Aerosp. Eng.*, vol. 16, no. 1, pp. 1–8, Jan. 2003.



Pawel Szczepankowski (M'18) received the Ph.D. degree in electrical engineering from the Gdansk University of Technology, Gdansk, Poland, in 2009.

He authored or coauthored more than 30 scientific and technical papers. His research interests include design, control, diagnostics, modeling, and simulation of power electronic converters, including multilevel and matrix topologies, and signal processing with the use of advanced digital signal processor and field-

programmable gate array devices.



Tomasz Bajdecki received the M.S. degree in electrical engineering from the Czestochowa University of Technology, Czestochowa, Poland, in 1992 and the Ph.D. degree for dissertation "Control strategy for the matrix converter" from the Gdansk University of Technology, Gdansk, Poland, in 2003.

He is now with the Institute of Power Engineering, Gdansk, as a Research Staff Member. His main current interest is in the area of control of the high power converters.



Patrick Wheeler (M'01–SM'10) received the B.Eng. (Hons.) degree from the University of Bristol, Bristol, U.K., in 1990 and the Ph.D. degree in electrical engineering for his work on matrix converters from the University of Bristol, in 1994.

In 1993, he moved to the University of Nottingham, Nottingham, U.K. and was a Research Assistant with the Department of Electrical and Electronic Engineering. In 1996, he became a Lecturer with the Power Electronics, Machines

and Control Group, University of Nottingham. Since January 2008, he has been a Full Professor in the same research group. He was the Head of the Department of Electrical and Electronic Engineering, University of Nottingham from 2015 to 2018. He is currently the Head of the Power Electronics, Machines and Control Research Group, Global Director of the University of Nottingham's Institute of Aerospace Technology and is the Li Dak Sum Chair Professor in Electrical and Aerospace Engineering.

Dr. Wheeler is a Member of the IEEE Power Electronics (PELs) Society Administrative Committee and was an IEEE PELs Distinguished Lecturer from 2013 to 2017. He has published 500 academic publications in leading international conferences and journals.