

Received August 16, 2019, accepted August 28, 2019, date of publication September 5, 2019, date of current version September 20, 2019.

Digital Object Identifier 10.1109/ACCESS.2019.2939201

A Survey of Deep Learning-Based Object Detection

LICHENG JIAO¹, (Fellow, IEEE), FAN ZHANG¹, FANG LIU¹, (Senior Member, IEEE), SHUYUAN YANG¹, (Senior Member, IEEE), LINGLING LI¹, (Member, IEEE), ZHIXI FENG¹, (Member, IEEE), AND RONG QU², (Senior Member, IEEE)

¹Key Laboratory of Intelligent Perception and Image Understanding of Ministry of Education, International Research Center for Intelligent Perception and Computation, Joint International Research Laboratory of Intelligent Perception and Computation, School of Artificial Intelligence, Xidian University, Xi'an 710071, China

²ASAP Research Group, School of Computer Science, University of Nottingham, Nottingham NG8 1BB, U.K.

Corresponding author: Licheng Jiao (lchjiao@mail.xidian.edu.cn)

This work was supported in part by the State Key Program of National Natural Science of China (No. 61836009), the National Natural Science Foundation of China (No. U1701267), and the Major Research Plan of the National Natural Science Foundation of China (No. 91438201).

ABSTRACT Object detection is one of the most important and challenging branches of computer vision, which has been widely applied in people's life, such as monitoring security, autonomous driving and so on, with the purpose of locating instances of semantic objects of a certain class. With the rapid development of deep learning algorithms for detection tasks, the performance of object detectors has been greatly improved. In order to understand the main development status of object detection pipeline thoroughly and deeply, in this survey, we analyze the methods of existing typical detection models and describe the benchmark datasets at first. Afterwards and primarily, we provide a comprehensive overview of a variety of object detection methods in a systematic manner, covering the one-stage and two-stage detectors. Moreover, we list the traditional and new applications. Some representative branches of object detection are analyzed as well. Finally, we discuss the architecture of exploiting these object detection methods to build an effective and efficient system and point out a set of development trends to better follow the state-of-the-art algorithms and further research.

INDEX TERMS Classification, deep learning, localization, object detection, typical pipelines.

I. INTRODUCTION

Object detection has been attracting increasing amounts of attention in recent years due to its wide range of applications and recent technological breakthroughs. This task is under extensive investigation in both academia and real world applications, such as monitoring security, autonomous driving, transportation surveillance, drone scene analysis, and robotic vision. Among many factors and efforts that lead to the fast evolution of object detection techniques, notable contributions should be attributed to the development of deep convolution neural networks and GPUs computing power. At present, deep learning model has been widely adopted in the whole field of computer vision, including general object detection and domain-specific object detection. Most of the state-of-the-art object detectors utilize deep learning networks as their backbone and detection network to extract

features from input images (or videos), classification and localization respectively.

Object detection is a computer technology related to computer vision and image processing which deals with detecting instances of semantic objects of a certain class (such as humans, buildings, or cars) in digital images and videos. Well-researched domains of object detection include multi-categories detection, edge detection, salient object detection, pose detection, scene text detection, face detection, and pedestrian detection etc. As an important part of scene understanding, object detection has been widely used in many fields of modern life, such as security field, military field, transportation field, medical field and life field. Furthermore, many benchmarks have played an important role in object detection field so far, such as Caltech [1], KITTI [2], ImageNet [3], PASCAL VOC [4], MS COCO [5], and Open Images V5 [6]. In ECCV VisDrone 2018 contest, organizers have released a novel drone platform-based dataset [7] which contains a large amount of images and videos.

The associate editor coordinating the review of this manuscript and approving it for publication was Mohammad Shorif Uddin.




FIGURE 1. (a) Exhibits the basic architecture of two-stage detectors, which consists of region proposal network to feed region proposals into classifier and regressor. (b) Shows the basic architecture of one-stage detectors, which predicts bounding boxes from input images directly. Yellow cubes are a series of convolutional layers (called a block) with the same resolution in backbone network, because of down-sampling operation after one block, the size of the following cubes gradually becoming small. Thick blue cubes are a series of convolutional layers contain one or more convolutional layers. The flat blue cube demonstrates the RoI pooling layer which generates feature maps for objects of the same size.

A. TWO KINDS OF OBJECT DETECTORS

Pre-existing domain-specific image object detectors usually can be divided into two categories, the one is two-stage detector, the most representative one, Faster R-CNN [8]. The other is one-stage detector, such as YOLO [9], SSD [10]. Two-stage detectors have high localization and object recognition accuracy, whereas the one-stage detectors achieve high inference speed. The two stages of two-stage detectors can be divided by RoI (Region of Interest) pooling layer. For instance, in Faster R-CNN, the first stage, called RPN, a Region Proposal Network, proposes candidate object bounding boxes. The second stage, features are extracted by RoIPool (RoI Pooling) operation from each candidate box

for the following classification and bounding-box regression tasks [11]. Fig.1 (a) shows the basic architecture of two-stage detectors. Furthermore, the one-stage detectors propose predicted boxes from input images directly without region proposal step, thus they are time efficient and can be used for real-time devices. Fig.1 (b) exhibits the basic architecture of one-stage detectors.

B. CONTRIBUTIONS

This survey focuses on describing and analyzing deep learning based object detection task. The existing surveys always cover a series of domain of general object detection and

may not contain state-of-the-art methods which provide some novel solutions and newly directions of these tasks due of the rapid development of computer vision research.

(1) This paper lists very novel solutions proposed recently but neglects to discuss the basics so that readers can see the cutting edge of the field more easily.

(2) Moreover, different from previous object detection surveys, this paper systematically and comprehensively reviews deep learning based object detection methods and most importantly the up to date detection solutions and a set of significant research trends as well.

(3) This survey is featured by in-depth analysis and discussion in various aspects, many of which, to the best of our knowledge, are the first time in this field.

Above all, it is our intention to provide an overview how different deep learning methods are used rather than a full summary of all related papers. To get into this field, we recommend readers refer to [12]–[14] for more details of early methods.

The rest of this paper is organized as follows. Object detectors need a powerful backbone network to extract rich features. This paper discusses backbone networks in section 2 below. As is known to all, the typical pipelines of domain-specific image detectors act as basics and milestone of the task. In section 3, this paper elaborates the most representative and pioneering deep learning-based approaches proposed before June 2019. Section 4 describes common used datasets and metrics. Section 5 systematically explains the analysis of general object detection methods. Section 6 details five typical fields and several popular branches of object detection. The development trend is summarized in section 7.

II. BACKBONE NETWORKS

Backbone network is acting as the basic feature extractor for object detection task which takes images as input and outputs feature maps of the corresponding input image. Most of backbone networks for detection are the network for classification task taking out the last fully connected layers. The improved version of basic classification network is also available. For instance, Lin *et al.* [15] add or subtract layers or replace some layers with special designed layers. To better meet specific requirements, some works [9], [16] utilize the newly designed backbone for feature extraction.

Towards different requirements about accuracy vs. efficiency, people can choose deeper and densely connected backbones, like ResNet [11], ResNeXt [17], AmoebaNet [18] or lightweight backbones like MobileNet [19], ShuffleNet [20], SqueezeNet [21], Xception [22], MobileNetV2 [23]. When applied to mobile devices, lightweight backbones can meet the requirements. Wang *et al.* [24] propose a novel real-time object detection system by combining PeleeNet with SSD [10] and optimizing the architecture for fast processing speed. In order to meet the needs of high precision and more accurate applications, complex backbones are needed. On the other hand, real-time acquirements like video or webcam require not only high

processing speed but high accuracy [9], which need well-designed backbone to adapt to the detection architecture and make a trade-off between speed and accuracy.

To explore more competitive detecting accuracy, deeper and densely connected backbone is adopted to replace the shallower and sparse connected counterpart. He *et al.* [11] utilize ResNet [25] rather than VGG [26] to capture rich features which is adopted in Faster R-CNN [8] for further accuracy gain because of its high capacity.

The newly high performance classification networks can improve precision and reduce the complexity of object detection task. This is an effective way to further improve network performance because the backbone network acts as a feature extractor. As is known to all, the quality of features determines the upper bound of network performance, thus it is an important step that needs further exploration. Please refer to [27] for more details.

III. TYPICAL BASELINES

With the development of deep learning and the continuous improvement of computing power, great progress has been made in the field of general object detection. When the first CNN-based object detector R-CNN was proposed, a series of significant contributions have been made which promote the development of general object detection by a large margin. We introduce some representative object detection architectures for beginners to get started in this domain.

A. TWO-STAGE DETECTORS

1) R-CNN

R-CNN is a region based CNN detector. As Girshick *et al.* [28] propose R-CNN which can be used in object detection tasks, their works are the first to show that a CNN could lead to dramatically higher object detection performance on PASCAL VOC datasets [4] than those systems based on simpler HOG-like features. Deep learning method is verified effective and efficient in the field of object detection.

R-CNN detector consists of four modules. The first module generates category-independent region proposals. The second module extracts a fixed-length feature vector from each region proposal. The third module is a set of class-specific linear SVMs to classify the objects in one image. The last module is a bounding-box regressor for precisely bounding-box prediction. For detailed, first, to generate region proposals, the authors adopt selective search method. Then, a CNN is used to extract a 4096-dimensional feature vector from each region proposal. Because the fully connected layer needs input vectors of fixed length, the region proposal features should have the same size. The authors adopt a fixed 227×227 pixel as the input size of CNN. As we know, the objects in various images have different size and aspect ratio, which makes the region proposals extracted by the first module different in size. Regardless of the size or aspect ratio of the candidate region, the authors warp all pixels in a tight bounding box around it to the required size 227×227 .

The feature extraction network consists of five convolutional layers and two fully connected layers. And all CNN parameters are shared across all categories. Each category trains category-independent SVM which does not share parameters between different SVMs.

Pre-training on larger dataset followed by fine-tuning on the specified dataset is a good training method for deep convolutional neural networks to achieve fast convergence. First, Girshick *et al.* [28] pre-train the CNN on a large scale dataset (ImageNet classification dataset [3]). The last fully connected layer is replaced by the CNN's ImageNet specific 1000-way classification layer. The next step is to use SGD (stochastic gradient descent) to fine-tune the CNN parameters on the warped proposal windows. The last fully connected layer is a $(N+1)$ -way classification layer (N : object classes, 1: background) which is randomly initialized.

When setting positive examples and negative examples the authors divide into two situations. The first is to define the IoU (intersection over union) overlap threshold as 0.5 in the process of fine-tuning. Below the threshold, region proposals are defined as negatives while above it object proposals are defined as positives. As well, the object proposals whose maximum IoU overlap with a ground-truth class are assigned to the ground-truth box. Another situation is to set parameters when training SVM. In contrast, only the ground-truth boxes are taken as positive examples for their respective classes and proposals have less than 0.3 IoU overlap with all ground-truth instances of one class as a negative proposal for that class. These proposals with overlap between 0.5 and 1 and they are not ground truth, which expand the number of positive examples by approximately $30\times$. Therefore such a big set can avoid overfitting during fine-tuning process effectively.

2) FAST R-CNN

R-CNN proposed a year later, Ross Girshick [29] proposed a faster version of R-CNN, called Fast R-CNN [29]. Because R-CNN performs a ConvNet forward pass for each region proposal without sharing computation, R-CNN takes a long time on SVMs classification. Fast R-CNN extracts features from an entire input image and then passes the region of interest (RoI) pooling layer to get the fixed size features as the input of the following classification and bounding box regression fully connected layers. The features are extracted from the entire image once and are sent to CNN for classification and localization at a time. Compared to R-CNN which inputs each region proposals to CNN, a large amount of time can be saved for CNN processing and large disk storage to store a great deal of features can be saved either in Fast R-CNN. As mentioned above, training R-CNN is a multi-stage process which covers pre-training stage, fine-tuning stage, SVMs classification stage and bounding box regression stage. Fast R-CNN is a one-stage end-to-end training process using a multi-task loss on each labeled RoI to jointly train the network.

Another improvement is that Fast R-CNN uses a RoI pooling layer to extract a fixed size feature map from region

proposals of different size. This operation with no need of warping regions and reserves the spatial information of features of region proposals. For fast detection, the author uses truncated SVD which accelerates the forward pass of computing the fully connected layers.

Experiment results showed that Fast R-CNN had 66.9% mAP while R-CNN of 66.0% on PASCAL VOC 2007 dataset [4]. Training time dropped to 9.5 hours as compared to R-CNN with 84h, 9 times faster. For test rate (s/image), Fast R-CNN with truncated SVD (0.32s) was $213\times$ faster than R-CNN (47s). These experiments were carried out on an Nvidia K40 GPU, which demonstrated that Fast R-CNN did accelerate object detection process.

3) FASTER R-CNN

Three months after Fast R-CNN was proposed, Faster R-CNN [8] further improves the region-based CNN baseline. Fast R-CNN uses selective search to propose RoI, which is slow and needs the same running time as the detection network. Faster R-CNN replaces it with a novel RPN (region proposal network) that is a fully convolutional network to efficiently predict region proposals with a wide range of scales and aspect ratios. RPN accelerates the generating speed of region proposals because it shares fully-image convolutional features and a common set of convolutional layers with the detection network. The procedure is simplified in Fig.3 (b). Furthermore, a novel method for different sized object detection is that multi-scale anchors are used as reference. The anchors can greatly simplify the process of generating various sized region proposals with no need of multiple scales of input images or features. On the outputs (feature maps) of the last shared convolutional layer, sliding a fixed size window (3×3), the center point of each feature window is relative to a point of the original input image which is the center point of k (3×3) anchor boxes. The authors define anchor boxes have 3 different scales and 3 aspect ratios. The region proposal is parameterized relative to a reference anchor box. Then they measure the distance between predicted box and its corresponding ground truth box to optimize the location of the predicted box.

Experiments indicated that Faster R-CNN has greatly improved both precision and detection efficiency. On PASCAL VOC 2007 test set, Faster R-CNN achieved mAP of 69.9% as compared to Fast R-CNN of 66.9% with shared convolutional computations. As well, total running time of Faster R-CNN (198ms) was nearly 10 times lower than Fast R-CNN (1830ms) with the same VGG [26] backbone, and processing rate was 5fps vs. 0.5fps.

4) MASK R-CNN

Mask R-CNN [11] is an extending work to Faster R-CNN mainly for instance segmentation task. Regardless of the adding parallel mask branch, Mask R-CNN can be seen a more accurate object detector. He *et al.* use Faster R-CNN with a ResNet [25]-FPN [15] (feature pyramid network, a backbone extracts RoI features from different levels of the

feature pyramid according to their scale) backbone to extract features achieves excellent accuracy and processing speed. FPN contains a bottom-up pathway and a top-down pathway with lateral connections. The bottom-up pathway is a backbone ConvNet which computes a feature hierarchy consisting of feature maps at several scales with a scaling step of 2. The top-down pathway produces higher resolution features by upsampling spatially coarser, but semantically stronger, feature maps from higher pyramid levels. At the beginning, the top pyramid feature maps are captured by the output of the last convolutional layer of the bottom-up pathway. Each lateral connection merges feature maps of the same spatial size from the bottom-up pathway and the top-down pathway. While the dimensions of feature maps are different, the 1×1 convolutional layer can change the dimension. Once undergoing a lateral connection operation, there will form a new pyramid level and predictions are made independently on each level. Because higher-resolution feature maps are important for detecting small objects while lower-resolution feature maps are rich in semantic information, feature pyramid network extracts significant features.

Another way to improve accuracy is to replace RoI pooling with RoIAlign to extract a small feature map from each RoI, as shown in Fig. 2. Traditional RoI pooling quantizes floating-number in two steps to get approximate feature values in each bin. First, quantization is applied to calculate the coordinates of each RoI on feature maps, given the coordinates of RoIs in the input images and down sampling stride. Then RoI feature maps are divided into bins to generate feature maps at the same size, which is also quantized during the process. These two quantization operations cause misalignments between the RoI and the extracted features. To address this, at those two steps, RoIAlign avoids any quantization of the RoI boundaries or bins. First it computes the floating-number of the coordinates of each RoI feature map followed by a bilinear interpolation operation to compute the exact values of the features at four regularly sampled locations in each RoI bin. Then it aggregates the results using max or average pooling to get values of each bin. Fig. 2 is an example of RoIAlign operation.




FIGURE 2. RoIAlign operation. The first step calculates floating number coordinates of an object in the feature map. Next step utilizes bilinear interpolation to compute the exact values of the features at four regularly sampled locations in the separated bin.

Experiments showed that with the above two improvements the precision got promotion. Using ResNet-FPN backbone improved 1.7 points box AP and RoIAlign operation improved 1.1 points box AP on MS COCO detection dataset.

B. ONE-STAGE DETECTORS

1) YOLO

YOLO [9] (you only look once) is a one-stage object detector proposed by Redmon *et al.* after Faster R-CNN [8]. The main contribution is real-time detection of full images and webcam. Firstly, it is due to this pipeline only predicts less than 100 bounding boxes per image while Fast R-CNN using selective search predicts 2000 region proposals per image. Secondly, YOLO frames detection as a regression problem, so a unified architecture can extract features from input images straightly to predict bounding boxes and class probabilities. YOLO network runs at 45 frames per second with no batch processing on a Titan X GPU as compared to Fast R-CNN at 0.5fps and Faster R-CNN at 7fps.

YOLO pipeline first divides the input image into an $S \times S$ grid, where a grid cell is responsible to detect the object whose center falls into. The confidence score is obtained by multiplying two parts, where $P(object)$ denotes the probability of the box containing an object and IOU (intersection over union) shows how accurate the box containing that object. Each grid cell predicts B bounding boxes (x, y, w, h) and confidence scores for them and C -dimension conditional class probabilities for C categories. The feature extraction network contains 24 convolutional layers followed by 2 fully connected layers. When pre-training on ImageNet dataset, the authors use the first 20 convolutional layers and an average pooling layer followed by a fully connected layer. For detection, the whole network is used for better performance. In order to get fine-grained visual information to improve detection precision, in detection stage double the input resolution of 224×224 in pre-training stage.

The experiments showed that YOLO was not good at accurate localization and localization error was the main component of prediction error. Fast R-CNN makes many background false positives mistakes while YOLO is 3 times less than it. Training and testing on PASCAL VOC dataset, YOLO achieved 63.4% mAP with 45 fps as compared to Fast R-CNN (70.0% mAP, 0.5fps) and Faster R-CNN (73.2% mAP, 7fps).

2) YOLOv2

YOLOv2 [30] is a second version of YOLO [9], which adopts a series of design decisions from past works with novel concepts to improve YOLO's speed and precision.

a: BATCH NORMALIZATION

Fixed distribution of inputs to a ConvNet layer would have positive consequences for the layers. It is impractical to normalize the entire training set because the optimization step uses stochastic gradient descent. Since SGD uses

mini-batches during training, each mini-batch produces estimates of the mean and variance of each activation. Computing the mean and variance value of the mini-batch of size m , then normalize the activations of number m to have mean zero and variance 1. Finally, the elements of each mini-batch are sampled from the same distribution. This operation can be seen as a BN layer [31] which outputs activations with the same distribution. YOLOv2 adds a BN layer ahead of each convolutional layer which accelerates the network to get convergence and helps regularize the model. Batch normalization gets more than 2% improvement in mAP.

b: HIGH RESOLUTION CLASSIFIER

In YOLO backbone, the classifier adopts an input resolution of 224×224 then increases the resolution to 448 for detection. This process needs the network adjust to a new resolution inputs when switches to object detection task. To address this, YOLOv2 adds a fine-tuning process to the classification network at 448×448 for 10 epochs on ImageNet dataset which increases the mAP at 4%.

c: CONVOLUTIONAL WITH ANCHOR BOXES

In original YOLO networks, coordinates of predicted boxes are directly generated by fully connected layers. Faster R-CNN uses anchor boxes as reference to generate offsets with predicted boxes. YOLOv2 adopts this prediction mechanism and firstly removes fully connected layers. Then it predicts class and objectness for every anchor box. This operation increases 7% recall while mAP decreases 0.3%.

d: PREDICTING THE SIZE AND ASPECT RATIO OF ANCHOR BOXES USING DIMENSION CLUSTERS

In Faster R-CNN, the size and aspect ratio of anchor boxes is identified empirically. For easier learning to predict good detections, YOLOv2 uses K-means clustering on the training set bounding boxes to automatically get good priors. Using dimension clusters along with directly predicting the bounding box center location improves YOLO by almost 5% over the above version with anchor boxes.

e: FINE-GRAINED FEATURES

For localizing smaller objects, high-resolution feature maps can provide useful information. Similar to the identity mappings in ResNet, YOLOv2 concatenates the higher resolution features with the low resolution features by stacking adjacent features into different channels which gives a modest 1% performance increase.

f: MULTI-SCALE TRAINING

For networks to be robust to run on images of different sizes, every 10 batches the network randomly chooses a new image dimension size from {320, 352, ..., 608}. This means the same network can predict detections at different resolutions. At high resolution detection, YOLOv2 achieves 78.6% mAP and 40fps as compared to YOLO with 63.4% mAP and 45fps on VOC 2007.

TABLE 1. AP scores (%) on the MS COCO dataset, AP_S :AP of small objects, AP_M :AP of medium objects, AP_L :AP of large objects.

Model	AP_S	AP_M	AP_L
DSSD513	13.0	35.4	51.1
RetinaNet	24.1	44.2	51.2

As well, YOLOv2 proposes a new classification backbone namely Darknet-19 with 19 convolutional layers and 5 max-pooling layers which requires less operations to process an image yet achieves high accuracy. The more competitive YOLOv2 version has 78.6% mAP and 40fps as compared to Faster R-CNN with ResNet backbone of 76.4% mAP and 5fps, and SSD500 has 76.8% mAP and 19fps. As mentioned above, YOLOv2 can achieve high detecting precision while high processing rate which benefit from 7 main improvements and a new backbone.

3) YOLOv3

YOLOv3 [32] is an improved version of YOLOv2. First, YOLOv3 uses multi-label classification (independent logistic classifiers) to adapt to more complex datasets containing many overlapping labels. Second, YOLOv3 utilizes three different scale feature maps to predict the bounding box. The last convolutional layer predicts a 3-d tensor encoding class predictions, objectness, and bounding box. Third, YOLOv3 proposes a deeper and robust feature extractor, called Darknet-53, inspired by ResNet.

According to results of experiments on MS COCO dataset, YOLOv3 ($AP:33\%$) performs on par with the SSD variant (DSSD513: $AP:33.2\%$) under MS COCO metrics yet 3 times faster than DSSD while quite a bit behind RetinaNet [33] ($AP:40.8\%$). But uses the “old” detection metric of mAP at IOU = 0.5 (or AP_{50}), YOLOv3 can achieve 57.9% mAP as compared to DSSD513 of 53.3% and RetinaNet of 61.1%. Due to the advantages of multi-scale predictions, YOLOv3 can detect small objects even more but has comparatively worse performance on medium and larger sized objects.

4) SSD

SSD [10], a single-shot detector for multiple categories within one-stage which directly predicts category scores and box offsets for a fixed set of default bounding boxes of different scales at each location in several feature maps with different scales, as shown in Fig.4 (a). The default bounding boxes have different aspect ratios and scales in each feature map. In different feature maps, the scale of default bounding boxes is computed with regularly space between the highest layer and the lowest layer where each specific feature map learns to be responsive to the particular scale of the objects. For each default box, it predicts both the offsets and the confidences for all object categories. Fig.3 (c) shows the method. At training time, matching these default bounding boxes to ground truth boxes where the matched default boxes




FIGURE 3. Four methods utilize features for different sized object prediction. (a) Using an image pyramid to build a feature pyramid. Features are computed on each of the image scales independently, which is slow. (b) Detection systems [8], [29] use only single scale features (the outputs of the last convolutional layer) for faster detection. (c) Predicting each of the pyramidal feature hierarchy from a ConvNet as if it is a image pyramid like SSD [10]. (d) Feature Pyramid Network (FPN) [15] is fast like (b) and (c), but more accurate. In this figure, the feature graph is represented by a gray-filled quadrilateral. The head network is represented by a blue rectangle.

as positive examples and the rest as negatives. For the large amount of default boxes are negatives, the authors adopt hard negative mining using the highest confidence loss for each default box then pick the top ones to make the ratio between the negatives and positives at most 3:1. As well, the authors implement data augmentation which is proved an effective way to enhance precision by a large margin.

Experiments showed that SSD512 had a competitive result on both mAP and speed with VGG-16 [26] backbone. SSD512 (input image size: 512×512) achieved mAP of 81.6% on PASCAL VOC 2007 test set and 80.0% on PASCAL VOC 2012 test set as compared to Faster R-CNN (78.8%, 75.9%) and YOLO (VOC2012: 57.9%). On MS COCO DET dataset, SSD512 was better than Faster R-CNN under all evaluation criteria.

5) DSSD

DSSD [34] (Deconvolutional Single Shot Detector) is a modified version of SSD (Single Shot Detector) which adds prediction module and deconvolution module also adopts ResNet-101 as backbone. The architecture of DSSD is shown in Fig.4 (b). For prediction module, Fu *et al.* add a residual

block to each predicting layer, then do element-wise addition of the outputs of prediction layer and residual block. Deconvolution module increases the resolution of feature maps to strengthen features. Each deconvolution layer followed by a prediction module is to predict a variety of objects with different sizes. At training process, first the authors pre-train ResNet-101 based backbone network on the ILSVRC CLS-LOC dataset, then use 321×321 inputs or 513×513 inputs training the original SSD model on detection dataset. Finally, they train the deconvolution module freezing all the weights of SSD module.

Experiments on both PASCAL VOC dataset and MS COCO dataset showed the effectiveness of DSSD513 model, while the added prediction module and deconvolution module brought 2.2% enhancement on PASCAL VOC 2007 test dataset.

6) RetinaNet

RetinaNet [33] is a one-stage object detector with focal loss as classification loss function proposed by Lin *et al.* [33] in February 2018. The architecture of RetinaNet is shown in Fig.4 (c). R-CNN is a typical two-stage object detector.




FIGURE 4. Networks of SSD, DSSD and RetinaNet on residual network. (a) The blue modules are the layers added in SSD framework whose resolution gradually drop because of down sampling. In SSD the prediction layer is acting on fused features of different levels. Head module consists of a series of convolutional layers followed by several classification layers and localization layers. (b) The red modules are the layers added in DSSD framework denoting deconvolution operation. In DSSD, the prediction layer is following every deconvolution module. (c) RetinaNet utilizes ResNet-FPN as its backbone network, which generates 5 level feature pyramid (P3-P7) corresponding to C3-C7 (the feature map of conv3-conv7 respectively) to predict different sized objects.

The first stage generates a sparse set of region proposals and the second stage classifies each candidate location. Owing to the first stage filters out the majority of negative locations, two-stage object detectors can achieve higher precision than one-stage detectors which propose a dense set of candidate locations. The main reason is the extreme foreground-background class imbalance when one-stage detectors train networks to get convergence. So the authors propose a loss function, called focal loss, which can down-weight the loss assigned to well-classified or easy examples. Focal loss concentrates on the hard training examples and avoids the vast number of easy negative examples overwhelming the detector during training. RetinaNet inherits the fast speed of previous one-stage detectors while greatly overcomes the disadvantage

of one-stage detectors difficult to train unbalanced positive and negative examples.

Experiments showed that RetinaNet with ResNet-101-FPN backbone got 39.1% AP as compared to DSSD513 of 33.2% AP on MS COCO test-dev dataset. With ResNeXt-101-FPN, it made 40.8% AP far surpassing DSSD513. RetinaNet improved the detection precision on small and medium objects by a large margin.

7) M2Det

To meet a large variety of scale variation across object instances, Zhao *et al.* [35] propose a multi-level feature pyramid network (MLFPN) constructing more effective feature pyramids. The authors adopt three steps to obtain final

enhanced feature pyramids. First, like FPN, multi-level features extracted from multiple layers in the backbone are fused as the base feature. Second, the base feature is fed into a block, composing of alternating joint Thinned U-shape Modules and Feature Fusion Modules, and obtains the decoder layers of TUM as the features for next step. Finally, a feature pyramid containing multi-level features is constructed by integrating the decoder layers of equivalent scale. So far, features with multi-scale and multi-level are prepared. The remaining part is to follow the SSD architecture to obtain bounding box localization and classification results in an end-to-end manner.

For M2Det is a one-stage detector, it achieves AP of 41.0 at speed of 11.8 FPS with single-scale inference strategy and AP of 44.2 with multi-scale inference strategy utilizing VGG-16 on COCO test-dev set. It outperforms RetinaNet800 (Res101-FPN as backbone) by 0.9% with single-scale inference strategy, but is twice slower than RetinaNet800.

8) RefineDet

The whole network of RefineDet [36] contains two inter-connected modules, the anchors refinement module and the object detection module. These two modules are connected by a transfer connection block to transfer and enhance features from the former module to better predict objects in the latter module. The training process is in an end-to-end way, conducted by three stages, preprocessing, detection (two inter-connected modules), and NMS.

Classical one-stage detectors such as SSD, YOLO, RetinaNet all use one-step regression method to obtain the final results. The authors find that use two-step cascaded regression method can better predict hard detected objects, especially for small objects and provide more accurate locations of objects.

C. LATEST DETECTORS

1) RELATION NETWORKS FOR OBJECT DETECTION

Hu *et al.* [37] propose an adapted attention module for object detection called object relation module which considers the interaction between different targets in an image including their appearance feature and geometry information. This object relation module is added in the head of detector before two fully connected layers to get enhanced features for accurate classification and localization of objects. The relation module not only feeds enhanced features into classifier and regressor, but replaces NMS post-processing step which gains higher accuracy than NMS. By using Faster R-CNN, FPN and DCN as the backbone network on the COCO test-dev dataset, adding the relationship module increases the accuracy by 0.2, 0.6, and 0.2, respectively.

2) DCNv2

For learning to adapt to geometric variation reflected in the effective spatial support region of targets, deformable convolutional networks (DCN) [38] was proposed by

Dai *et al.* Regular ConvNets can only focus on features of fixed square size (according to the kernel), thus the receptive field does not properly cover the entire pixel of a target object to represent it. The deformable ConvNets can produce deformable kernel and the offset from the initial convolution kernel (of fixed size) are learned from the networks. Deformable RoI Pooling can also adapt to part location for objects with different shapes. On COCO test-dev set, DCNv1 achieves significant accuracy improvement, which is almost 4% higher than three plain ConvNets. The best mean average-precision result under the strict COCO evaluation criteria (mAP @[0.5:0.95]) is 37.5%.

Deformable ConvNets v2 [39] utilizes more deformable convolutional layers than DCNv1 (from only the convolutional layers in the conv5 stage to all the convolutional layers in the conv3-conv5 stages) to replace the regular convolutional layers. All the deformable layers are modulated by a learnable scalar, which obviously enhance the deformable effect and accuracy. The authors adopt feature mimicking to further improve detection accuracy by incorporating a feature mimic loss on the per-RoI features of DCN to be similar to good features extracted from cropped images. DCNv2 achieves 45.3% mAP under COCO evaluation criteria on the COCO 2017 test-dev set, while DCNv1 with 41.7% and regular Faster R-CNN with 40.1% on ResNext-101 backbone. On other strong backbones, DCNv2 surpasses DCNv1 by 3% – 5% mAP and regular Faster R-CNN by 5% – 8%.

3) NAS-FPN

In recent days, the authors from Google Brain adopt neural architecture search to find some new feature pyramid architecture, named NAS-FPN [18], consisting of both top-down and bottom-up connections to fuse features with a variety of different scales. By repeating FPN architecture N times then concatenating them into a large architecture during the search, the high level feature layers pick arbitrary level features for them to imitate. All of the highest accuracy architectures have the connection between high resolution input feature maps and output feature layers, which indicate that it is necessary to generate high resolution features for small targets detection. Stacking more pyramid networks, adding feature dimension, adopting high capacity architecture all increase detection accuracy by a large margin.

Experiments showed that adopting ResNet-50 as backbone of 256 feature dimension, on the COCO test-dev dataset, the mAP of NAS-FPN exceeded the original FPN by 2.9%. The superlative configuration of NAS-FPN utilized AmoebaNet as backbone network and stacked 7 FPN of 384 feature dimension, which achieved 48.0% on COCO test-dev.

In conclusion, the typical baselines enhance accuracy by extracting richer features of objects and adopting multi-level and multi-scale features for different sized object detection. To achieve higher speed and precision, the one-stage detectors utilize newly designed loss function to filter out easy

TABLE 2. Detection results on the MS COCO test-dev dataset of some typical baselines. AP , AP_{50} , AP_{75} scores (%). AP_S : AP of small objects, AP_M : AP of medium objects, AP_L : AP of large objects. *DCNv2+Faster R-CNN models are trained on the 118k images of the COCO 2017 train set.

Method	Data	Backbone	AP	AP_{50}	AP_{75}	AP_S	AP_M	AP_L
Fast R-CNN [29]	train	VGG-16	19.7	35.9	—	—	—	—
Faster R-CNN [8]	trainval	VGG-16	21.9	42.7	—	—	—	—
OHEM [40]	trainval	VGG-16	22.6	42.5	22.2	5.0	23.7	37.9
ION [41]	train	VGG-16	23.6	43.2	23.6	6.4	24.1	38.3
OHEM++ [40]	trainval	VGG-16	25.5	45.9	26.1	7.4	27.7	40.3
R-FCN [42]	trainval	ResNet-101	29.9	51.9	-	10.8	32.8	45.0
CoupleNet [43]	trainval	ResNet-101	34.4	54.8	37.2	13.4	38.1	52.0
Faster R-CNN G-RMI [44]	—	Inception-ResNet-v2	34.7	55.5	36.7	13.5	38.1	52.0
Faster R-CNN+++ [25]	trainval	ResNet-101-C4	34.9	55.7	37.4	15.6	38.7	50.9
Faster R-CNN w FPN [15]	trainval35k	ResNet-101-FPN	36.2	59.1	39.0	18.2	39.0	48.2
Faster R-CNN w TDM [45]	trainval	Inception-ResNet-v2-TDM	36.8	57.7	39.2	16.2	39.8	52.1
Deformable R-FCN [38]	trainval	Aligned-Inception-ResNet	37.5	58.0	40.8	19.4	40.1	52.5
<i>umd</i> _det [46]	trainval	ResNet-101	40.8	62.4	44.9	23.0	43.4	53.2
Cascade R-CNN [47]	trainval35k	ResNet-101-FPN	42.8	62.1	46.3	23.7	45.5	55.2
SNIP [48]	trainval35k	DPN-98	45.7	67.3	51.1	29.3	48.8	57.1
Fitness-NMS [49]	trainval35k	ResNet-101	41.8	60.9	44.9	21.5	45.0	57.5
Mask R-CNN [11]	trainval35k	ResNeXt-101	39.8	62.3	43.4	22.1	43.2	51.2
DCNv2+Faster R-CNN [39]	train118k*	ResNet-101	44.8	66.3	48.8	24.4	48.1	59.6
G-RMI [44]	trainval32k	Ensemble of Five Models	41.6	61.9	45.4	23.9	43.5	54.9
YOLOv2 [30]	trainval35k	DarkNet-53	33.0	57.9	34.4	18.3	35.4	41.9
YOLOv3 [32]	trainval35k	DarkNet-19	21.6	44.0	19.2	5.0	22.4	35.5
SSD300* [10]	trainval35k	VGG-16	25.1	43.1	25.8	6.6	22.4	35.5
RON384+++ [50]	trainval	VGG-16	27.4	49.5	27.1	—	—	—
SSD321 [34]	trainval35k	ResNet-101	28.0	45.4	29.3	6.2	28.3	49.3
DSSD321 [34]	trainval35k	ResNet-101	28.0	46.1	29.2	7.4	28.1	47.6
SSD512* [10]	trainval35k	VGG-16	28.8	48.5	30.3	10.9	31.8	43.5
SSD513 [34]	trainval35k	ResNet-101	31.2	50.4	33.3	10.2	34.5	49.8
DSSD513 [34]	trainval35k	ResNet-101	33.2	53.3	35.2	13.0	35.4	51.1
RetinaNet500 [33]	trainval35k	ResNet-101	34.4	53.1	36.8	14.7	38.5	49.1
RetinaNet800 [33]	trainval35k	ResNet-101-FPN	39.1	59.1	42.3	21.8	42.7	50.2
M2Det512 [35]	trainval35k	VGG-16	37.6	56.6	40.5	18.4	43.4	51.2
M2Det512 [35]	trainval35k	ResNet-101	38.8	59.4	41.7	20.5	43.9	53.4
M2Det800 [35]	trainval35k	VGG-16	41.0	59.7	45.0	22.1	46.5	53.8
RefineDet320 [36]	trainval35k	VGG-16	29.4	49.2	31.3	10.0	32.0	44.4
RefineDet512 [36]	trainval35k	VGG-16	33.0	54.5	35.5	16.3	36.3	44.3
RefineDet320 [36]	trainval35k	ResNet-101	32.0	51.4	34.2	10.5	34.7	50.4
RefineDet512 [36]	trainval35k	ResNet-101	36.4	57.5	39.5	16.6	39.9	51.4
RefineDet320+ [36]	trainval35k	VGG-16	35.2	56.1	37.7	19.5	37.2	47.0
RefineDet512+ [36]	trainval35k	VGG-16	37.6	58.7	40.8	22.7	40.3	48.3
RefineDet320+ [36]	trainval35k	ResNet-101	38.6	59.9	41.7	21.1	41.7	52.3
RefineDet512+ [36]	trainval35k	ResNet-101	41.8	62.9	45.7	25.6	45.1	54.1
CornerNet512 [51]	trainval35k	Hourglass	40.5	57.8	45.3	20.8	44.8	56.7
NAS-FPN [18]	trainval35k	RetinaNet	45.4	—	—	—	—	—
NAS-FPN [18]	trainval35k	AmoebaNet	48.0	—	—	—	—	—

samples which drops the number of proposal targets by a large margin. To address geometric variation, adopting deformable convolution layers is an effective way. Modeling the relationship between different objects in an image is also necessary to improve performance. Detection results on MS COCO test-dev dataset of the above typical baselines are listed on table 2.

IV. DATASETS AND METRICS

Detecting an object has to state that an object belongs to a specified class and locate it in the image. The localization of an object is typically represented by a bounding box as shown in Fig. 5. Using challenging datasets as benchmark is significant in many areas of research, because they are



FIGURE 5. The first two lines are examples from the MS COCO dataset [5]. The images show three different types of images sampled in the dataset, including iconic objects, iconic scenes and non-iconic objects. In addition, the last two lines are annotated sample images from the PASCAL VOC dataset [4].

able to draw a standard comparison between different algorithms and set goals for solutions. Early algorithms focused on face detection using various ad hoc datasets. Later, more realistic and challenging face detection datasets were created. Another popular challenge is the detection of pedestrians for which several datasets have been created. The Caltech Pedestrian Dataset [1] contains 350,000 labeled instances with bounding boxes. General object detection datasets like PASCAL VOC [4], MS COCO [5], ImageNet-loc [3] are the mainstream benchmarks of object detection task. The official metrics are mainly adopted to measure the performance of detectors with corresponding dataset.

A. PASCAL VOC DATASET

1) DATASET

For the detection of basic object categories, a multi-year effort from 2005 to 2012 was devoted to the creation and maintenance of a series of benchmark datasets that were widely adopted. The PASCAL VOC datasets [4] contain 20 object categories (in VOC2007, such as person, bicycle, bird, bottle, dog, etc.) spread over 11,000 images. The 20 categories can be considered as 4 main branches—vehicles, animals, household objects and people. Some of them increase semantic specificity of the output, such as car and motorbike, different types of vehicle, but not look similar. In addition, the visually

similar classes increase the difficulty of detection, e.g. “dog” vs. “cat”. Over 27,000 object instance bounding boxes are labeled, of which almost 7,000 have detailed segmentations. Imbalanced datasets exist in the VOC2007 dataset, while the class “person” is definitely the biggest one, which is nearly 20 times more than the smallest class “sheep” in the training set. This problem is widespread in the surrounding scene and how can detectors solve this well? Another issue is viewpoint, such as, front, rear, left, right and unspecified, the detectors need to treat different viewpoints separately. Some annotated examples are showed in the last two lines of Fig. 5.

2) METRIC

For the VOC2007 criteria, the interpolated average precision (Salton and McGill 1986) was used to evaluate both classification and detection. It is designed to penalize the algorithm for missing object instances, for duplicate detections of one instance, and for false positive detections.

$$Recall(t) = \frac{\sum_{ij} 1[s_{ij} \geq t]z_{ij}}{N}$$

$$Precision(t) = \frac{\sum_{ij} 1[s_{ij} \geq t]z_{ij}}{\sum_{ij} 1[s_{ij} \geq t]}$$

where t is threshold to judge the IoU between predicted box and ground truth box. In VOC metric, t is set to 0.5. i is the

TABLE 3. Comparison between ILSVRC object detection dataset and PASCAL VOC dataset.

Dataset	Classes	Fully annotated training images	Training objects	Val images	Val objects	Annotated object/image
PASCAL VOC	20	5717	13609	5823	15787	2.7
ILSVRC	200	60658	478807	20121	55501	2.8

index of the i -th image while j is the index of the j -th object. N is the number of predicted boxes. The indicator function $1[s_{ij} \geq t] = 1$ if $s_{ij} \geq t$ is true, 0 otherwise. If one detection is matched to a ground truth box according to the threshold criteria, it will be seen as a true positive result.

For a given task and class, the precision/recall curve is computed from a method's ranked output. Recall is defined as the proportion of all positive examples ranked above a given rank. Precision is the proportion of all examples above that rank which are from the positive class. The mean average precision across all categories is the ultimate results.

B. MS COCO BENCHMARK

1) DATASET

The Microsoft Common Objects in Context (MS COCO) dataset [5] for detecting and segmenting objects found in everyday life in their natural environments contains 91 common object categories with 82 of them having more than 5,000 labeled instances. These categories cover the 20 categories in PASCAL VOC dataset. In total the dataset has 2,500,000 labeled instances in 328,000 images. MS COCO dataset also pays attention to varied viewpoints and all objects of it are in natural environments which gives us rich contextual information.

In contrast to the popular ImageNet dataset [3], COCO has fewer categories but more instances per category. The dataset is also significantly larger in the number of instances per category (27k on average) than the PASCAL VOC datasets [4] (about 10 more times less than MS COCO dataset) and ImageNet object detection dataset (1k) [3]. MS COCO contains considerably more object instances per image (7.7) as compared to PASCAL VOC (2.3) and ImageNet (3.0). Furthermore, MS COCO dataset contains 3.5 categories per image as compared to PASCAL (1.4) and ImageNet (1.7) on average. In addition, 10% images in MS COCO have only one category, while in ImageNet and PASCAL VOC all have more than 60% of images contain a single object category. As we know, small objects need more contextual reasoning to recognize. Images among MS COCO dataset are rich in contextual information. The biggest class is also the "person", nearly 800,000 instances, while the smallest class is "hair driver", about 600 instances in the whole dataset. Another small class is "hair brush" whose number is nearly 800. Except for 20 classes with many or few instances, the number of instances in the remaining 71 categories is roughly the same. Three typical categories of images in MS COCO dataset are showed in the first two lines of Fig. 5.

2) METRIC

MS COCO metric is under a strict manner and thoroughly judge the performance of detections. The threshold in PASCAL VOC is set to a single value, 0.5, but is belong to $[0.5, 0.95]$ with an interval 0.05 that is 10 values to calculate the mean average precision in MS COCO. Apart from that, the special average precision for small, medium and large objects are calculated separately to measure the performance of the detector in detecting targets of different sizes.

C. ImageNet BENCHMARK

1) DATASET

Challenging datasets can encourage a step forward of vision tasks and practical applications. Another important large-scale benchmark dataset is ImageNet dataset [3]. The ILSVRC task of object detection evaluates the ability of an algorithm to name and localize all instances of all target objects present in an image. ILSVRC2014 has 200 object classes and nearly 450k training images, 20k validation images and 40k test images. More comparisons with PASCAL VOC are in Table 3.

2) METRIC

The PASCAL VOC metric uses the threshold $t = 0.5$. However, for small objects even deviations of a few pixels would be unacceptable according to this threshold. ImageNet uses a loosen threshold calculated as:

$$t = \min(0.5, \frac{wh}{(w+10)(h+10)})$$

where w and h are width and height of a ground truth box respectively. This threshold allows for the annotation to extend up to 5 pixels on average in each direction around the object.

D. VisDrone2018 BENCHMARK

Last year, a new dataset consists of images and videos captured by drones, called VisDrone2018 [7], a large-scale visual object detection and tracking benchmark dataset. This dataset aims at advancing visual understanding tasks on the drone platform. The images and video sequences in the benchmark were captured over various urban/suburban areas of 14 different cities across China from north to south. Specifically, VisDrone2018 consists of 263 video clips and 10,209 images (no overlap with video clips) with rich annotations, including object bounding boxes, object categories, occlusion, truncation ratios, etc. This benchmark has more than 2.5 million annotated instances in 179,264 images/video frames.

Being the larger such dataset ever published, the benchmark enables extensive evaluation and investigation of visual analysis algorithms on the drone platform. VisDrone2018 has a large amount of small objects, such as dense cars, pedestrians and bicycles, which will cause difficult detection about certain categories. Moreover, a large proportion of the images in this dataset have more than 20 objects per image, 82.4% in training set, and the average number of objects per image is 54 in 6471 images of training set. This dataset contains dark night scenes so the brightness of these images lower than those in day time, which complicates the correct detection of small and dense objects, as shown in Fig. 6. This dataset adopts MS COCO metric.



FIGURE 6. A drone-based image with bounding box and category labels of objects. Image from VisDrone 2018 dataset [7].

E. OPEN IMAGES V5

1) DATASET

Open Images [6] is a dataset of 9.2M images annotated with image-level labels, object bounding boxes, object segmentation masks, and visual relationships. Open Images V5 contains a total of 16M bounding boxes for 600 object classes on 1.9M images, which makes it the largest existing dataset with object location annotations. First, the boxes in this dataset have been largely manually drawn by professional annotators (Google-internal annotators) to ensure accuracy and consistency. Second, the images in it are very diverse and mostly contain complex scenes with several objects (8.3 per image on average). Third, this dataset offers visual relationship annotations, indicating pairs of objects in particular relations (e.g. “woman playing guitar”, “beer on table”). In total it has 329 relationship triplets with 391,073 samples.

TABLE 4. Comparison of person detection benchmarks, * Images in EuroCity Persons benchmark have day and night collections, which use “/” to split the number of day and night. Table information from Markus Braun *et al.* IEEE TPAMI2019 [52].

Dataset	Countries	Cities	Seasons	Images	Pedestrians	Resolution	Weather	Train-cal-test-split(%)
Caltech [1]	1	1	1	249884	289395	640 × 480	dry	50-0-50
KITTI [2]	1	1	1	14999	9400	1240 × 376	dry	50-0-50
CityPersons [53]	3	27	3	5000	31514	2048 × 1024	dry	60-10-30
TDC [54]	1	1	1	14674	8919	2048 × 1024	dry	71-8-21
EuroCity Persons [52]	12	31	4	40217/7118*	183004/35309*	1920 × 1024	dry, wet	60-10-30

Fourth, V5 provides segmentation masks for 2.8M object instances in 350 classes. Segmentation masks mark the outline of objects, which characterizes their spatial extent to a much higher level of detail. Finally, the dataset is annotated with 36.5M image-level labels spanning 19,969 classes.

2) METRIC

On the basis of PASCAL VOC 2012 mAP evaluation metric, Kuznetsova *et al.* propose several modifications to consider thoroughly of some important aspects of the Open Images Dataset. First, for fair evaluation, the unannotated classes are ignored to avoid wrongly counted as false negatives. Second, if an object belongs to a class and a subclass, an object detection model should give a detection result for each of the relevant classes. The absence of one of these classes would be considered a false negative in that class. Third, in Open Images Dataset, there exists group-of boxes which contain a group of (more than one which are occluding each other or physically touching) object instances but unknown a single object localization inside them. If a detection inside a group-of box and the intersection of the detection and the box divided by the area of the detection is larger than 0.5, the detection will be counted as a true positive. Multiple correct detections inside the same group-of box only count one valid true positive.

F. PEDESTRIAN DETECTION DATASETS

Table 4 and table 5 list the comparison between several people detection benchmarks and pedestrian detection datasets, respectively.

V. ANALYSIS OF GENERAL IMAGE OBJECT DETECTION METHODS

Deep neural network based object detection pipelines have four steps in general, image pre-processing, feature extraction, classification and localization, post-processing. Firstly, raw images from the dataset can't be fed into the network directly. Therefore, we need to resize them to any special sizes and make them clearer, such as enhancing brightness, color, contrast. Data augmentation is also available to meet some requirements, such as flipping, rotation, scaling, cropping, translation, adding Gaussian noise. In addition, GANs [59] (generative adversarial networks) can generate new images to enrich the diversity of input according to people's needs. For more details about data augmentation, please refer to [60]

TABLE 5. Comparison of pedestrian detection datasets. Table information from Piotr *et al.* IEEE TPAMI2012 [1].

Dataset	Imaging setup	Training			Testing		
		pedestrians	neg. images	pos. images	pedestrians	neg. images	pos. images
Caltech [1]	mobile	192k	61k	67k	155k	56k	65k
INRIA [55]	photo	1208	1218	614	566	453	288
ETH [56]	mobile	2388	-	499	12k	-	1804
TUD-Brussels [57]	mobile	1776	218	1092	1498	-	508
Daimler-DB [58]	mobile	192k	61k	67k	155k	56k	65k

for more details. Secondly, feature extraction is a key step for further detection. The feature quality directly determines the upper bound of subsequent tasks like classification and localization. Thirdly, the detector head is responsible to propose and refine bounding box concluding classification scores and bounding box coordinates. Fig. 1 illustrates the basic procedure of the second and the third step. At last, the post-processing step deletes any weak detecting results. For example, NMS is a widely used method in which the highest scoring object deletes its nearby objects with inferior classification scores.

To obtain precise detection results, there exists several methods can be used alone or in combination with other methods.

A. ENHANCED FEATURES

Extracting effective features from input images is a vital prerequisite for further accurate classification and localization steps. To fully utilize the output feature maps of consecutive backbone layers, Lin *et al.* [15] aim to extract richer features by dividing them into different levels to detect objects of different sizes, as shown in Fig. 3 (d). Some works [11], [33], [61], [62] utilize FPN as their multi-level feature pyramid backbone. Furthermore, a series of improved FPN [18], [35], [63] enriching features for detection task. Kim *et al.* [64] propose a parallel feature pyramid (FP) network (PFPNet), where the FP is constructed by widening the network width instead of increasing the network depth. The additional feature transformation operation is to generate a pool of feature maps with different sizes, which yields the feature maps with similar levels of semantic abstraction across the scales. Li and Zhou [65] concatenate features from different layers with different scales and then generates new feature pyramid to feed into multibox detectors predicting the final detection results. Chen *et al.* [66] introduce WeaveNet which iteratively weaves context information from adjacent scales together to enable more sophisticated context reasoning. Zheng *et al.* [67] extend better context information for the shallow layers of one-stage detector [10].

Semantic relationships between different objects or regions of an image can help detect occluded and small objects. Bae [68] utilize the combined and high-level semantic features for object classification and localization which combine the multi-region features stage by stage. Zhang *et al.* [36] combine a semantic segmentation branch and a global

activation module to enrich the semantics of object detection features within a typical deep detector. Scene contextual relations [69] can provide some useful information for accurate visual recognition. Liu *et al.* [70] adopt scene contextual information to further improve accuracy. Modeling relations between objects can help object detection. Singh *et al.* [71] process context regions around the ground-truth object on an appropriate scale. Hu *et al.* [37] propose a relation module that processes a set of objects simultaneously considering both appearance and geometry features through interaction. Mid-level semantic properties of objects can benefit object detection containing visual attributes [72].

Attention mechanism is an effective method for networks focusing on the most significant region part. Some typical works [73]–[79] focus on attention mechanism so as to capture more useful features what detecting objects need. Kong *et al.* [80] design an architecture combining both global attention and local reconfigurations to gather task-oriented features across different spatial locations and scales.

Fully utilizing the effective region of one object can promote the accuracy. Original ConvNets only focus on features of fixed square size (according to the kernel), thus the receptive field does not properly cover the entire pixel of a target object to represent it well. The deformable ConvNets can produce deformable kernel and the offset from the initial convolution kernel (of fixed size) are learned from the networks. Deformable RoI Pooling can also adapt to part location for objects with different shapes. In [38], [39], network weights and sampling locations jointly determine the effective support region.

Above all, richer and proper representations of an object can promote detection accuracy remarkably. Brain-inspired mechanism is a powerful way to further improve detection performance.

B. INCREASING LOCALIZATION ACCURACY

Localization and classification are two missions of object detection. Under object detection evaluation metrics, the precision of localization is a vital measurable indicator, thus increasing localization accuracy can promote detection performance remarkably. Designing a novel loss function to measure the accuracy of predicted boxes is an effective way to increase localization accuracy. Considering intersection over union (IoU) is the most commonly used evaluation metric of object detection, estimating regression quality can judge the

IoU between predicted bounding box and its corresponding assignment ground truth box. For two bounding boxes, IoU can be calculated as the intersection area divided by the union area.

$$IoU = \frac{bbox \cap gt}{bbox \cup gt}$$

A typical work [81] adopts IoU loss to measure the degree of accuracy the network predicting. This loss function is robust to varied shapes and scales of different objects and can converge well in a short time. Rezatofghi *et al.* [82] incorporate generalized IoU as a loss function and a new metric into existing object detection pipeline which makes a consistent improvement than the original smooth L1 loss counterpart. Tyhsen-Smith and Petersson [49] adopt a novel bounding box regression loss for localization branch. IoU loss in this research considers the intersection over union between predicted box and assigned ground truth box which is higher than a preset threshold but not concludes only the highest one. He *et al.* [83] propose a novel bounding box regression loss for learning bounding box localization and transformation variance together. He *et al.* [84] introduce a novel bounding box regression loss which has a strong connection to localization accuracy. Pang *et al.* [63] propose a novel balanced L1 Loss to further improve localization accuracy. Cabriel *et al.* [85] present Axially Localized Detection method to achieve a very high localization precision at the cellular level.

In general, researchers design new loss function of localization branch to make the retained predictions more accurate.

C. SOLVING NEGATIVES-POSITIVES IMBALANCE ISSUE

In the first stage, that networks produce proposals and filter out a large number of negative samples are mainly well designed steps of two-stage detectors. When feed into the detector the proposal bounding boxes belong to a sparse set. However, in a one-stage detector, the network has no steps to filter out bad samples, thus the dense sample sets are difficult to train. The proportion of positive and negative samples is extremely unbalanced as well. The typical solution is hard negative mining [86]. The popularized hard mining methods OHEM [40] can help drive the focus towards hard samples. Liu *et al.* [10] adopt hard negative mining method which sorts all of the negative samples using the highest confidence loss for each pre-defined boxes and picking the top ones to make the ratio between the negative and positive samples at most 3:1. Considering hard samples is more effective to improve the detection performance when training an object detector. Pang *et al.* [63] propose a novel hard mining method called IoU-balanced sampling. Yu *et al.* [87] concentrate on real-time requirements.

Another effective way is adding some items in classification loss function. Lin *et al.* [33] propose a loss function, called focal loss, which can down-weight the loss assigned to well-classified or easy examples, focusing on the hard

training examples and avoiding the vast number of easy negative examples that overwhelm the detector during training. Chen *et al.* [88] consider designing a novel ranking task to replace the conventional classification task and a newly Average-Precision loss for this task, which can alleviate the extreme negative-positive class imbalance issue remarkably.

D. IMPROVING POST-PROCESSING NMS METHODS

Only one detected object can be successfully matched to a ground truth object which will be preserved as a result, while others matched to it are classified as duplicate. NMS (non-maximum suppression) is a heuristic method which selects only the object of the highest classification score, otherwise the object will be ignored. Hu *et al.* [37] use the intermediate results produced by relation module to better determine which object will be saved while it does not need NMS. NMS considers the classification score but the localization confidence is absent, which causes less accurate in deleting weak results. Jiang *et al.* [89] propose IoU-Net learning to predict the IoU between each detected bounding box and the matched ground-truth. Because of its consideration of localization confidence, it improves the NMS method by preserving accurately localized bounding boxes. Tyhsen-Smith and Petersson [49] present a novel fitness NMS method which considers both greater estimated IoU overlap and classification score of predicted bounding boxes. Liu *et al.* [90] propose adaptive-NMS which applies a dynamic suppression threshold to an instance decided by the target density. Bodla *et al.* [46] adopt an improved NMS method without any extra training and is simple to implement. He *et al.* [84] further improve soft-NMS method. Hosang *et al.* [91] feed network score maps resulting from NMS at multiple IoU thresholds. Hosang *et al.* [92] design a novel ConvNets which does NMS directly without a subsequent post-processing step. Yu *et al.* [87] utilize the final feature map to filter out easy samples so the network concentrates on hard samples.

E. COMBINING ONE-STAGE AND TWO-STAGE DETECTORS TO MAKE GOOD RESULTS

In general, pre-existing object detectors are divided into two categories, the one is two-stage detector, the representative one, Faster R-CNN [8]. The other is one-stage detector, such as YOLO [9], SSD [10]. Two-stage detectors have high localization and object recognition precision, while one-stage detectors achieve high inference and test speed. The two stages of two-stage detectors are divided by ROI (Region of Interest) pooling layer. In Faster R-CNN detector, the first stage, called RPN, a Region Proposal Network, proposes candidate object bounding boxes. The second stage, the network extracts features using RoIPool from each candidate box and performs classification and bounding-box regression.

To fully inherit the advantages of one-stage and two-stage detectors while overcoming their disadvantages, Zhang *et al.* [36] present a novel RefineDet which achieves




FIGURE 7. To meet various scales of objects issue, there are three ways. (a) Multiple scaled images detector trains each of them. (b) Multiple sized filters separately act on the same sized image. (c) Multiple pre-defined boxes are the reference of predicted boxes.

better accuracy than two-stage detectors and maintains comparable efficiency of one-stage detectors.

F. COMPLICATED SCENE SOLUTIONS

Object detection always meets some challenges like small objects hard to detect and heavy occluded situation. Due to low resolution and noisy representation, detecting small objects is a very hard problem. Object detection pipelines [10], [33] detect small objects through learning representations of objects at multiple scales. Some works [93]–[95] improve detection accuracy on the basis of [10]. Li *et al.* [96] utilize GAN model in which generator transfer perceived poor representations of the small objects to super-resolved ones that are similar enough to real large objects to fool a competing discriminator. This makes the representation of small objects similar to the large one thus improves accuracy without heavy computing cost. Some methods [47], [97] improve detection accuracy of small objects by enhancing IoU thresholds to train multiple localization modules. Hu and Ramanan [98] adopt feature fusion to better detect small faces which is produced by image pyramid. Xu *et al.* [99] fuse high level features with rich semantic information and low level features via Deconvolution Fusion Block to enhance representation of small objects.

Target occlusion is another difficult problem in the field of object detection. Wang *et al.* [100] improve the recall of face detection problem in the occluded case without speed decay. Wang *et al.* [101] propose a novel bounding box regression loss specifically designed for crowd scenes, called repulsion loss. Zhang *et al.* [102] present a newly designed occlusion-aware R-CNN (OR-CNN) to improve the detection accuracy in the crowd. Baqué *et al.* [103] combine Convolutional Neural Nets and Conditional Random Fields that model potential occlusions.

As for the size of different objects in a dataset varies greatly, to address it, there are three commonly used methods. Firstly, input images are resized at multiple specified scales and feature maps are computed for each scale, called multi-scale training. Typical examples [29], [48], [104], [105] use this method. Singh *et al.* [71] adaptively sample regions from multiple scales of an image pyramid, conditioned on the image content. Secondly, researchers use convolutional filters of multiple scales on the feature maps. For instance, in [106], models of different aspect ratios are trained separately using different filter sizes (such as 5×7 and 7×5). Thirdly, pre-defined anchors with multi-scales and multiple aspect ratios are reference boxes of the predicted bounding boxes. Faster R-CNN [8] and SSD [10] use reference box in two-stage and one-stage detectors for the first time, respectively. Fig. 7 is a schematic diagram of the above three cases.

G. ANCHOR-FREE

While there are constellation anchor-based object detectors being mainstream method which contain both one-stage and two-stage detectors making significant performance improvements, such as SSD, Faster R-CNN, YOLOv2, YOLOv3, they still suffer some drawbacks.

(1) The pre-defined anchor boxes have a set of hand-crafted scales and aspect ratios which are sensitive to dataset and affect the detection performance by a large margin.

(2) The scales and aspect ratios of pre-defined anchor boxes are kept fixed during training, thus the next step can't get adaptively adjust boxes. Meanwhile, detectors have trouble handling objects of all sizes.

(3) For densely place anchor boxes to achieve high recall, especially on large-scale dataset, the computation cost and memory requirements bring huge overhead during processing procedure.




FIGURE 8. An anchor-based architecture requires heuristics to determine each size level anchors are responsible for what scale range of objects.

(4) Most of pre-defined anchors are negative samples, which causes great imbalance between positive and negative sample during training.

To address that, recently a series of anchor-free methods [51], [61], [62], [107]–[113] are proposed. CenterNet [108] locates the center point, top-left and bottom-right point of an object. Tian *et al.* [61] propose a localization method which is based on the four distance values between the predicted center point and four sides of a bounding box. It is still a novel direction for further research.

H. TRAINING FROM SCRATCH

Almost all of the state-of-the-art detectors utilize off-the-shelf classification backbone pre-trained on large scale classification dataset [3] as their initial parameter set then fine-tune parameters to adapt to the new detection task. Another way to implement training procedure is that all parameters are assigned from scratch. Zhu *et al.* [114] train detector from scratch thus do not need pre-trained classification backbone because of stable and predictable gradient brought by batch normalization operation. Some works [115]–[118] train object detectors from scratch by dense layer-wise connections.

I. DESIGNING NEW ARCHITECTURE

Because of different propose of classification and localization task, there exists a gap between classification network and detection architecture. Localization needs fine-grained representations of objects while classification needs high semantic information. Li *et al.* [16] propose a newly designed object detection architecture to specially focus on detection task which maintains high spatial resolution in deeper layers and does not need to pre-train on large scale classification dataset.

The two-stage detectors are always slower than one-stage detectors. By studying the structure of two-stage network, researchers find two-stage detectors like Faster R-CNN and R-FCN have a heavy head which slows it down. Li *et al.* [119] present a light head two-stage detector to keep time efficiency.

J. SPEEDING UP DETECTION

For limited computing power and memory resource such as mobile devices, real-time devices, webcam, automatic driving encourage research into efficient detection architecture design. The most typical real-time detector is the [9], [30], [32] series and [10], [34] and their improved architecture [66], [67], [95], [120]. Some methods [24], [87], [121]–[124] are aim to reach real-time detection.

K. ACHIEVING FAST AND ACCURATE DETECTIONS

The best object detector needs both high efficiency and high accuracy which is the ultimate goal of this task. Lin *et al.* [33] aim to surpass the accuracy of existing two-stage detectors while maintain fast speed. Zhou *et al.* [125] combine an accurate (but slow) detector and a fast (but less accurate) detector adaptively determining whether an image is easy or hard to detect and choosing an appropriate detector to detect it. Liu *et al.* [126] build a fast and accurate detector by strengthening lightweight network features using receptive fields block.

VI. APPLICATIONS AND BRANCHES

A. TYPICAL APPLICATION AREAS

Object detection has been widely used in some fields to assist people to complete some tasks, such as security field, military field, transportation field, medical field and life field. We describe the typical and recent methods utilized in these fields in detail.

1) SECURITY FIELD

The most well known applications in the security field are face detection, pedestrian detection, fingerprint identification, fraud detection, anomaly detection etc.

- **Face detection** aims at detecting people faces in an image, as shown in Fig. 9. Because of extreme poses, illumination and resolution variations, face detection is still a difficult mission. Many works focus on precise detector designing. Ranjan *et al.* [127] learn correlated tasks (face detection, facial landmarks localization, head pose estimation and gender recognition) simultaneously to boost the performance of individual tasks. He *et al.* [128] propose a novel Wasserstein convolutional neural network approach to learn invariant features between near-infrared (NIR) and visual (VIS) face images. Designing appropriate loss functions can enhance discriminative power of DCNNs based large-scale face recognition. The cosine-based softmax losses [129]–[132] achieve great success in deep learning based face recognition. Deng *et al.* [133] propose an Additive Angular




FIGURE 9. A challenging densely tiny human faces detection results. Image from Hu *et al.* [98].

Margin Loss (ArcFace) to get highly discriminative features for face recognition. Guo *et al.* [134] give a fuzzy sparse auto-encoder framework for single image per person face recognition. Please refer to [135] for more details.

- **Pedestrian detection** focuses on detecting pedestrians in the natural scenes. Braun *et al.* [52] release an EuroCity Persons dataset containing pedestrians, cyclists and other riders in urban traffic scenes. Complexity-aware cascaded pedestrian detectors [136]–[138] devote to real time pedestrian detection. Please refer to a survey [139] for more details.

- **Anomaly detection** plays a significant role in fraud detection, climate analysis, and healthcare monitoring. Existing anomaly detection techniques [140]–[143] analyze the data on a point-wise basis. To point the expert analysts to the interesting regions (anomalies) of the data, Zhu *et al.* [144] propose a novel unsupervised method called “Maximally Divergent Intervals” (MDI), which searches for contiguous intervals of time and regions in space.

2) MILITARY FIELD

In military field, remote sensing object detection, topographic survey, flyer detection, etc. are representative applications.

- **Remote sensing object detection** aims at detecting objects on remote sensing images or videos, which meets some challenges. Firstly, the extreme large input size but small targets makes the existing object detection procedure too slow for practical use and too hard to detect. Secondly, the massive and complex backgrounds cause serious false detection. To address these issues, researchers adopt the method of data fusion. Due to the lack of information and small deviation, which caused great inaccuracy, they focused on the detection of small targets. Remote sensing images have some characteristics far from natural images, thus strong pipelines such as Faster R-CNN, FCN, SSD, YOLO can't transfer well to the new data domain. Designing remote sensing dataset adapted detectors remains a research hot spot in this domain.

Cheng *et al.* [145] propose a CNN-based Remote Sensing Image (RSI) object detection model dealing with the rotation problem by designing a rotation-invariant layer. Zhang *et al.* [146] present a rotation and scaling robust

structure to address lacking rotation and scaling invariance in RSI object detection. Li *et al.* [147] raise a rotatable region proposal network and a rotatable detection network considering the orientation of vehicles. Deng *et al.* [148] put forward an accurate-vehicle-proposal-network (AVPN) for small object detection. Audebert *et al.* [149] utilize accurate semantic segmentation results to obtain detection of vehicles. Li *et al.* [150] address large range of resolutions of ships (ranging from dozens of pixels to thousands) issue in ship detection. Pang *et al.* [151] propose a real-time remote sensing method. Pei *et al.* [152] present a deep learning framework on synthetic aperture radar (SAR) automatic target recognition. Long *et al.* [153] concentrate on automatically and accurately locating objects. Shahzad *et al.* [154] propose a novel framework containing automatic labeling and recurrent neural network for detection.

Typical methods [155]–[165] all utilize deep neural networks to achieve detection task on remote sensing datasets. NWPU VHR-10 [166], HRRSD [146], DOTA [167], DLR 3K Munich [168] and VEDAI [169] are remote sensing object detection benchmarks. We recommend readers refer to [170] for more details on remote sensing object detection.

3) TRANSPORTATION FIELD

As we known that, license plate recognition, automatic driving and traffic sign recognition etc. greatly facilitate people's life.

- With the popularity of cars, **license plate recognition** is required in tracking crime, residential access, traffic violations tracking etc. Edge information, mathematical morphology, texture features, sliding concentric windows, connected component analysis etc. can bring license plate recognition system more robust and stable. Recently, deep learning-based methods [171]–[175] provide a variety of solutions for license plate recognition. Please refer to [176] for more details.

- An autonomous vehicle (AV) needs an accurate perception of its surroundings to operate reliably. The perception system of an AV normally employs machine learning (e.g., deep learning) and transforms sensory data into semantic information which enables **autonomous driving**. Object detection is a fundamental function of this perception system. 3D object detection methods involve a third dimension that reveals more detailed object's size and location information, which are divided into three categories, monocular, point-cloud and fusion. First, monocular image based methods predict 2D bounding boxes on the image then extrapolate them to 3D, which lacks explicit depth information so limits the accuracy of localization. Second, point-cloud based methods project point clouds into a 2D image to process or generate a 3D representation of the point cloud directly in a voxel structure, where the former loses information and the latter is time consuming. Third, fusion based methods fuse both front view images and point clouds to generate a robust detection, which represent state-of-the-art detectors while computationally expensive. Recently, Lu *et al.* [177] utilize a novel architecture contains 3D convolutions and RNNs

to achieve centimeter-level localization accuracy in different real-world driving scenarios. Song *et al.* [178] release a 3D car instance understanding benchmark for autonomous driving. Banerjee *et al.* [179] utilize sensor fusion to obtain better features. Please refer to a recently published survey [180] for more details.

- Both unmanned vehicles and autonomous driving systems need to solve the problem of **traffic sign recognition**. For the sake of safety and obeying the rules, real-time accurate traffic sign recognition assists in driving by acquiring the temporal and spatial information of the potential signs. Deep learning methods [181]–[187] solve this problem with high performance.

4) MEDICAL FIELD

In medical field, medical image detection, cancer detection, disease detection, skin disease detection and healthcare monitoring etc. have become a means of supplementary medical treatments.

- **Computer Aided Diagnosis (CAD) systems** can help doctors classify different types of cancer. In detail, after an appropriate acquisition of the images, the fundamental steps carried out by a CAD framework can be identified as image segmentation, feature extraction, classification and object detection. Due to significant individual differences, data scarcity and privacy, there usually exists data distribution difference between source domain and target domain. A domain adaptation framework [188] is needed for medical image detection.

- Li *et al.* [77] incorporate the attention mechanism in CNN for **glaucoma detection** and establish a large-scale attention-based glaucoma dataset. Liu *et al.* [189] design a bidirectional recurrent neural network (RNN) with long short-term memory (LSTM) to detect DNA modifications called DeepMod. Schubert *et al.* [190] propose cellular morphology neural networks (CMNs) for automated neuron reconstruction and **automated detection of synapses**. Codella *et al.* [191] organize a challenge of **skin lesion analysis** toward melanoma detection. Please refer to two representative surveys [192], [193] for more details.

5) LIFE FIELD

In life field, intelligent home, commodity detection, event detection, pattern detection, image caption generation, rain/shadow detection, species identification etc. are the most representative applications.

- On densely packed scenes like **retail shelf displays**, Goldman *et al.* [194] propose a novel precise object detector and release a new SKU-110K dataset to meet this challenge.

- **Event detection** aims to discover real-world events from the Internet such as festivals, talks, protests, natural disasters, elections. With the popularity of social media and its new characters, the data type of which are more diverse than before. Multi-domain event detection (MED) provides comprehensive descriptions of events. Yang *et al.* [195] present an event detection framework to dispose multi-domain data.

Wang *et al.* [196] incorporate online social interaction features by constructing affinity graphs for event detection tasks. Schinas *et al.* [197] design a multimodal graph-based system to detect events from 100 million photos/videos. Please refer to a survey [198] for more details.

- **Pattern detection** always meet some challenges such as, scene occlusion, pose variation, varying illumination and sensor noise. To better address repeated pattern or periodic structure detection, researches design strong baselines in both 2D images [199], [200] and 3D point clouds [201]–[212].

- **Image caption generation** means that computers automatically generate a caption for a given image. The most important part is to capture semantic information of images and express it to natural languages. Image captioning needs to connect computer vision and natural language processing technologies, which is a great challenge task. To address this issue, multimodal embedding, encoder-decoder frameworks, attention mechanism [75], [213], and reinforcement learning [214], [215] are widely adopted in this field. Yao *et al.* [216] introduce a new design to explore the connections between objects by constructing Graph Convolutional Networks and Long Short-Term Memory (dubbed as GCN-LSTM) architecture. This framework integrates both semantic and spatial object relationships. Apart from LSTM (long short term memory)-based methods, deep convolutional networks based method [217] is verified effective and efficient. Please refer to a survey [218] for more details.

- Yang *et al.* [219] present a novel rain model accompany with a deep learning architecture to address **rain detection** in a single image. Hu *et al.* [220] analyze the spatial image context in a direction-aware manner and design a novel deep neural network to **detect shadow**. Accurate species identification is the basis for taxonomic research, a recently work [221] introduces a deep learning method for **species identification**.

B. OBJECT DETECTION BRANCHES

Object detection has a wide range of application scenarios. The research of this domain contains a large variety of branches. We describe some representative branches in this part.

1) WEAKLY SUPERVISED OBJECT DETECTION

Weakly supervised object detection (WSOD) aims at utilizing a few fully annotated images (supervision) to detect a large amount of non-fully annotated ones. Traditionally models are learnt from images labelled only with the object class and not the object bounding box. Annotating a bounding box for each object in large datasets is expensive, laborious and impractical. Weakly supervised learning relies on incomplete annotated training data to learn detection models.

Weakly supervised deep detection network in [222] is a representative framework for weakly supervised object detection. Context information [223], instance classifier refinement [224] and image segmentation [225], [226] are adopted to tackle hardly optimized problems. Yang *et al.* [227] show that the action depicted in the image can provide strong cues




FIGURE 10. Some examples from the salient object detection datasets. (a), (c) are images, (b), (d) ground truth. Image from Liu *et al.* [233] and Wu *et al.* [232].

about the location of the associated object. Wan *et al.* [228] design a min-entropy latent model optimized with a recurrent learning algorithm for weakly supervised object detection. Tang *et al.* [229] utilize an iterative procedure to generate proposal clusters and learn refined instance classifiers, which makes the network concentrate on the whole object rather than part of it. Cao *et al.* [230] design a novel feedback convolutional neural network for weakly supervised object localization. Wan *et al.* [231] present continuation multiple instance learning to alleviate the non-convexity problem in WSOD.

2) SALIENT OBJECT DETECTION

Salient object detection utilizes deep neural network to predict saliency scores of image regions and obtain accurate saliency maps, as shown in Fig. 10. Salient object detection networks usually need to aggregate multi-level features of backbone network. For fast speed without accuracy dropping, Wu *et al.* [232] present that discarding the shallower layer features can achieve fast speed and the deeper layer features are sufficient to obtain precisely salient map. Liu *et al.* [233] expand the role of pooling in convolutional neural networks. Wang *et al.* [234] utilize fixation prediction to detect salient objects. Wang *et al.* [235] adopt recurrent fully convolutional networks and incorporate saliency prior knowledge for accurate salient object detection. Feng *et al.* [236] design an attentive feedback module to better explore the structure of objects.

Video salient object detection datasets [237]–[243] provide benchmarks for video salient object detection, and existing good algorithms [238], [244], [245] [241], [246]–[255] devote to the development of this field.

3) HIGHLIGHT DETECTION

Highlight detection is to retrieve a moment in a short video clip that captures a user's primary attention or interest, which can accelerate browsing many videos, enhance social video sharing and facilitate video recommendation. Typical highlight detectors [256]–[261] are domain-specific for they are tailored to a category of videos. All object detection tasks require a large amount of manual annotation data and highlight detection is no exception. Xiong *et al.* [262] propose a weakly supervised method on shorter user-generated videos to address this issue.

4) EDGE DETECTION

Edge detection aims at extracting object boundaries and perceptually salient edges from images, which is important to a series of higher level vision tasks like segmentation, object detection and recognition. Edge detection meets some challenges. First, the edges of various scales in an image need both object-level boundaries and useful local region details. Second, convolutional layers of different levels are specialized to predict different parts of the final detection, thus each layer in CNN should be trained by proper layer-specific supervision. To address these issues,

He *et al.* [263] propose a Bi-Directional Cascade Network to let one layer supervised by labeled edges while adopt dilated convolution to generate multi-scale features. Liu *et al.* [264] present an accurate edge detector which utilizes richer convolutional features.

5) TEXT DETECTION

Text detection aims to identify text regions of given images or videos which is also an important prerequisite for many computer vision tasks, such as classification, video analysis. There have been many successful commercial optical character recognition (OCR) systems for internet content and documentary texts recognition. The detection of text in natural scenes remains a challenge due to complex situations such as blurring, uneven lighting, perspective distortion, various orientation. Some typical works [265]–[267] focus on horizontal or nearly horizontal text detection. Recently, researchers find that arbitrary-oriented text detection [268]–[272] is a direction that needs to pay attention to. In general, deep learning based scene text detection methods can be classified into two categories. The first category takes scene text as a type of general object, following the general object detection paradigm and locating scene text by text box regression. These methods have difficulties to deal with the large aspect ratios and arbitrary-orientation of scene text. The second one directly segments text regions, but mostly requires complicated post-processing step. Usually, some methods in this category mainly involve two steps, segmentation (generating text prediction maps) and geometric approaches (for inclined proposals), which is time-consuming. In addition, in order to obtain the desired orientation of text boxes, some methods require complex post-processing step, so it's not as efficient as those architectures that are directly based on detection networks.

Lyu *et al.* [271] combine the ideas of the two categories above avoiding their shortcomings by locating corner points of text bounding boxes and dividing text regions in relative positions to detect scene text, which can handle long oriented text and only need a simple NMS post-processing step. Ma *et al.* [272] develop a novel rotation-based approach and an end-to-end text detection system in which Rotation Region Proposal Networks (RRPN) generate inclined proposals with text orientation angle information.

6) MULTI-DOMAIN OBJECT DETECTION

Domain-specific detectors always achieve high detection performance on the specified dataset. So as to get a universal detector which is capable of working on various image domains, recently many works focus on training a multi-domain detector while do not require prior knowledge of the newly domain of interest. Wang *et al.* [273] propose a universal detector which utilizes a new domain-attention mechanism working on a variety of image domains (human faces, traffic signs and medical CT images) without prior knowledge of the domain of interest. Wang *et al.* [273] release a newly established universal object detection benchmark

consisting of 11 diverse datasets to better meet the challenges of generalization in different domains.

To learn a universal representation of vision, Bilen and Vedaldi [274] add domain-specific BN (batch normalization) layers to a multi-domain shared network. Rebuffi *et al.* [275] propose adapter residual modules which achieve a high degree of parameter sharing while maintaining or even improving the accuracy of domain-specific representations. Rebuffi *et al.* [275] introduce the Visual Decathlon Challenge, a benchmark contains ten very different visual domains. Inspired by transfer learning, Rebuffi *et al.* [276] empirically study efficient parameterizations and outperform traditional fine-tuning techniques.

Another requirement for multi-domain object detection is to reduce annotation costs. Object detection datasets need heavily annotation works which is time consuming and mechanical. Transferring pre-trained models from label-rich domains to label-poor datasets can solve label-poor detection works. One way is to use unsupervised domain adaptation methods to tackle dataset bias problems. In recent years, researchers have adopted adversarial learning to align the source and target distribution of samples. Chen *et al.* [277] utilize Faster R-CNN with a domain classifier trained to distinguish source and target samples, like adversarial learning, where the feature extractor learns to deceive the domain classifier. Saito *et al.* [278] propose a weak alignment model to focus on similarity between different images from domains with large discrepancy rather than aligning images that are globally dissimilar. Only in the source domain manual annotations are available, which can be addressed by using Unsupervised Domain Adaptation methods. Haupmann *et al.* [279] propose an Unsupervised Domain Adaptation method which models both intra-class and inter-class domain discrepancy.

7) OBJECT DETECTION IN VIDEOS

Object detection in videos aims at detecting objects in videos, which brings additional challenges due to degraded image qualities such as motion blur and video defocus, leading to unstable classifications for the same object across video. Video detectors [280]–[289] exploit temporal contexts to meet this challenge. Some static detectors [280]–[283] first detect objects in each frame then check them by linking detections of the same object in neighbor frames. Due to object motion, the same object in neighbor frames may not have a large overlap. On the other hand, the predicted object movements are not accurate enough to link neighbor frames. Tang *et al.* [290] propose an architecture which links objects in the same frame instead of neighboring frames to address it.

8) POINT CLOUDS 3D OBJECT DETECTION

Compared to image based detection, LiDAR point cloud provides reliable depth information that can be used to accurately locate objects and characterize their shapes. In autonomous navigation, autonomous driving, housekeeping robots and augmented/virtual reality applications, LiDAR point cloud based 3D object detection plays an important role. Point



FIGURE 11. Example 3D detection result from the KITTI validation set projected onto an image. Image from Sindagi *et al.* [297].




FIGURE 12. Some examples of multi-person pose estimation. Image from Chen *et al.* [306].

cloud based 3D object detection meets some challenges, the sparsity of LiDAR point clouds, highly variable point density, non-uniform sampling of the 3D space, effective range of the sensors, occlusion, and the relative pose variation. Engelcke *et al.* [291] first propose sparse convolutional layers and L1 regularization for efficient large-scale processing of 3D data. Qi *et al.* [292] raise an end-to-end

deep neural network called PointNet, which learns point-wise features directly from point clouds. Qi *et al.* [293] improve PointNet which learns local structures at different scales. Zhou and Tuzel [294] close the gap between RPN and point set feature learning for 3D detection task. Zhou and Tuzel [294] present a generic end-to-end 3D detection framework called VoxelNet, which learns a discriminative

feature representation from point clouds and predicts accurate 3D bounding boxes simultaneously.

In autonomous driving application, Chen *et al.* [295] perform 3D object detection from a single monocular image. Chen *et al.* [296] take both LiDAR point cloud and RGB images as input then predict oriented 3D bounding boxes for high-accuracy 3D object detection. Example 3D detection result is shown in Fig. 11.

9) 2D, 3D POSE DETECTION

Human pose detection aims at estimating the 2D or 3D pose location of the body joints and defining pose classes then returning the average pose of the top scoring class, as shown in Fig. 12. Typical 2D human pose estimation methods [298]–[304] utilize deep CNN architectures. Rogez *et al.* [305] propose an end-to-end architecture for joint 2D and 3D human pose estimation in natural images which predicts 2D and 3D poses of multiple people simultaneously. Benefit by full-body 3D pose, it can recover body part locations in cases of occlusion between different targets. Human pose estimation approaches can be divided into two categories, one-stage and multi-stage methods. The best performing methods [11], [306]–[308] typically base on one-stage backbone networks. The most representative multi-stage methods are convolutional pose machine [309], Hourglass network [300], and MSPN [310].

10) FINE-GRAINED VISUAL RECOGNITION

Fine-grained recognition aims to identify an exact category of objects in each basic-level category, such as identifying the species of a bird, or the model of an aircraft. This task is quite challenging because the visual differences between the categories are small and can be easily overwhelmed by those caused by factors such as pose, viewpoint, and location of the object in the image. To generalize across viewpoints, Krause *et al.* [311] utilize 3D object representations on the level of both local feature appearance and location. Lin *et al.* [312] introduce bilinear models that consists of two feature extractors (two CNN streams). The outputs of these two feature extractors are multiplied using outer product at each location of the image and then pooled to obtain an image descriptor. He *et al.* [313] introduce a fine-grained discriminative localization method via saliency-guided Faster R-CNN. After that, He *et al.* [314] propose a weakly supervised discriminative localization approach (WSDL) for fast fine-grained image classification. Classical datasets [315], [316] provide useful information on some interesting categories. Please refer to a survey [317] for more details.

VII. CONCLUSIONS AND TRENDS

A. CONCLUSIONS

With the continuous upgrading of powerful computing equipment, object detection technology based on deep learning has been developed rapidly. In order to deploy on more accurate applications, the need for high precision real-time systems

is becoming more and more urgent. Since achieving high accuracy and efficiency detectors is the ultimate goal of this task, researchers have developed a series of directions such as, constructing new architecture, extracting rich features, exploiting good representations, improving processing speed, training from scratch, anchor-free methods, solving sophisticated scene issues (small objects, occluded objects), combining one-stage and two-stage detectors to make good results, improving post-processing NMS method, solving negatives-positives imbalance issue, increasing localization accuracy, enhancing classification confidence. With the increasingly powerful object detectors in security field, military field, transportation field, medical field, and life field, the application of object detection is gradually extensive. In addition, a variety of branches in detection domain arise. Although the achievement of this domain has been effective recently, there is still much room for further development.

B. TRENDS

1) COMBINING ONE-STAGE AND TWO-STAGE DETECTORS

On the one hand, the two-stage detectors have a densely tailing process to obtain as many as reference boxes, which is time consuming and inefficient. To address this issue, researchers are required to eliminate so much redundancy while maintaining high accuracy. On the other hand, the one-stage detectors achieve fast processing speed which have been used successfully in real-time applications. Although fast, the lower accuracy is still a bottleneck for high precision requirements. How to combine the advantages of both one-stage and two-stage detectors remains a big challenge.

2) VIDEO OBJECT DETECTION

In video object detection, motion blur, video defocus, motion target ambiguity, intense target movements, small targets, occlusion and truncation etc. make it difficult for this task to achieve good performance in real life scene and remote sensing scene. Delving into moving goals and more complex source data such as video is one of the key points for future research.

3) EFFICIENT POST-PROCESSING METHODS

In the three (for one-stage detectors) or four (for two-stage detectors) stage detection procedure, post-processing is an initial step for the final results. On most of the detection metrics, only the highest prediction result of one object can be send to the metric program to calculate accuracy score. The post-processing methods like NMS and its improvements may eliminate well located but high classification confidence objects, which is detrimental to the accuracy of the measurement. Exploiting more efficient and accurate post-processing method is another direction for object detection domain.

4) WEAKLY SUPERVISED OBJECT DETECTION METHODS

Utilizing high proportion labelled images only with object class but not with object bounding box to replace a large

amount of fully annotated images to train the network is of high efficiency and easy to get. Weakly supervised object detection (WSOD) aims at utilizing a few fully annotated images (supervision) to detect a large amount of non-fully annotated ones. Therefore developing WSOD methods is a significant problem for further study.

5) MULTI-DOMAIN OBJECT DETECTION

Domain-specific detectors always achieve high detection performance on the specified dataset. So as to get a universal detector which is capable of working on various image domains, multi-domain detectors can solve this problem without prior knowledge of new domain. Domain transfer is a challenging mission for further study.

6) 3D OBJECT DETECTION

With the advent of 3D sensors and diverse applications of 3D understanding, 3D object detection gradually becomes a hot research direction. Compared to 2D image based detection, LiDAR point cloud provides reliable depth information that can be used to accurately locate objects and characterize their shapes. LiDAR enables accurate localization of objects in the 3D space. Object detection techniques based on LiDAR data often outperform the 2D counterparts as well.

7) SALIENT OBJECT DETECTION

Salient object detection (SOD) aims at highlighting salient object regions in images. Video object detection is to classify and locate objects of interest in a continuous scene. SOD is driven by and applied to a widely spectrum of object-level applications in various areas. Given salient object regions of interest in each frame can assist accurate object detection in videos. Therefore, for high-level recognition task and challenging detection task, highlighting target detection is a crucial preliminary process.

8) UNSUPERVISED OBJECT DETECTION

Supervised methods are time consuming and inefficient in training process, which need well annotated dataset used for supervision information. Annotating a bounding box for each object in large datasets is expensive, laborious and impractical. Developing automatic annotation technology to release human annotation work is a promising trend for unsupervised object detection. Unsupervised object detection is a future research direction for intelligent detection mission.

9) MULTI-TASK LEARNING

Aggregating multi-level features of backbone network is a significant way to improve detection performance. Furthermore, performing multiple computer vision tasks simultaneously such as object detection, semantic segmentation, instance segmentation, edge detection, highlight detection can enhance performance of separate task by a large margin because of richer information. Adopting multi-task learning is a good way to aggregate multiple tasks in a

network, and it presents great challenges to researchers to maintain processing speed and improve accuracy as well.

10) MULTI-SOURCE INFORMATION ASSISTANCE

Due to the popularity of social media and the development of big data technology, multi-source information becomes easy to access. Many social media information can provide both pictures and descriptions of them in textual form, which can help detection task. Fusing multi-source information is an emerging research direction with the development of various technologies.

11) CONSTRUCTING TERMINAL OBJECT DETECTION SYSTEM

From the cloud to the terminal, the terminalization of artificial intelligence can help people deal with mass information and solve problems better and faster. With the emergence of lightweight networks, terminal detectors are developed into more efficient and reliable devices with broad application scenarios. The chip detection network based on FPGA will make real-time application possible.

12) MEDICAL IMAGING AND DIAGNOSIS

FDA (U.S. Food and Drug Administration) is promoting "AI-based Medical Devices". In April 2018, FDA first approved an artificial intelligence software called IDx-DR, a diabetic retinopathy detector with an accuracy of more than 87.4%. For customers, the combination of image recognition systems and mobile devices can make cell phone a powerful family diagnostic tool. This direction is full of challenges and expectations.

13) ADVANCED MEDICAL BIOMETRICS

Utilizing deep neural network, researchers began to study and measure atypical risk factors that had been difficult to quantify previously. Using neural networks to analyze retinal images and speech patterns may help identify the risk of heart disease. In the near future, medical biometrics will be used for passive monitoring.

14) REMOTE SENSING AIRBORNE AND REAL-TIME DETECTION

Both military and agricultural fields require accurate analysis of remote sensing images. Automated detection software and integrated hardware will bring unprecedented development to these fields. Loading deep learning based object detection system to SoC (System on Chip) realizes real-time high-altitude detection.

15) GAN BASED DETECTOR

Deep learning based systems always require large amounts of data for training, whereas Generative Adversarial Network is a powerful structure to generate fake images. How much you need, how much it can produce. Mixing the real world scene and simulated data generated by GAN trains object detector

to make the detector grow more robust and obtain stronger generalization ability.

The research of object detection still needs further study. We hope that deep learning methods will make breakthroughs in the near future.

ACKNOWLEDGMENT

The authors would like to thank to the scholars involved in this article. This article quotes the research literature of several scholars. Without the help and inspiration of the research results of all scholars, it would be difficult for me to complete the writing of this article.

They would also like to thank express our gratitude to all those who helped us during the writing of this thesis.

REFERENCES

- [1] P. Dollár, C. Wojek, B. Schiele, and P. Perona, "Pedestrian detection: An evaluation of the state of the art," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 34, no. 4, pp. 743–761, Apr. 2012.
- [2] A. Geiger, P. Lenz, and R. Urtasun, "Are we ready for autonomous driving? The KITTI vision benchmark suite," in *Proc. Int. Conf. Pattern Recognit.*, Jun. 2012, pp. 3354–3361.
- [3] O. Russakovsky, J. Deng, H. Su, J. Krause, S. Satheesh, S. Ma, Z. Huang, A. Karpathy, A. Khosla, M. Bernstein, A. C. Berg, and L. Fei-Fei, "ImageNet large scale visual recognition challenge," *Int. J. Comput. Vis.*, vol. 115, no. 3, pp. 211–252, Dec. 2015.
- [4] M. Everingham, L. Van Gool, C. K. I. Williams, J. Winn, and A. Zisserman, "The PASCAL visual object classes (VOC) challenge," *Int. J. Comput. Vis.*, vol. 88, no. 2, pp. 303–338, Jun. 2010.
- [5] T.-Y. Lin, M. Maire, S. Belongie, J. Hays, P. Perona, D. Ramanan, P. Dollár, and C. L. Zitnick, "Microsoft COCO: Common objects in context," in *Computer Vision—ECCV*, D. Fleet, T. Pajdla, B. Schiele, and T. Tuytelaars, Eds. Cham, Switzerland: Springer, 2014, pp. 740–755.
- [6] A. Kuznetsova, H. Rom, N. Alldrin, J. Uijlings, I. Krasin, J. Pont-Tuset, S. Kamali, S. Popov, M. Mallocci, T. Duerig, and V. Ferrari, "The open images dataset v4: Unified image classification, object detection, and visual relationship detection at scale," 2018, *arXiv:1811.00982*. [Online]. Available: <https://arxiv.org/abs/1811.00982>
- [7] P. Zhu, L. Wen, X. Bian, H. Ling, and Q. Hu, "Vision meets drones: A challenge," 2018, *arXiv:1804.07437*. [Online]. Available: <https://arxiv.org/abs/1804.07437>
- [8] S. Ren, K. He, R. Girshick, and J. Sun, "Faster R-CNN: Towards real-time object detection with region proposal networks," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 39, no. 6, pp. 1137–1149, Jun. 2017.
- [9] J. Redmon, S. Divvala, R. Girshick, and A. Farhadi, "You only look once: Unified, real-time object detection," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2016, pp. 779–788.
- [10] W. Liu, D. Anguelov, D. Erhan, C. Szegedy, S. Reed, C.-Y. Fu, and A. C. Berg, "SSD: Single shot multibox detector," in *Computer Vision—ECCV*, B. Leibe, J. Matas, N. Sebe, and M. Welling, Eds. Cham, Switzerland: Springer, 2016, pp. 21–37.
- [11] K. He, G. Gkioxari, P. Dollár, and R. Girshick, "Mask R-CNN," in *Proc. IEEE ICCV*, Dec. 2017, pp. 2980–2988.
- [12] A. Khan, A. Sohail, U. Zahoora, and A. S. Qureshi, "A survey of the recent architectures of deep convolutional neural networks," 2019, *arXiv:1901.06032*. [Online]. Available: <https://arxiv.org/abs/1901.06032>
- [13] Z. Zou, Z. Shi, Y. Guo, and J. Ye, "Object detection in 20 years: A survey," 2019, *arXiv:1905.05055v2*. [Online]. Available: <https://arxiv.org/abs/1905.05055v2>
- [14] L. Liu, W. Ouyang, X. Wang, P. Fieguth, J. Chen, X. Liu, and M. Pietikäinen, "Deep learning for generic object detection: A survey," 2018, *arXiv:1809.02165*. [Online]. Available: <https://arxiv.org/abs/1809.02165>
- [15] T.-Y. Lin, P. Dollár, R. Girshick, K. He, B. Hariharan, and S. Belongie, "Feature pyramid networks for object detection," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jul. 2017, pp. 936–944.
- [16] Z. Li, C. Peng, G. Yu, X. Zhang, Y. Deng, and J. Sun, "DetNet: A backbone network for object detection," 2018, *arXiv:1804.06215*. [Online]. Available: <https://arxiv.org/abs/1804.06215>
- [17] S. Xie, R. Girshick, P. Dollár, Z. Tu, and K. He, "Aggregated residual transformations for deep neural networks," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2017, pp. 1492–1500.
- [18] G. Ghiasi, T.-Y. Lin, R. Pang, and Q. V. Le, "NAS-FPN: Learning scalable feature pyramid architecture for object detection," 2019, *arXiv:1904.07392*. [Online]. Available: <https://arxiv.org/abs/1904.07392>
- [19] A. G. Howard, M. Zhu, Bo Chen, D. Kalenichenko, W. Wang, T. Weyand, M. Andreetto, and H. Adam, "MobileNets: Efficient convolutional neural networks for mobile vision applications," 2017, *arXiv:1704.04861*. [Online]. Available: <https://arxiv.org/abs/1704.04861>?source=post_page
- [20] X. Zhang, X. Zhou, M. Lin, and J. Sun, "ShuffleNet: An extremely efficient convolutional neural network for mobile devices," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2018, pp. 6848–6856.
- [21] F. N. Iandola, S. Han, M. W. Moskewicz, K. Ashraf, W. J. Dally, and K. Keutzer, "SqueezeNet: AlexNet-level accuracy with 50x fewer parameters and <0.5 MB model size," 2016, *arXiv:1602.07360*. [Online]. Available: <https://arxiv.org/abs/1602.07360>
- [22] F. Chollet, "Xception: Deep learning with depthwise separable convolutions," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jul. 2017, pp. 1251–1258.
- [23] M. Sandler, A. Howard, M. Zhu, A. Zhmoginov, and L.-C. Chen, "MobileNetV2: Inverted residuals and linear bottlenecks," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2018, pp. 4510–4520.
- [24] R. J. Wang, X. Li, and C. X. Ling, "Pelee: A real-time object detection system on mobile devices," in *Proc. Adv. Neural Inf. Process. Syst.*, 2018, pp. 1963–1972.
- [25] K. He, X. Zhang, S. Ren, and J. Sun, "Deep residual learning for image recognition," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit. (CVPR)*, Jun. 2016, pp. 770–778.
- [26] K. Simonyan and A. Zisserman, "Very deep convolutional networks for large-scale image recognition," 2014, *arXiv:1409.1556*. [Online]. Available: <https://arxiv.org/abs/1409.1556>
- [27] W. Rawat and Z. Wang, "Deep convolutional neural networks for image classification: A comprehensive review," *Neural Comput.*, vol. 29, no. 9, pp. 2352–2449, Sep. 2017.
- [28] R. Girshick, J. Donahue, T. Darrell, and J. Malik, "Rich feature hierarchies for accurate object detection and semantic segmentation," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2014, pp. 580–587.
- [29] R. Girshick, "Fast R-CNN," in *Proc. IEEE Int. Conf. Comput. Vis. (ICCV)*, Sep. 2015, pp. 1440–1448.
- [30] J. Redmon and A. Farhadi, "YOLO9000: Better, faster, stronger," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jul. 2017, pp. 6517–6525.
- [31] S. Ioffe and C. Szegedy, "Batch normalization: Accelerating deep network training by reducing internal covariate shift," 2015, *arXiv:1502.03167*. [Online]. Available: <https://arxiv.org/abs/1502.03167>
- [32] J. Redmon and A. Farhadi, "YOLOv3: An incremental improvement," 2018, *arXiv:1804.02767*. [Online]. Available: <https://arxiv.org/abs/1804.02767>
- [33] T.-Y. Lin, P. Goyal, R. Girshick, K. He, and P. Dollár, "Focal loss for dense object detection," in *Proc. Int. Conf. Comput. Vis. (ICCV)*, Oct. 2017, pp. 2999–3007.
- [34] C.-Y. Fu, W. Liu, A. Ranga, A. Tyagi, and A. C. Berg, "DSSD: Deconvolutional single shot detector," 2017, *arXiv:1701.06659*. [Online]. Available: <https://arxiv.org/abs/1701.06659>
- [35] Q. Zhao, T. Sheng, Y. Wang, Z. Tang, Y. Chen, L. Cai, and H. Ling, "M2Det: A single-shot object detector based on multi-level feature pyramid network," 2018, *arXiv:1811.04533*. [Online]. Available: <https://arxiv.org/abs/1811.04533>
- [36] S. Zhang, L. Wen, X. Bian, Z. Lei, and S. Z. Li, "Single-shot refinement neural network for object detection," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2018, pp. 4203–4212.
- [37] H. Hu, J. Gu, Z. Zhang, J. Dai, and Y. Wei, "Relation networks for object detection," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2018, pp. 3588–3597.
- [38] J. Dai, H. Qi, Y. Xiong, Y. Li, G. Zhang, H. Hu, and Y. Wei, "Deformable convolutional networks," in *Proc. IEEE Int. Conf. Comput. Vis.*, Oct. 2017, pp. 764–773.
- [39] X. Zhu, H. Hu, S. Lin, and J. Dai, "Deformable ConvNets v2: More deformable, better results," 2018, *arXiv:1811.11168*. [Online]. Available: <https://arxiv.org/abs/1811.11168>
- [40] A. Shrivastava, A. Gupta, and R. Girshick, "Training region-based object detectors with online hard example mining," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2016, pp. 761–769.

- [41] S. Bell, C. L. Zitnick, K. Bala, and R. Girshick, "Inside-outside net: Detecting objects in context with skip pooling and recurrent neural networks," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2016, pp. 2874–2883.
- [42] J. Dai, Y. Li, K. He, and J. Sun, "R-FCN: Object detection via region-based fully convolutional networks," in *Proc. Adv. Neural Inf. Process. Syst.*, 2016, pp. 379–387.
- [43] Y. Zhu, C. Zhao, J. Wang, X. Zhao, Y. Wu, and H. Lu, "CoupleNet: Coupling global structure with local parts for object detection," in *Proc. IEEE Int. Conf. Comput. Vis.*, Oct. 2017, pp. 4126–4134.
- [44] J. Huang, V. Rathod, C. Sun, M. Zhu, A. Korattikara, A. Fathi, I. Fischer, Z. Wojna, Y. Song, S. Guadarrama, and K. Murphy, "Speed/accuracy trade-offs for modern convolutional object detectors," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jul. 2017, pp. 7310–7311.
- [45] A. Shrivastava, R. Sukthankar, J. Malik, and A. Gupta, "Beyond skip connections: Top-down modulation for object detection," 2016, *arXiv:1612.06851*. [Online]. Available: <https://arxiv.org/abs/1612.06851>
- [46] N. Bodla, B. Singh, R. Chellappa, and L. S. Davis, "Soft-NMS—Improving object detection with one line of code," in *Proc. IEEE Int. Conf. Comput. Vis.*, Oct. 2017, pp. 5561–5569.
- [47] Z. Cai and N. Vasconcelos, "Cascade R-CNN: Delving into high quality object detection," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2018, pp. 6154–6162.
- [48] B. Singh and L. S. Davis, "An analysis of scale invariance in object detection—SNIP," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2018, pp. 3578–3587.
- [49] L. Tychsen-Smith and L. Petersson, "Improving object localization with fitness NMS and bounded iou loss," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2018, pp. 6877–6885.
- [50] T. Kong, F. Sun, A. Yao, H. Liu, M. Lu, and Y. Chen, "RON: Reverse connection with objectness prior networks for object detection," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jul. 2017, pp. 5936–5944.
- [51] H. Law and J. Deng, "CornerNet: Detecting objects as paired keypoints," in *Proc. Eur. Conf. Comput. Vis. (ECCV)*, 2018, pp. 734–750.
- [52] M. Braun, S. Krebs, F. Flohr, and D. Gavrilu, "EuroCity persons: A novel benchmark for person detection in traffic scenes," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 41, no. 8, pp. 1844–1861, Aug. 2019.
- [53] S. Zhang, R. Benenson, and B. Schiele, "CityPersons: A diverse dataset for pedestrian detection," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jul. 2017, pp. 3213–3221.
- [54] X. Li, F. Flohr, Y. Yang, H. Xiong, M. Braun, S. Pan, K. Li, and D. M. Gavrilu, "A new benchmark for vision-based cyclist detection," in *Proc. IEEE Intell. Vehicles Symp. (IV)*, Jun. 2016, pp. 1028–1033.
- [55] N. Dalal and B. Triggs, "Histograms of oriented gradients for human detection," in *Proc. IEEE Comput. Soc. Conf. Comput. Vis. Pattern Recognit.*, vol. 1, Jun. 2005, pp. 886–893.
- [56] A. Ess, B. Leibe, and L. Van Gool, "Depth and appearance for mobile scene analysis," in *Proc. IEEE 11th Int. Conf. Comput. Vis.*, Oct. 2007, pp. 1–8.
- [57] C. Wojek, S. Walk, and B. Schiele, "Multi-cue onboard pedestrian detection," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2009, pp. 794–801.
- [58] M. Enzweiler and D. M. Gavrilu, "Monocular pedestrian detection: Survey and experiments," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 31, no. 12, pp. 2179–2195, Dec. 2009.
- [59] I. Goodfellow, J. Pouget-Abadie, M. Mirza, B. Xu, D. Warde-Farley, S. Ozair, A. Courville, and Y. Bengio, "Generative adversarial nets," in *Proc. Adv. Neural Inf. Process. Syst.*, 2014, pp. 2672–2680.
- [60] B. Zoph, E. D. Cubuk, G. Ghiasi, T. Lin, J. Shlens, and Q. V. Le, "Learning data augmentation strategies for object detection," 2019, *arXiv:1906.11172*. [Online]. Available: <http://arxiv.org/abs/1906.11172>
- [61] Z. Tian, C. Shen, H. Chen, and T. He, "FCOS: Fully convolutional one-stage object detection," 2019, *arXiv:1904.01355*. [Online]. Available: <https://arxiv.org/abs/1904.01355>
- [62] T. Kong, F. Sun, H. Liu, Y. Jiang, and J. Shi, "FoveaBox: Beyond anchor-based object detector," 2019, *arXiv:1904.03797*. [Online]. Available: <https://arxiv.org/abs/1904.03797>
- [63] J. Pang, K. Chen, J. Shi, H. Feng, W. Ouyang, and D. Lin, "Libra R-CNN: Towards balanced learning for object detection," 2019, *arXiv:1904.02701*. [Online]. Available: <https://arxiv.org/abs/1904.02701>
- [64] S.-W. Kim, H.-K. Kook, J.-Y. Sun, M.-C. Kang, and S.-J. Ko, "Parallel feature pyramid network for object detection," in *Proc. Eur. Conf. Comput. Vis. (ECCV)*, 2018, pp. 234–250.
- [65] Z. Li and F. Zhou, "FSSD: Feature fusion single shot multibox detector," 2017, *arXiv:1712.00960*. [Online]. Available: <https://arxiv.org/abs/1712.00960>
- [66] Y. Chen, J. Li, B. Zhou, J. Feng, and S. Yan, "Weaving multi-scale context for single shot detector," 2017, *arXiv:1712.03149*. [Online]. Available: <https://arxiv.org/abs/1712.03149>
- [67] L. Zheng, C. Fu, and Y. Zhao, "Extend the shallow part of single shot multibox detector via convolutional neural network," in *Proc. 10th Int. Conf. Digit. Image Process. (ICDIP)*, Shanghai, China, vol. 10806, 2018, Art. no. 1080613. doi: 10.1117/12.2503001.
- [68] S.-H. Bae, "Object detection based on region decomposition and assembly," 2019, *arXiv:1901.08225*. [Online]. Available: <https://arxiv.org/abs/1901.08225>
- [69] E. Barnea and O. Ben-Shahar, "On the utility of context (or the lack thereof) for object detection," 2017, *arXiv:1711.05471v2*. [Online]. Available: <https://arxiv.org/abs/1711.05471v2>
- [70] Y. Liu, R. Wang, S. Shan, and X. Chen, "Structure inference net: Object detection using scene-level context and instance-level relationships," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2018, pp. 6985–6994.
- [71] B. Singh, M. Najibi, and L. S. Davis, "SNIPER: Efficient multi-scale training," in *Proc. Adv. Neural Inf. Process. Syst.*, 2018, pp. 9310–9320.
- [72] K. Liang, H. Chang, B. Ma, S. Shan, and X. Chen, "Unifying visual attribute learning with object recognition in a multiplicative framework," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 41, no. 7, pp. 1747–1760, Jul. 2019.
- [73] C. Zhang and J. Kim, "Object detection with location-aware deformable convolution and backward attention filtering," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2019, pp. 9452–9461.
- [74] D. Yoo, S. Park, J.-Y. Lee, A. S. Paek, and I. S. Kweon, "AttentionNet: Aggregating weak directions for accurate object detection," in *Proc. IEEE Int. Conf. Comput. Vis.*, Dec. 2015, pp. 2659–2667.
- [75] K. Xu, J. Ba, R. Kiros, K. Cho, A. Courville, R. Salakhutdinov, R. Zemel, and Y. Bengio, "Show, attend and tell: Neural image caption generation with visual attention," 2015, *arXiv:1502.03044*. [Online]. Available: <https://arxiv.org/abs/1502.03044>
- [76] J. Ba, V. Mnih, and K. Kavukcuoglu, "Multiple object recognition with visual attention," 2014, *arXiv:1412.7755*. [Online]. Available: <https://arxiv.org/abs/1412.7755>
- [77] L. Li, M. Xu, X. Wang, L. Jiang, and H. Liu, "Attention based glaucoma detection: A large-scale database and CNN model," 2019, *arXiv:1903.10831*. [Online]. Available: <https://arxiv.org/abs/1903.10831>
- [78] K. Hara, M.-Y. Liu, O. Tuzel, and A.-M. Farahmand, "Attentional network for visual object detection," 2017, *arXiv:1702.01478*. [Online]. Available: <https://arxiv.org/abs/1702.01478>
- [79] S. Chaudhari, G. Polatkan, R. Ramanath, and V. Mithal, "An attentive survey of attention models," 2019, *arXiv:1904.02874?context=cs*. [Online]. Available: <https://arxiv.org/abs/1904.02874?context=cs>
- [80] T. Kong, F. Sun, C. Tan, H. Liu, and W. Huang, "Deep feature pyramid reconfiguration for object detection," in *Proc. Eur. Conf. Comput. Vis. (ECCV)*, 2018, pp. 169–185.
- [81] J. Yu, Y. Jiang, Z. Wang, Z. Cao, and T. Huang, "UnitBox: An advanced object detection network," in *Proc. 24th ACM Int. Conf. Multimedia*, 2016, pp. 516–520.
- [82] H. Rezatofighi, N. Tsoi, J. Gwak, A. Sadeghian, I. Reid, and S. Savarese, "Generalized intersection over union: A metric and a loss for bounding box regression," 2019, *arXiv:1902.09630*. [Online]. Available: <https://arxiv.org/abs/1902.09630>
- [83] Y. He, C. Zhu, J. Wang, M. Savvides, and X. Zhang, "Bounding box regression with uncertainty for accurate object detection," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2019, pp. 2888–2897.
- [84] Y. He, X. Zhang, M. Savvides, and K. Kitani, "Softer-NMS: Rethinking bounding box regression for accurate object detection," 2018, *arXiv:1809.08545*. [Online]. Available: <https://arxiv.org/abs/1809.08545>?source=post_page
- [85] C. Gabriel, N. Bourg, P. Jouchet, G. Dupuis, C. Leterrier, A. Baron, M.-A. Badet-Denisot, B. Vauzeilles, E. Fort, and S. Lévêque-Fort, "Combining 3D single molecule localization strategies for reproducible bioimaging," *Nature Commun.*, vol. 10, no. 1, p. 1980, 2019.
- [86] M. Bucher, S. Herbin, and F. Jurie, "Hard negative mining for metric learning based zero-shot classification," in *Computer Vision—ECCV 2016 Workshops*, G. Hua and H. Jégou, Eds. Cham, Switzerland: Springer, 2016, pp. 524–531.

- [87] H. Yu, Z. Zhang, Z. Qin, H. Wu, D. Li, J. Zhao, and X. Lu, "Loss rank mining: A general hard example mining method for real-time detectors," in *Proc. Int. Joint Conf. Neural Netw. (IJCNN)*, 2018, pp. 1–8.
- [88] K. Chen, J. Li, W. Lin, J. See, J. Wang, L. Duan, Z. Chen, C. He, and J. Zou, "Towards accurate one-stage object detection with AP-loss," 2019, *arXiv:1904.06373*. [Online]. Available: <https://arxiv.org/abs/1904.06373>
- [89] B. Jiang, R. Luo, J. Mao, T. Xiao, and Y. Jiang, "Acquisition of localization confidence for accurate object detection," in *Proc. Eur. Conf. Comput. Vis. (ECCV)*, 2018, pp. 784–799.
- [90] S. Liu, D. Huang, and Y. Wang, "Adaptive NMS: Refining pedestrian detection in a crowd," 2019, *arXiv:1904.03629*. [Online]. Available: <https://arxiv.org/abs/1904.03629>
- [91] J. Hosang, R. Benenson, and B. Schiele, "A convnet for non-maximum suppression," in *Pattern Recognition*, B. Rosenhahn and B. Andres, Eds. Cham, Switzerland: Springer, 2016, pp. 192–204.
- [92] J. Hosang, R. Benenson, and B. Schiele, "Learning non-maximum suppression," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2017, pp. 4507–4515.
- [93] J. Jeong, H. Park, and N. Kwak, "Enhancement of SSD by concatenating feature maps for object detection," 2017, *arXiv:1705.09587*. [Online]. Available: <https://arxiv.org/abs/1705.09587>
- [94] W. Xiang, D.-Q. Zhang, H. Yu, and V. Athitsos, "Context-aware single-shot detector," in *Proc. IEEE Winter Conf. Appl. Comput. Vis. (WACV)*, Mar. 2018, pp. 1784–1793.
- [95] G. Cao, X. Xie, W. Yang, Q. Liao, G. Shi, and J. Wu, "Feature-fused SSD: Fast detection for small objects," in *Proc. 9th Int. Conf. Graphic Image Process. (ICGIP)*, vol. 10615, 2018, p. 106151E.
- [96] J. Li, X. Liang, Y. Wei, T. Xu, J. Feng, and S. Yan, "Perceptual generative adversarial networks for small object detection," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jul. 2017, pp. 1222–1230.
- [97] W. Liu, S. Liao, W. Hu, X. Liang, and X. Chen, "Learning efficient single-stage pedestrian detectors by asymptotic localization fitting," in *Proc. Eur. Conf. Comput. Vis. (ECCV)*, 2018, pp. 618–634.
- [98] P. Hu and D. Ramanan, "Finding tiny faces," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jul. 2017, pp. 951–959.
- [99] M. Xu, L. Cui, P. Lv, X. Jiang, J. Niu, B. Zhou, and M. Wang, "MDSSD: Multi-scale deconvolutional single shot detector for small objects," 2018, *arXiv:1805.07009*. [Online]. Available: <https://arxiv.org/abs/1805.07009>
- [100] J. Wang, Y. Yuan, and G. Yu, "Face attention network: An effective face detector for the occluded faces," 2017, *arXiv:1711.07246*. [Online]. Available: <https://arxiv.org/abs/1711.07246>
- [101] X. Wang, T. Xiao, Y. Jiang, S. Shao, J. Sun, and C. Shen, "Repulsion loss: Detecting pedestrians in a crowd," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2018, pp. 7774–7783.
- [102] S. Zhang, L. Wen, X. Bian, Z. Lei, and S. Z. Li, "Occlusion-aware R-CNN: Detecting pedestrians in a crowd," in *Proc. Eur. Conf. Comput. Vis. (ECCV)*, 2018, pp. 637–653.
- [103] P. Baqué, F. Fleuret, and P. Fua, "Deep occlusion reasoning for multi-camera multi-target detection," in *Proc. IEEE Int. Conf. Comput. Vis.*, Oct. 2017, pp. 271–279.
- [104] K. He, X. Zhang, S. Ren, and J. Sun, "Spatial pyramid pooling in deep convolutional networks for visual recognition," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 37, no. 9, pp. 1904–1916, Sep. 2015.
- [105] P. Sermanet, D. Eigen, X. Zhang, M. Mathieu, R. Fergus, and Y. LeCun, "OverFeat: Integrated recognition, localization and detection using convolutional networks," 2013, *arXiv:1312.6229*. [Online]. Available: <https://arxiv.org/abs/1312.6229>
- [106] P. F. Felzenszwalb, R. B. Girshick, D. McAllester, and D. Ramanan, "Object detection with discriminatively trained part-based models," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 32, no. 9, pp. 1627–1645, Sep. 2010.
- [107] H. Law, Y. Teng, O. Russakovsky, and J. Deng, "CornerNet-Lite: Efficient keypoint based object detection," 2019, *arXiv:1904.08900*. [Online]. Available: <https://arxiv.org/abs/1904.08900>
- [108] K. Duan, S. Bai, L. Xie, H. Qi, Q. Huang, and Q. Tian, "CenterNet: Keypoint triplets for object detection," 2019, *arXiv:1904.08189*. [Online]. Available: <https://arxiv.org/abs/1904.08189>
- [109] J. Wang, K. Chen, S. Yang, C. C. Loy, and D. Lin, "Region proposal by guided anchoring," 2019, *arXiv:1901.03278*. [Online]. Available: <https://arxiv.org/abs/1901.03278>
- [110] X. Zhou, J. Zhuo, and P. Krähenbühl, "Bottom-up object detection by grouping extreme and center points," 2019, *arXiv:1901.08043*. [Online]. Available: <https://arxiv.org/abs/1901.08043>
- [111] X. Zhou, D. Wang, and P. Krähenbühl, "Objects as points," 2019, *arXiv:1904.07850v1*. [Online]. Available: <https://arxiv.org/abs/1904.07850v1>
- [112] S. Chen, J. Li, C. Yao, W. Hou, S. Qin, W. Jin, and X. Tang, "DuBox: No-prior box objection detection via residual dual scale detectors," 2019, *arXiv:1904.06883*. [Online]. Available: <https://arxiv.org/abs/1904.06883>
- [113] C. Zhu, Y. He, and M. Savvides, "Feature selective anchor-free module for single-shot object detection," 2019, *arXiv:1903.00621*. [Online]. Available: <https://arxiv.org/abs/1903.00621>
- [114] R. Zhu, S. Zhang, X. Wang, L. Wen, H. Shi, L. Bo, and T. Mei, "ScratchDet: Training single-shot object detectors from scratch," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2019, pp. 2268–2277.
- [115] Z. Shen, Z. Liu, J. Li, Y.-G. Jiang, Y. Chen, and X. Xue, "DSOD: Learning deeply supervised object detectors from scratch," in *Proc. IEEE Int. Conf. Comput. Vis.*, Oct. 2017, pp. 1919–1927.
- [116] Z. Shen, H. Shi, J. Yu, H. Phan, R. Feris, L. Cao, D. Liu, X. Wang, T. Huang, and M. Savvides, "Improving object detection from scratch via gated feature reuse," 2017, *arXiv:1712.00886*. [Online]. Available: <https://arxiv.org/abs/1712.00886>
- [117] Y. Li, J. Li, W. Lin, and J. Li, "Tiny-DSOD: Lightweight object detection for resource-restricted usages," 2018, *arXiv:1807.11013*. [Online]. Available: <https://arxiv.org/abs/1807.11013>
- [118] Z. Shen, Z. Liu, J. Li, Y.-G. Jiang, Y. Chen, and X. Xue, "Object detection from scratch with deep supervision," 2018, *arXiv:1809.09294*. [Online]. Available: <https://arxiv.org/abs/1809.09294>
- [119] Z. Li, C. Peng, G. Yu, X. Zhang, Y. Deng, and J. Sun, "Light-head R-CNN: In defense of two-stage object detector," 2017, *arXiv:1711.07264*. [Online]. Available: <https://arxiv.org/abs/1711.07264>
- [120] A. Womg, M. J. Shafiee, F. Li, and B. Chwyl, "Tiny SSD: A tiny single-shot detection deep convolutional neural network for real-time embedded object detection," in *Proc. 15th Conf. Comput. Robot Vis. (CRV)*, 2018, pp. 95–101.
- [121] L. Tychsen-Smith and L. Petersson, "DeNet: Scalable real-time object detection with directed sparse sampling," in *Proc. IEEE Int. Conf. Comput. Vis.*, Oct. 2017, pp. 428–436.
- [122] S. Tripathi, G. Dane, B. Kang, V. Bhaskaran, and T. Nguyen, "LCDet: Low-complexity fully-convolutional neural networks for object detection in embedded systems," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit. Workshops*, Jun. 2017, pp. 94–103.
- [123] Y. Lee, H. Kim, E. Park, X. Cui, and H. Kim, "Wide-residual-inception networks for real-time object detection," in *Proc. IEEE Intell. Vehicles Symp. (IV)*, Jun. 2017, pp. 758–764.
- [124] Q. Li, S. Jin, and J. Yan, "Mimicking very efficient network for object detection," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jul. 2017, pp. 6356–6364.
- [125] H.-Y. Zhou, B.-B. Gao, and J. Wu, "Adaptive feeding: Achieving fast and accurate detections by adaptively combining object detectors," in *Proc. IEEE Int. Conf. Comput. Vis.*, Oct. 2017, pp. 3505–3513.
- [126] S. Liu, D. Huang, and Y. Wang, "Receptive field block net for accurate and fast object detection," in *Proc. Eur. Conf. Comput. Vis. (ECCV)*, 2018, pp. 385–400.
- [127] R. Ranjan, V. M. Patel, and R. Chellappa, "HyperFace: A deep multi-task learning framework for face detection, landmark localization, pose estimation, and gender recognition," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 41, no. 1, pp. 121–135, Jan. 2019.
- [128] R. He, X. Wu, Z. Sun, and T. Tan, "Wasserstein CNN: Learning invariant features for NIR-VIS face recognition," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 41, no. 7, pp. 1761–1773, Jul. 2019.
- [129] X. Zhang, R. Zhao, Y. Qiao, X. Wang, and H. Li, "AdaCos: Adaptively scaling cosine logits for effectively learning deep face representations," Jun. 2019, *arXiv:1905.00292*. [Online]. Available: <https://arxiv.org/abs/1905.00292>
- [130] Y. Liu, H. Li, and X. Wang, "Rethinking feature discrimination and polymerization for large-scale recognition," 2017, *arXiv:1710.00870*. [Online]. Available: <https://arxiv.org/abs/1710.00870>
- [131] R. Ranjan, C. D. Castillo, and R. Chellappa, " L_2 -constrained softmax loss for discriminative face verification," 2017, *arXiv:1703.09507*. [Online]. Available: <https://arxiv.org/abs/1703.09507>
- [132] F. Wang, X. Xiang, J. Cheng, and A. L. Yuille, "NormFace: L_2 hypersphere embedding for face verification," in *Proc. 25th ACM Int. Conf. Multimedia*, 2017, pp. 1041–1049.
- [133] J. Deng, J. Guo, N. Xue, and S. Zafeiriou, "ArcFace: Additive angular margin loss for deep face recognition," 2018, *arXiv:1801.07698*. [Online]. Available: <https://arxiv.org/abs/1801.07698>

- [134] Y. Guo, L. Jiao, S. Wang, S. Wang, and F. Liu, "Fuzzy sparse autoencoder framework for single image per person face recognition," *IEEE Trans. Cybern.*, vol. 48, no. 8, pp. 2402–2415, Aug. 2017.
- [135] M. Wang and W. Deng, "Deep face recognition: A survey," 2018, *arXiv:1804.06655*. [Online]. Available: <https://arxiv.org/abs/1804.06655>
- [136] Z. Cai, M. J. Saberian, and N. Vasconcelos, "Learning complexity-aware cascades for pedestrian detection," *IEEE Trans. Pattern Anal. Mach. Intell.*, to be published.
- [137] M. J. Saberian and N. Vasconcelos, "Learning optimal embedded cascades," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 34, no. 10, pp. 2005–2018, Jan. 2012.
- [138] P. Dollár, R. Appel, S. Belongie, and P. Perona, "Fast feature pyramids for object detection," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 36, no. 8, pp. 1532–1545, Aug. 2014.
- [139] A. Brunetti, D. Buongiorno, G. F. Trotta, and V. Bevilacqua, "Computer vision and deep learning techniques for pedestrian detection and tracking: A survey," *Neurocomputing*, vol. 300, pp. 17–33, Jul. 2018.
- [140] S. Liu, M. Yamada, N. Collier, and M. Sugiyama, "Change-point detection in time-series data by relative density-ratio estimation," *Neural Netw.*, vol. 43, pp. 72–83, Jul. 2013.
- [141] P. Senin, J. Lin, X. Wang, T. Oates, S. Gandhi, A. P. Boedihardjo, C. Chen, and S. Frankenstein, "GrammarViz 3.0: Interactive discovery of variable-length time series patterns," *ACM Trans. Knowl. Discovery Data*, vol. 12, no. 1, p. 10, 2018.
- [142] M. Jiang, A. Beutel, P. Cui, B. Hooi, S. Yang, and C. Faloutsos, "A general suspiciousness metric for dense blocks in multimodal data," in *Proc. IEEE Int. Conf. Data Mining*, Nov. 2015, pp. 781–786.
- [143] E. Wu, W. Liu, and S. Chawla, "Spatio-temporal outlier detection in precipitation data," in *Knowledge Discovery From Sensor Data*, M. M. Gaber, R. R. Vatsavai, O. A. Omitaomu, J. Gama, N. V. Chawla, and A. R. Ganguly, Eds. Berlin, Germany: Springer, 2010, pp. 115–133.
- [144] B. Barz, E. Rodner, Y. G. Garcia, and J. Denzler, "Detecting regions of maximal divergence for spatio-temporal anomaly detection," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 41, no. 5, pp. 1088–1101, May 2019.
- [145] G. Cheng, P. Zhou, and J. Han, "Learning rotation-invariant convolutional neural networks for object detection in VHR optical remote sensing images," *IEEE Trans. Geosci. Remote Sens.*, vol. 54, no. 12, pp. 7405–7415, Dec. 2016.
- [146] Y. Zhang, Y. Yuan, Y. Feng, and X. Lu, "Hierarchical and robust convolutional neural network for very high-resolution remote sensing object detection," *IEEE Trans. Geosci. Remote Sens.*, vol. 57, no. 8, pp. 5535–5548, Aug. 2019.
- [147] Q. Li, L. Mou, Q. Xu, Y. Zhang, and X. X. Zhu, "R³-Net: A deep network for multi-oriented vehicle detection in aerial images and videos," *IEEE Trans. Geosci. Remote Sens.*, to be published.
- [148] Z. Deng, H. Sun, S. Zhou, J. Zhao, and H. Zou, "Toward fast and accurate vehicle detection in aerial images using coupled region-based convolutional neural networks," *IEEE J. Sel. Topics Appl. Earth Observ. Remote Sens.*, vol. 10, no. 8, pp. 3652–3664, Aug. 2017.
- [149] N. Audebert, B. Le Saux, and S. Lefèvre, "Segment-before-detect: Vehicle detection and classification through semantic segmentation of aerial images," *Remote Sens.*, vol. 9, no. 4, p. 368, 2017.
- [150] Q. Li, L. Mou, Q. Liu, Y. Wang, and X. X. Zhu, "HSF-NET: Multiscale deep feature embedding for ship detection in optical remote sensing imagery," *IEEE Trans. Geosci. Remote Sens.*, vol. 56, no. 12, pp. 7147–7161, Dec. 2018.
- [151] J. Pang, C. Li, J. Shi, Z. Xu, and H. Feng, "R²-CNN: Fast tiny object detection in large-scale remote sensing images," *IEEE Trans. Geosci. Remote Sens.*, vol. 57, no. 8, pp. 5512–5524, Aug. 2019.
- [152] J. Pei, Y. Huang, W. Huo, Y. Zhang, J. Yang, and T.-S. Yeo, "SAR automatic target recognition based on multiview deep learning framework," *IEEE Trans. Geosci. Remote Sens.*, vol. 56, no. 4, pp. 2196–2210, Apr. 2018.
- [153] Y. Long, Y. Gong, Z. Xiao, and Q. Liu, "Accurate object localization in remote sensing images based on convolutional neural networks," *IEEE Trans. Geosci. Remote Sens.*, vol. 55, no. 5, pp. 2486–2498, May 2017.
- [154] M. Shahzad, M. Maurer, F. Fraundorfer, Y. Wang, and X. X. Zhu, "Buildings detection in VHR SAR images using fully convolution neural networks," *IEEE Trans. Geosci. Remote Sens.*, vol. 57, no. 2, pp. 1100–1116, Feb. 2019.
- [155] F. Zhang, B. Du, L. Zhang, and M. Xu, "Weakly supervised learning based on coupled convolutional neural networks for aircraft detection," *IEEE Trans. Geosci. Remote Sens.*, vol. 54, no. 9, pp. 5553–5563, Sep. 2016.
- [156] J. Han, D. Zhang, G. Cheng, L. Guo, and J. Ren, "Object detection in optical remote sensing images based on weakly supervised learning and high-level feature learning," *IEEE Trans. Geosci. Remote Sens.*, vol. 53, no. 6, pp. 3325–3337, Jun. 2015.
- [157] Q. Li, Y. Wang, Q. Liu, and W. Wang, "Hough transform guided deep feature extraction for dense building detection in remote sensing images," in *Proc. IEEE Int. Conf. Acoust., Speech Signal Process. (ICASSP)*, Apr. 2018, pp. 1872–1876.
- [158] L. Mou and X. X. Zhu, "Vehicle instance segmentation from aerial image and video using a multitask learning residual fully convolutional network," *IEEE Trans. Geosci. Remote Sens.*, vol. 56, no. 11, pp. 6699–6711, Nov. 2018.
- [159] X. Chen, S. Xiang, C.-L. Liu, and C.-H. Pan, "Vehicle detection in satellite images by hybrid deep convolutional neural networks," *IEEE Geosci. Remote Sens. Lett.*, vol. 11, no. 10, pp. 1797–1801, Oct. 2014.
- [160] N. Ammour, H. Alhichri, Y. Bazi, B. Benjdira, N. Alajlan, and M. Zuair, "Deep learning approach for car detection in UAV imagery," *Remote Sens.*, vol. 9, no. 4, p. 312, 2017.
- [161] S. Wang, M. Wang, S. Yang, and L. Jiao, "New hierarchical saliency filtering for fast ship detection in high-resolution SAR images," *IEEE Trans. Geosci. Remote Sens.*, vol. 55, no. 1, pp. 351–362, Jan. 2017.
- [162] W. Ma, Q. Guo, Y. Wu, W. Zhao, X. Zhang, and L. Jiao, "A novel multi-model decision fusion network for object detection in remote sensing images," *Remote Sens.*, vol. 11, no. 7, p. 737, 2019.
- [163] R. Dong, D. Xu, J. Zhao, L. Jiao, and J. An, "Sig-NMS-based faster R-CNN combining transfer learning for small target detection in VHR optical remote sensing imagery," *IEEE Trans. Geosci. Remote Sens.*, to be published.
- [164] C. Chen, C. He, C. Hu, H. Pei, and L. Jiao, "A deep neural network based on an attention mechanism for SAR ship detection in multiscale and complex scenarios," *IEEE Access*, vol. 7, pp. 104848–104863, 2019.
- [165] H. Zhu, P. Zhang, L. Wang, X. Zhang, and L. Jiao, "A multiscale object detection approach for remote sensing images based on MSE-DenseNet and the dynamic anchor assignment," *Remote Sens. Lett.*, vol. 10, no. 10, pp. 959–967, 2019.
- [166] G. Cheng, J. Han, P. Zhou, and L. Guo, "Multi-class geospatial object detection and geographic image classification based on collection of part detectors," *ISPRS J. Photogramm. Remote Sens.*, vol. 98, pp. 119–132, Dec. 2014.
- [167] G.-S. Xia, X. Bai, J. Ding, Z. Zhu, S. Belongie, J. Luo, M. Datcu, M. Pelillo, and L. Zhang, "DOTA: A large-scale dataset for object detection in aerial images," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2018, pp. 3974–3983.
- [168] K. Liu and G. Mattyus, "Fast multiclass vehicle detection on aerial images," *IEEE Geosci. Remote Sens. Lett.*, vol. 12, no. 9, pp. 1938–1942, Sep. 2015.
- [169] S. Razakarivony and F. Jurie, "Vehicle detection in aerial imagery: A small target detection benchmark," *J. Vis. Commun. Image Represent.*, vol. 34, pp. 187–203, Jan. 2016.
- [170] G. Cheng and J. Han, "A survey on object detection in optical remote sensing images," *ISPRS J. Photogramm. Remote Sens.*, vol. 117, pp. 11–28, Jul. 2016.
- [171] P. Shivakumara, D. Tang, M. Asadzadehkaljahi, T. Lu, U. Pal, and M. H. Anisi, "CNN-RNN based method for license plate recognition," *CAAI Trans. Intell. Technol.*, vol. 3, no. 3, pp. 169–175, 2018.
- [172] M. Sarfraz and M. J. Ahmed, "An approach to license plate recognition system using neural network," in *Exploring Critical Approaches of Evolutionary Computation*. Hershey, PA, USA: IGI Global, 2019, pp. 20–36.
- [173] H. Li, P. Wang, and C. Shen, "Toward end-to-end car license plate detection and recognition with deep neural networks," *IEEE Trans. Intell. Transp. Syst.*, vol. 20, no. 3, pp. 1126–1136, Mar. 2018.
- [174] J. Qian and B. Qu, "Fast license plate recognition method based on competitive neural network," in *Proc. 3rd Int. Conf. Commun., Inf. Manage. Netw. Secur. (CIMNS)*, vol. 65, Nov. 2018, pp. 114–117. doi: 10.2991/cimns-18.2018.26.
- [175] R. Laroca, E. Severo, L. A. Zanlorensi, L. S. Oliveira, G. R. Gonçalves, W. R. Schwartz, and D. Menotti, "A robust real-time automatic license plate recognition based on the YOLO detector," in *Proc. Int. Joint Conf. Neural Netw. (IJCNN)*, 2018, pp. 1–10.
- [176] A. S. Nair, S. Raju, K. Harikrishnan, and A. Mathew, "A survey of techniques for license plate detection and recognition," *i-Manager's J. Image Process.*, vol. 5, no. 1, p. 25, 2018.

- [177] W. Lu, Y. Zhou, G. Wan, S. Hou, S. Song, “ L_3 -Net: Towards learning based LiDAR localization for autonomous driving,” in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2019, pp. 6389–6398.
- [178] X. Song, P. Wang, D. Zhou, R. Zhu, C. Guan, Y. Dai, H. Su, H. Li, and R. Yang, “ApolloCar3D: A large 3D car instance understanding benchmark for autonomous driving,” 2018, *arXiv:1811.12222*. [Online]. Available: <https://arxiv.org/abs/1811.12222>
- [179] K. Banerjee, D. Notz, J. Windelen, S. Gavarraju, and M. He, “Online camera LiDAR fusion and object detection on hybrid data for autonomous driving,” in *Proc. IEEE Intell. Vehicles Symp. (IV)*, Jun. 2018, pp. 1632–1638.
- [180] E. Arnold, O. Y. Al-Jarrah, M. Dianati, S. Fallah, D. Oxtoby, and A. Mouzakitis, “A survey on 3D object detection methods for autonomous driving applications,” *IEEE Trans. Intell. Transp. Syst.*, to be published.
- [181] J. Li and Z. Wang, “Real-time traffic sign recognition based on efficient CNNs in the wild,” *IEEE Trans. Intell. Transp. Syst.*, vol. 20, no. 3, pp. 975–984, Mar. 2018.
- [182] T. Moritani, Y. Otsubo, and T. Arinaga, “Traffic sign recognition system,” U.S. Patent 9 865 165, Jan. 9, 2018.
- [183] S. Khalid, N. Muhammad, and M. Sharif, “Automatic measurement of the traffic sign with digital segmentation and recognition,” *IET Intell. Transp. Syst.*, vol. 13, no. 2, pp. 269–279, 2019.
- [184] Á. Arcos-García, J. A. Álvarez-García, and L. M. Soria-Morillo, “Deep neural network for traffic sign recognition systems: An analysis of spatial transformers and stochastic optimisation methods,” *Neural Netw.*, vol. 99, pp. 158–165, Mar. 2018.
- [185] D. Li, D. Zhao, Y. Chen, and Q. Zhang, “DeepSign: Deep learning based traffic sign recognition,” in *Proc. Int. Joint Conf. Neural Netw. (IJCNN)*, Jul. 2018, pp. 1–6.
- [186] B.-X. Wu, P.-Y. Wang, Y.-T. Yang, and J.-I. Guo, “Traffic sign recognition with light convolutional networks,” in *Proc. IEEE Int. Conf. Consum. Electron.-Taiwan (ICCE-TW)*, May 2018, pp. 1–2.
- [187] S. Zhou, W. Liang, J. Li, and J. U. Kim, “Improved VGG model for road traffic sign recognition,” *CMC-Comput., Mater. Continua*, vol. 57, no. 1, pp. 11–24, 2018.
- [188] Z. Li, M. Dong, S. Wen, X. Hu, P. Zhou, and Z. Zeng, “CLU-CNNs: Object detection for medical images,” *Neurocomputing*, vol. 350, pp. 53–59, Jul. 2019.
- [189] Q. Liu, L. Fang, G. Yu, D. Wang, C.-L. Xiao, and K. Wang, “Detection of dna base modifications by deep recurrent neural network on oxford nanopore sequencing data,” *Nature Commun.*, vol. 10, no. 1, p. 2449, 2019.
- [190] P. J. Schubert, S. Dorkenwald, M. Januszewski, V. Jain, and J. Kornfeld, “Learning cellular morphology with neural networks,” *Nature Commun.*, vol. 10, no. 1, p. 2736, 2019.
- [191] N. C. Codella, D. Gutman, M. E. Celebi, B. Helba, M. A. Marchetti, S. W. Dusza, A. Kalloo, K. Liopyris, N. Mishra, H. Kittler, and A. Halpern, “Skin lesion analysis toward melanoma detection: A challenge at the 2017 international symposium on biomedical imaging (ISBI), hosted by the international skin imaging collaboration (ISIC),” in *Proc. IEEE 15th Int. Symp. Biomed. Imag. (ISBI)*, Oct. 2018, pp. 168–172.
- [192] S. Naji, H. A. Jalab, and S. A. Kareem, “A survey on skin detection in colored images,” *Artif. Intell. Rev.*, vol. 52, no. 2, pp. 1041–1087, 2018.
- [193] F. Altaf, S. Islam, N. Akhtar, and N. K. Janjua, “Going deep in medical image analysis: Concepts, methods, challenges and future directions,” 2019, *arXiv:1902.05655*. [Online]. Available: <https://arxiv.org/abs/1902.05655>
- [194] E. Goldman, R. Herzig, A. Eisenschat, J. Goldberger, and T. Hassner, “Precise detection in densely packed scenes,” in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, 2019, pp. 5227–5236.
- [195] Z. Yang, Q. Li, L. Wenyan, and J. Lv, “Shared multi-view data representation for multi-domain event detection,” *IEEE Trans. Pattern Anal. Mach. Intell.*, to be published.
- [196] Y. Wang, H. Sundaram, and L. Xie, “Social event detection with interaction graph modeling,” in *Proc. 20th ACM Int. Conf. Multimedia*, 2012, pp. 865–868.
- [197] M. Schinas, S. Papadopoulos, G. Petkos, Y. Kompatsiaris, and P. A. Mitkas, “Multimodal graph-based event detection and summarization in social media streams,” in *Proc. 23rd ACM Int. Conf. Multimedia*, 2015, pp. 189–192.
- [198] M. Hasan, M. A. Orgun, and R. Schwitter, “A survey on real-time event detection from the twitter data stream,” *J. Inf. Sci.*, vol. 44, no. 4, pp. 443–463, 2018.
- [199] O. Teboul, I. Kokkinos, L. Simon, P. Koutsourakis, and N. Paragios, “Shape grammar parsing via reinforcement learning,” in *Proc. CVPR*, 2011, pp. 2273–2280.
- [200] P. Zhao, T. Fang, J. Xiao, H. Zhang, Q. Zhao, and L. Quan, “Rectilinear parsing of architecture in urban environment,” in *Proc. IEEE Comput. Soc. Conf. Comput. Vis. Pattern Recognit.*, Jun. 2010, pp. 342–349.
- [201] S. Friedman and I. Stamos, “Online detection of repeated structures in point clouds of urban scenes for compression and registration,” *Int. J. Comput. Vis.*, vol. 102, nos. 1–3, pp. 112–128, 2013.
- [202] C.-H. Shen, S.-S. Huang, H. Fu, and S.-M. Hu, “Adaptive partitioning of urban facades,” *ACM Trans. Graph.*, vol. 30, p. 184, Dec. 2011.
- [203] G. Schindler, P. Krishnamurthy, R. Lublinerman, Y. Liu, and F. Dellaert, “Detecting and matching repeated patterns for automatic geo-tagging in urban environments,” in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2008, pp. 1–7.
- [204] C. Wu, J.-M. Frahm, and M. Pollefeys, “Detecting large repetitive structures with salient boundaries,” in *Computer Vision—ECCV 2010*, K. Daniilidis, P. Maragos, and N. Paragios, Eds. Berlin, Germany: Springer, 2010, pp. 142–155.
- [205] P. Müller, G. Zeng, P. Wonka, and L. Van Gool, “Image-based procedural modeling of facades,” *ACM Trans. Graph.*, vol. 26, p. 85, Aug. 2007.
- [206] O. Barinova, V. Lempitsky, E. Tretjak, and P. Kohli, “Geometric image parsing in man-made environments,” in *Computer Vision—ECCV 2010*, K. Daniilidis, P. Maragos, and N. Paragios, Eds. Berlin, Germany: Springer, 2010, pp. 57–70.
- [207] M. Kozinski, R. Gadde, S. Zagoruyko, G. Obozinski, and R. Marlet, “A MRF shape prior for facade parsing with occlusions,” in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2015, pp. 2820–2828.
- [208] A. Cohen, A. G. Schwing, and M. Pollefeys, “Efficient structured parsing of facades using dynamic programming,” in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2014, pp. 3206–3213.
- [209] S. Gandy, B. Recht, and I. Yamada, “Tensor completion and low-rank tensor recovery via convex optimization,” *Inverse Problems*, vol. 27, no. 2, p. 025010, 2011.
- [210] E. J. Candès, X. Li, Y. Ma, and J. Wright, “Robust principal component analysis?” *J. ACM*, vol. 58, no. 3, p. 11, May 2011.
- [211] J. Liu, P. Musialski, P. Wonka, and J. Ye, “Tensor completion for estimating missing values in visual data,” *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 35, no. 1, pp. 208–220, Jan. 2013.
- [212] J. Liu, E. Psarakis, Y. Feng, and I. Stamos, “A Kronecker product model for repeated pattern detection on 2D urban images,” *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 41, no. 9, pp. 2266–2272, Sep. 2018.
- [213] P. Anderson, X. He, C. Buehler, D. Teney, M. Johnson, S. Gould, and L. Zhang, “Bottom-up and top-down attention for image captioning and visual question answering,” in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2018, pp. 6077–6086.
- [214] O. Vinyals, A. Toshev, S. Bengio, and D. Erhan, “Show and tell: A neural image caption generator,” in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2015, pp. 3156–3164.
- [215] J. Gu, J. Cai, G. Wang, and T. Chen, “Stack-captioning: Coarse-to-fine learning for image captioning,” in *Proc. 32nd AAAI Conf. Artif. Intell.*, 2018, pp. 6837–6844. [Online]. Available: <https://www.aaai.org/ocs/index.php/AAAI/AAAI18/paper/view/16465/16268>
- [216] T. Yao, Y. Pan, Y. Li, and T. Mei, “Exploring visual relationship for image captioning,” in *Proc. Eur. Conf. Comput. Vis. (ECCV)*, 2018, pp. 684–699.
- [217] J. Aneja, A. Deshpande, and A. G. Schwing, “Convolutional image captioning,” in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2018, pp. 5561–5570.
- [218] S. Bai and S. An, “A survey on automatic image caption generation,” *Neurocomputing*, vol. 311, pp. 291–304, Oct. 2018.
- [219] W. Yang, R. T. Tan, J. Feng, J. Liu, S. Yan, and Z. Guo, “Joint rain detection and removal from a single image with contextualized deep networks,” *IEEE Trans. Pattern Anal. Mach. Intell.*, to be published.
- [220] X. Hu, C. Fu, L. Zhu, J. Qin, and P. Heng, “Direction-aware spatial context features for shadow detection and removal,” *IEEE Trans. Pattern Anal. Mach. Intell.*, to be published.
- [221] J. Wäldchen and P. Mäder, “Machine learning for image based species identification,” *Methods Ecol. Evol.*, vol. 9, no. 11, pp. 2216–2225, 2018.
- [222] H. Bilen and A. Vedaldi, “Weakly supervised deep detection networks,” in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2016, pp. 2846–2854.
- [223] V. Kantorov, M. Oquab, M. Cho, and I. Laptev, “ContextLocNet: Context-aware deep network models for weakly supervised localization,” in *Computer Vision—ECCV 2016*, B. Leibe, J. Matas, N. Sebe, and M. Welling, Eds. Cham, Switzerland: Springer, 2016, pp. 350–365.

- [224] P. Tang, X. Wang, X. Bai, and W. Liu, "Multiple instance detection network with online instance classifier refinement," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jul. 2017, pp. 2843–2851.
- [225] A. Diba, V. Sharma, A. Pazandeh, H. Pirsiavash, and L. Van Gool, "Weakly supervised cascaded convolutional networks," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jul. 2017, pp. 914–922.
- [226] Y. Li, L. Liu, C. Shen, and A. van den Hengel, "Image co-localization by mimicking a good detector's confidence score distribution," in *Computer Vision—ECCV 2016*, B. Leibe, J. Matas, N. Sebe, and M. Welling, Eds. Cham, Switzerland: Springer, 2016, pp. 19–34.
- [227] Z. Yang, D. Mahajan, D. Ghadiyaram, R. Nevatia, and V. Ramanathan, "Activity driven weakly supervised object detection," 2019, *arXiv:1904.01665*. [Online]. Available: <https://arxiv.org/abs/1904.01665>
- [228] F. Wan, P. Wei, Z. Han, J. Jiao, and Q. Ye, "Min-entropy latent model for weakly supervised object detection," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 41, no. 10, pp. 2395–2409, Oct. 2019.
- [229] P. Tang, X. Wang, S. Bai, W. Shen, X. Bai, W. Liu, and A. L. Yuille, "PCL: Proposal cluster learning for weakly supervised object detection," *IEEE Trans. Pattern Anal. Mach. Intell.*, to be published.
- [230] C. Cao, Y. Huang, Y. Yang, L. Wang, Z. Wang, and T. Tan, "Feedback convolutional neural network for visual localization and segmentation," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 41, no. 7, pp. 1627–1640, Jul. 2019.
- [231] F. Wan, C. Liu, W. Ke, X. Ji, J. Jiao, and Q. Ye, "C-MIL: Continuation multiple instance learning for weakly supervised object detection," 2019, *arXiv:1904.05647*. [Online]. Available: <https://arxiv.org/abs/1904.05647>
- [232] Z. Wu, L. Su, and Q. Huang, "Cascaded partial decoder for fast and accurate salient object detection," 2019, *arXiv:1904.08739*. [Online]. Available: <https://arxiv.org/abs/1904.08739>
- [233] J.-J. Liu, Q. Hou, M.-M. Cheng, J. Feng, and J. Jiang, "A simple pooling-based design for real-time salient object detection," 2019, *arXiv:1904.09569*. [Online]. Available: <https://arxiv.org/abs/1904.09569>
- [234] W. Wang, J. Shen, X. Dong, A. Borji, and R. Yang, "Inferring salient objects from human fixations," *IEEE Trans. Pattern Anal. Mach. Intell.*, to be published.
- [235] L. Wang, L. Wang, H. Lu, P. Zhang, and X. Ruan, "Salient object detection with recurrent fully convolutional networks," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 41, no. 7, pp. 1734–1746, Jul. 2019.
- [236] M. Feng, H. Lu, and E. Ding, "Attentive feedback network for boundary-aware salient object detection," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2019, pp. 1623–1632.
- [237] D.-P. Fan, W. Wang, M.-M. Cheng, and J. Shen, "Shifting more attention to video salient object detection," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2019, pp. 8554–8564.
- [238] H. Kim, Y. Kim, J.-Y. Sim, and C.-S. Kim, "Spatiotemporal saliency detection for video sequences based on random walk with restart," *IEEE Trans. Image Process.*, vol. 24, no. 8, pp. 2552–2564, Aug. 2015.
- [239] F. Li, T. Kim, A. Humayun, D. Tsai, and J. M. Rehg, "Video segmentation by tracking many figure-ground segments," in *Proc. IEEE Int. Conf. Comput. Vis.*, Dec. 2013, pp. 2192–2199.
- [240] J. Li, C. Xia, and X. Chen, "A benchmark dataset and saliency-guided stacked autoencoders for video-based salient object detection," *IEEE Trans. Image Process.*, vol. 27, no. 1, pp. 349–364, Jan. 2018.
- [241] Z. Liu, J. Li, L. Ye, G. Sun, and L. Shen, "Saliency detection for unconstrained videos using superpixel-level graph and spatiotemporal propagation," *IEEE Trans. Circuits Syst. Video Technol.*, vol. 27, no. 12, pp. 2527–2542, Dec. 2017.
- [242] P. Ochs, J. Malik, and T. Brox, "Segmentation of moving objects by long term video analysis," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 36, no. 6, pp. 1187–1200, Jun. 2014.
- [243] W. Wang, J. Shen, and L. Shao, "Consistent video saliency using local gradient flow optimization and global refinement," *IEEE Trans. Image Process.*, vol. 24, no. 11, pp. 4185–4196, Nov. 2015.
- [244] C. Chen, S. Li, Y. Wang, H. Qin, and A. Hao, "Video saliency detection via spatial-temporal fusion and low-rank coherency diffusion," *IEEE Trans. Image Process.*, vol. 26, no. 7, pp. 3156–3170, Jul. 2017.
- [245] Y. Chenm, W. Zou, Y. Tang, X. Li, C. Xu, and N. Komodakis, "SCOM: Spatiotemporal constrained optimization for salient object detection," *IEEE Trans. Image Process.*, vol. 27, no. 7, pp. 3345–3357, Jul. 2018.
- [246] S. Li, B. Seybold, A. Vorobyov, X. Lei, and C.-C. J. Kuo, "Unsupervised video object segmentation with motion-based bilateral networks," in *Proc. Eur. Conf. Comput. Vis. (ECCV)*, 2018, pp. 207–223.
- [247] Z. Liu, X. Zhang, S. Luo, and O. Le Meur, "Superpixel-based spatiotemporal saliency detection," *IEEE Trans. Circuits Syst. Video Technol.*, vol. 24, no. 9, pp. 1522–1540, Sep. 2014.
- [248] H. Song, W. Wang, S. Zhao, J. Shen, and K.-M. Lam, "Pyramid dilated deeper ConvLSTM for video salient object detection," in *Proc. Eur. Conf. Comput. Vis. (ECCV)*, 2018, pp. 715–731.
- [249] Y. Tang, W. Zou, Z. Jin, Y. Chen, Y. Hua, and X. Li, "Weakly supervised salient object detection with spatiotemporal cascade neural networks," *IEEE Trans. Circuits Syst. Video Technol.*, vol. 29, no. 7, pp. 1973–1984, Jul. 2018.
- [250] W. Wang, J. Shen, and L. Shao, "Video salient object detection via fully convolutional networks," *IEEE Trans. Image Process.*, vol. 27, no. 1, pp. 38–49, Jan. 2018.
- [251] W.-C. Tu, S. He, Q. Yang, and S.-Y. Chien, "Real-time salient object detection with a minimum spanning tree," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2016, pp. 2334–2342.
- [252] W. Wang, J. Shen, and F. Porikli, "Saliency-aware geodesic video object segmentation," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2015, pp. 3395–3402.
- [253] T. Xi, W. Zhao, H. Wang, and W. Lin, "Salient object detection with spatiotemporal background priors for video," *IEEE Trans. Image Process.*, vol. 26, no. 7, pp. 3425–3436, Jul. 2017.
- [254] J. Zhang, S. Sclaroff, Z. Lin, X. Shen, B. Price, and R. Mech, "Minimum barrier salient object detection at 80 FPS," in *Proc. IEEE Int. Conf. Comput. Vis.*, Dec. 2015, pp. 1404–1412.
- [255] F. Zhou, S. B. Kang, and M. F. Cohen, "Time-mapping using space-time saliency," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2014, pp. 3358–3365.
- [256] M. Sun, A. Farhadi, and S. Seitz, "Ranking domain-specific highlights by analyzing edited videos," in *Computer Vision—ECCV 2014*, D. Fleet, T. Pajdla, B. Schiele, and T. Tuytelaars, Eds. Cham, Switzerland: Springer, 2014, pp. 787–802.
- [257] T. Yao, T. Mei, and Y. Rui, "Highlight detection with pairwise deep ranking for first-person video summarization," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2016, pp. 982–990.
- [258] H. Yang, B. Wang, S. Lin, D. Wipf, M. Guo, and B. Guo, "Unsupervised extraction of video highlights via robust recurrent auto-encoders," in *Proc. IEEE Int. Conf. Comput. Vis.*, Dec. 2015, pp. 4633–4641.
- [259] W. Liu, T. Mei, Y. Zhang, C. Che, and J. Luo, "Multi-task deep visual-semantic embedding for video thumbnail selection," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2015, pp. 3707–3715.
- [260] R. Panda, A. Das, Z. Wu, J. Ernst, and A. K. Roy-Chowdhury, "Weakly supervised summarization of Web videos," in *Proc. IEEE Int. Conf. Comput. Vis.*, Oct. 2017, pp. 3657–3666.
- [261] D. Potapov, M. Douze, Z. Harchaoui, and C. Schmid, "Category-specific video summarization," in *Computer Vision—ECCV 2014*, D. Fleet, T. Pajdla, B. Schiele, and T. Tuytelaars, Eds. Cham, Switzerland: Springer, 2014, pp. 540–555.
- [262] B. Xiong, Y. Kalantidis, D. Ghadiyaram, and K. Grauman, "Less is more: Learning highlight detection from video duration," 2019, *arXiv:1903.00859*. [Online]. Available: <https://arxiv.org/abs/1903.00859>
- [263] J. He, S. Zhang, M. Yang, Y. Shan, and T. Huang, "Bi-directional cascade network for perceptual edge detection," 2019, *arXiv:1902.10903*. [Online]. Available: <https://arxiv.org/abs/1902.10903>
- [264] Y. Liu, M.-M. Cheng, X. Hu, J.-W. Bian, L. Zhang, X. Bai, and J. Tang, "Richer convolutional features for edge detection," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 41, no. 8, pp. 1939–1946, Aug. 2018.
- [265] X. Ren, Y. Zhou, J. He, K. Chen, X. Yang, and J. Sun, "A convolutional neural network-based chinese text detection algorithm via text structure modeling," *IEEE Trans. Multimedia*, vol. 19, no. 3, pp. 506–518, Mar. 2016.
- [266] M. Liao, B. Shi, X. Bai, X. Wang, and W. Liu, "TextBoxes: A fast text detector with a single deep neural network," in *Proc. AAAI Conf. Artif. Intell.*, 2017, pp. 4161–4167. [Online]. Available: <https://www.aaai.org/ocs/index.php/AAAI/AAAI17/paper/view/14202/14295>
- [267] D. Bazazian, R. Gomez, A. Nicolaou, L. Gomez, D. Karatzas, and A. D. Bagdanov, "Improving text proposals for scene images with fully convolutional networks," 2017, *arXiv:1702.05089*. [Online]. Available: <https://arxiv.org/abs/1702.05089>
- [268] Z. Zhang, C. Zhang, W. Shen, C. Yao, W. Liu, and X. Bai, "Multi-oriented text detection with fully convolutional networks," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2016, pp. 4159–4167.
- [269] C. Yao, X. Bai, N. Sang, X. Zhou, S. Zhou, and Z. Cao, "Scene text detection via holistic, multi-channel prediction," 2016, *arXiv:1606.09002*. [Online]. Available: <https://arxiv.org/abs/1606.09002>
- [270] T. He, W. Huang, Y. Qiao, and J. Yao, "Accurate text localization in natural image with cascaded convolutional text network," 2016, *arXiv:1603.09423*. [Online]. Available: <https://arxiv.org/abs/1603.09423>

- [271] P. Lyu, C. Yao, W. Wu, S. Yan, and X. Bai, "Multi-oriented scene text detection via corner localization and region segmentation," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2018, pp. 7553–7563.
- [272] J. Ma, W. Shao, H. Ye, L. Wang, H. Wang, Y. Zheng, and X. Xue, "Arbitrary-oriented scene text detection via rotation proposals," *IEEE Trans. Multimedia*, vol. 20, no. 11, pp. 3111–3122, Nov. 2018.
- [273] X. Wang, Z. Cai, D. Gao, and N. Vasconcelos, "Towards universal object detection by domain attention," 2019, *arXiv:1904.04402*. [Online]. Available: <https://arxiv.org/abs/1904.04402>
- [274] H. Bilen and A. Vedaldi, "Universal representations: The missing link between faces, text, planktons, and cat breeds," 2017, *arXiv:1701.07275*. [Online]. Available: <https://arxiv.org/abs/1701.07275>
- [275] S.-A. Rebuffi, H. Bilen, and A. Vedaldi, "Learning multiple visual domains with residual adapters," in *Proc. Adv. Neural Inf. Process. Syst.*, 2017, pp. 506–516.
- [276] S.-A. Rebuffi, H. Bilen, and A. Vedaldi, "Efficient parametrization of multi-domain deep neural networks," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2018, pp. 8119–8127.
- [277] Y. Chen, W. Li, C. Sakaridis, D. Dai, and L. Van Gool, "Domain adaptive faster R-CNN for object detection in the wild," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2018, pp. 3339–3348.
- [278] K. Saito, Y. Ushiku, T. Harada, and K. Saenko, "Strong-weak distribution alignment for adaptive object detection," 2018, *arXiv:1812.04798*. [Online]. Available: <https://arxiv.org/abs/1812.04798>
- [279] A. Hauptmann, G. Kang, L. Jiang, and Y. Yang, "Contrastive adaptation network for unsupervised domain adaptation," *Proc. IEEE Conf. Comput. Vis. Pattern Recognit. (CVPR)*, Jun. 2019, pp. 4893–4902.
- [280] W. Han, P. Khorrami, T. Le Paine, P. Ramachandran, M. Babaeizadeh, H. Shi, J. Li, S. Yan, and T. S. Huang, "Seq-NMS for video object detection," 2016, *arXiv:1602.08465*. [Online]. Available: <https://arxiv.org/abs/1602.08465>
- [281] C. Feichtenhofer, A. Pinz, and A. Zisserman, "Detect to track and track to detect," in *Proc. IEEE Int. Conf. Comput. Vis.*, Oct. 2017, pp. 3038–3046.
- [282] K. Kang, W. Ouyang, H. Li, and X. Wang, "Object detection from video tubelets with convolutional neural networks," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2016, pp. 817–825.
- [283] K. Kang, H. Li, J. Yan, X. Zeng, B. Yang, T. Xiao, C. Zhang, Z. Wang, R. Wang, X. Wang, and W. Ouyang, "T-CNN: Tubelets with convolutional neural networks for object detection from videos," *IEEE Trans. Circuits Syst. Video Technol.*, vol. 28, no. 10, pp. 2896–2907, Oct. 2018.
- [284] K. Kang, H. Li, T. Xiao, W. Ouyang, J. Yan, X. Liu, and X. Wang, "Object detection in videos with tubelet proposal networks," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, 2017, pp. 727–735.
- [285] X. Zhu, Y. Xiong, J. Dai, L. Yuan, and Y. Wei, "Deep feature flow for video recognition," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jul. 2017, pp. 2349–2358.
- [286] X. Zhu, Y. Wang, J. Dai, L. Yuan, and Y. Wei, "Flow-guided feature aggregation for video object detection," in *Proc. IEEE Int. Conf. Comput. Vis.*, Oct. 2017, pp. 408–417.
- [287] L. Wang, W. Ouyang, X. Wang, and H. Lu, "Visual tracking with fully convolutional networks," in *Proc. IEEE Int. Conf. Comput. Vis.*, Dec. 2015, pp. 3119–3127.
- [288] G. Bertasius, L. Torresani, and J. Shi, "Object detection in video with spatiotemporal sampling networks," in *Proc. Eur. Conf. Comput. Vis. (ECCV)*, 2018, pp. 331–346.
- [289] F. Xiao and Y. Jae Lee, "Video object detection with an aligned spatial-temporal memory," in *Proc. Eur. Conf. Comput. Vis. (ECCV)*, 2018, pp. 485–501.
- [290] P. Tang, C. Wang, X. Wang, W. Liu, W. Zeng, and J. Wang, "Object detection in videos by high quality object linking," *IEEE Trans. Pattern Anal. Mach. Intell.*, to be published.
- [291] M. Engelcke, D. Rao, D. Z. Wang, C. H. Tong, and I. Posner, "Vote3Deep: Fast object detection in 3D point clouds using efficient convolutional neural networks," in *Proc. IEEE Int. Conf. Robot. Autom. (ICRA)*, Jun. 2017, pp. 1355–1361.
- [292] C. R. Qi, H. Su, K. Mo, and L. J. Guibas, "PointNet: Deep learning on point sets for 3D classification and segmentation," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2017, pp. 652–660.
- [293] C. R. Qi, L. Yi, H. Su, and L. J. Guibas, "PointNet++: Deep hierarchical feature learning on point sets in a metric space," in *Proc. Adv. Neural Inf. Process. Syst.*, 2017, pp. 5099–5108.
- [294] Y. Zhou and O. Tuzel, "VoxelNet: End-to-end learning for point cloud based 3D object detection," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2018, pp. 4490–4499.
- [295] X. Chen, K. Kundu, Z. Zhang, H. Ma, S. Fidler, and R. Urtasun, "Monocular 3D object detection for autonomous driving," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2016, pp. 2147–2156.
- [296] X. Chen, H. Ma, J. Wan, B. Li, and T. Xia, "Multi-view 3D object detection network for autonomous driving," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jul. 2017, pp. 1907–1915.
- [297] V. A. Sindagi, Y. Zhou, and O. Tuzel, "MVX-Net: Multimodal voxelnet for 3D object detection," 2019, *arXiv:1904.01649*. [Online]. Available: <https://arxiv.org/abs/1904.01649>
- [298] Z. Cao, T. Simon, S.-E. Wei, and Y. Sheikh, "Realtime multi-person 2D pose estimation using part affinity fields," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jul. 2017, pp. 7291–7299.
- [299] A. Bulat and G. Tzimiropoulos, "Human pose estimation via convolutional part heatmap regression," in *Computer Vision—ECCV 2016*, B. Leibe, J. Matas, N. Sebe, and M. Welling, Eds. Cham, Switzerland: Springer, 2016, pp. 717–732.
- [300] A. Newell, K. Yang, and J. Deng, "Stacked hourglass networks for human pose estimation," in *Computer Vision—ECCV 2016*, B. Leibe, J. Matas, N. Sebe, and M. Welling, Eds. Cham, Switzerland: Springer, 2016, pp. 483–499.
- [301] X. Chen and A. L. Yuille, "Articulated pose estimation by a graphical model with image dependent pairwise relations," in *Proc. Adv. Neural Inf. Process. Syst.*, 2014, pp. 1736–1744.
- [302] A. Toshev and C. Szegedy, "DeepPose: Human pose estimation via deep neural networks," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2014, pp. 1653–1660.
- [303] X. Fan, K. Zheng, Y. Lin, and S. Wang, "Combining local appearance and holistic view: Dual-source deep neural networks for human pose estimation," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2015, pp. 1347–1355.
- [304] W. Ouyang, X. Chu, and X. Wang, "Multi-source deep learning for human pose estimation," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2014, pp. 2329–2336.
- [305] G. Rogez, P. Weinzaepfel, and C. Schmid, "LCR-Net++: Multi-person 2D and 3D pose detection in natural images," *IEEE Trans. Pattern Anal. Mach. Intell.*, to be published.
- [306] Y. Chen, Z. Wang, Y. Peng, Z. Zhang, G. Yu, and J. Sun, "Cascaded pyramid network for multi-person pose estimation," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2018, pp. 7103–7112.
- [307] G. Papandreou, T. Zhu, N. Kanazawa, A. Toshev, J. Tompson, C. Bregler, and K. Murphy, "Towards accurate multi-person pose estimation in the wild," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jul. 2017, pp. 4903–4911.
- [308] B. Xiao, H. Wu, and Y. Wei, "Simple baselines for human pose estimation and tracking," in *Proc. Eur. Conf. Comput. Vis. (ECCV)*, 2018, pp. 466–481.
- [309] S.-E. Wei, Y. Ramakrishna, T. Kanade, and Y. Sheikh, "Convolutional pose machines," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2016, pp. 4724–4732.
- [310] W. Li, Z. Wang, B. Yin, Q. Peng, Y. Du, T. Xiao, G. Yu, H. Lu, Y. Wei, and J. Sun, "Rethinking on multi-stage networks for human pose estimation," 2019, *arXiv:1901.00148*. [Online]. Available: <https://arxiv.org/abs/1901.00148>
- [311] J. Krause, M. Stark, J. Deng, and L. Fei-Fei, "3D object representations for fine-grained categorization," in *Proc. IEEE Int. Conf. Comput. Vis. (ICCV) Workshops*, Jun. 2013, pp. 554–561.
- [312] T.-Y. Lin, A. K. Roy-Chowdhury, and S. Maji, "Bilinear CNN models for fine-grained visual recognition," in *Proc. IEEE Int. Conf. Comput. Vis.*, Dec. 2015, pp. 1449–1457.
- [313] X. He, Y. Peng, and J. Zhao, "Fine-grained discriminative localization via saliency-guided faster R-CNN," in *Proc. 25th ACM Int. Conf. Multimedia*, 2017, pp. 627–635.
- [314] X. He, Y. Peng, and J. Zhao, "Fast fine-grained image classification via weakly supervised discriminative localization," *IEEE Trans. Circuits Syst. Video Technol.*, vol. 29, no. 5, pp. 1394–1407, May 2019.
- [315] A. Khosla, N. Jayadevaprakash, B. Yao, and F.-F. Li, "Novel dataset for fine-grained image categorization: Stanford dogs," in *Proc. CVPR Workshop Fine-Grained Vis. Categorization (FGVC)*, vol. 2, 2011, pp. 1–2.
- [316] S. Maji, E. Rahtu, J. Kannala, M. Blaschko, and A. Vedaldi, "Fine-grained visual classification of aircraft," 2013, *arXiv:1306.5151*. [Online]. Available: <https://arxiv.org/abs/1306.5151>
- [317] B. Zhao, J. Feng, X. Wu, and S. Yan, "A survey on deep learning-based fine-grained object classification and semantic segmentation," *Int. J. Automat. Comput.*, vol. 14, no. 2, pp. 119–135, Apr. 2017.



LICHENG JIAO (SM'89–F'18) received the B.S. degree from Shanghai Jiaotong University, Shanghai, China, in 1982, and the M.S. and Ph.D. degrees from Xi'an Jiaotong University, Xi'an, China, in 1984 and 1990, respectively.

From 1990 to 1991, he was a Postdoctoral Fellow with the National Key Laboratory for Radar Signal Processing, Xidian University, Xi'an, China. Since 1992, he has been a Professor with the School of Electronic Engineering, Xidian University, Xi'an, where he is currently the Director of the Key Laboratory of Intelligent Perception and Image Understanding, Ministry of Education of China, Xidian University, International Research Center of Intelligent Perception and Computation. He has led approximately 40 important scientific research projects. He has authored over ten monographs, 100 articles in international journals and conferences, and three books: *Theory of Neural Network Systems* (Xidian University Press, 1990), *Theory and Application on Nonlinear Transformation Functions* (Xidian University Press, 1992), and *Applications and Implementations of Neural Networks* (Xidian University Press, 1996). He has authored or coauthored over 150 scientific articles. His current research interests include intelligent information processing, image processing, machine learning, and pattern recognition. Dr. Jiao is also the President of the Computational Intelligence Chapter, the IEEE Xi'an Section, and the IET Xi'an Network, the Chairman of the Awards and Recognition Committee, the Vice Board Chairperson of the Chinese Association of Artificial Intelligence, a Councilor of the Chinese Institute of Electronics, a Committee Member of the Chinese Committee of Neural Networks, a member of the IEEE Xi'an Section Execution Committee, and an Expert of the Academic Degrees Committee of the State Council. He was a recipient of the Second Prize of the National Natural Science Award, in 2013.



FAN ZHANG received the B.S. degree in electronic information engineering from Shenyang Agricultural University, Shenyang, China, in 2016.

She is currently pursuing the Ph.D. degree with the Key Laboratory of Intelligent Perception and Image Understanding, Ministry of Education of China, Xidian University, Xi'an, China. Her current research interests include deep learning, object detection, and image understanding.



FANG LIU (SM'07) received the B.S. degree in computer science and technology from Xi'an Jiaotong University, Xi'an, China, in 1984, and the M.S. degree in computer science and technology from Xidian University, Xi'an, in 1995, where she is currently a Professor. She has authored or coauthored five books and over 80 articles in journals and conferences. Her current research interests include image perception and pattern recognition, machine learning, and data mining. Prof. Liu was a recipient of the Second Prize of the National Natural Science Award, in 2013.



SHUYUAN YANG (SM'14) received the B.S. degree in electrical engineering and the M.S. and Ph.D. degrees in circuit and system from Xidian University, Xi'an, China, in 2000, 2003, and 2005, respectively, where she is currently a Professor. Her research interests include intelligent signal processing, machine learning, and image processing.



LINGLING LI (M'18) received the B.S. and Ph.D. degrees from Xidian University, Xi'an, China, in 2011 and 2017, respectively.

From 2013 to 2014, she was an Exchange Ph.D. Student with the Intelligent Systems Group, Department of Computer Science and Artificial Intelligence, University of the Basque Country UPV/EHU, Spain. She is currently a Lecturer with the School of Artificial Intelligence, Xidian University. Her research interests include image processing, deep learning, and pattern recognition.



ZHIXI FENG received the B.S. degree in automation from the Lanzhou University of Technology, in 2012, and the Ph.D. degree in intelligent information processing from Xidian University, Xi'an, China, in 2018.

He is currently a Lecture in artificial intelligence with Xidian University. His research interests include machine learning and remote sensing information processing.



RONG QU (SM'12) received the B.S. degree in computer science and its applications from Xidian University, Xi'an, China, in 1996, and the Ph.D. degree in computer science from the University of Nottingham, Nottingham, U.K., in 2002.

She is currently an Associate Professor with the School of Computer Science, University of Nottingham, Nottingham, U.K. She has published more than 60 peer-refereed articles at international journals, since 2000. Among these several have been awarded the Top Cited Paper at leading Operational Research journals (i.e., five year top cited article at EJOR, top 0.1% or top 1% cited articles by ISI Essential Science Indicators). She has coauthored the book "*Hyper-heuristics: theory and applications.*" Her main research interests include the modeling and optimization algorithms for scheduling and optimization algorithms in transport scheduling in logistics, personnel scheduling, telecommunication network routing, portfolio optimization, and timetabling problems and by using evolutionary algorithms, mathematical programming, constraint programming in operational research and artificial intelligence, and hybridizations of these techniques. Dr. Qu has been the Program Chair of several symposium and special sessions on automatic algorithm design at IEEE flagship events. She is also the Vice-Chair of Task Committee of Intelligence Systems and Applications, and Task Force of Hyper-heuristics at IEEE Computational Intelligence Society. She has been an Associate Editor at IEEE Computational Intelligence Magazine, since 2016. She was elected by the "China 1000 Elites Plan," in 2013, and appointed as an honored Professor at Xidian University, from 2013 to 2018.

...