

IDENTIFYING RAIL ASSET MAINTENANCE PROCESSES:  
A HUMAN-CENTRIC AND SENSEMAKING APPROACH

**Genovefa Kefalidou, David Golightly, Sarah Sharples**

*Human Factors Research Group, Innovative Technology Research Centre  
Faculty of Engineering  
University of Nottingham, NG7 2RD, Nottingham, UK*

**Corresponding author: Genovefa Kefalidou**

**Email: [Genovefa.Kefalidou@nottingham.ac.uk](mailto:Genovefa.Kefalidou@nottingham.ac.uk)**

**Telephone number: 0115 95 14033**

*ORCID ids:*

*Genovefa Kefalidou: [0000-0002-2889-7564](https://orcid.org/0000-0002-2889-7564)*

*David Golightly: [0000-0002-0819-276X](https://orcid.org/0000-0002-0819-276X)*

*Sarah Sharples: [0000-0003-0288-915X](https://orcid.org/0000-0003-0288-915X)*

**Acknowledgements**

This work was funded by the InnovateUK-funded project PCIPP: People-Centred Infrastructure for Intelligent, Proactive and Predictive Assets Maintenance with Condition Monitoring  
XXXXXXXXXXXXXXXXXXXXXXXXXXXX. Many thanks are due to all the professionals that assisted in the interviews planning and participation.

**Abstract:**

Efficient asset maintenance is key for delivering services such as transport. Current rail maintenance processes have been mostly reactive with a recent shift towards exploring proactive modes. The introduction of new ubiquitous technologies and advanced data analytics facilitates the embedding of a 'predict-and-prevent' approach to managing assets. Successful, user-centred integration of such technology is still, however, a sparsely understood area. This study reports results from a set of interviews, based on Critical Decision Method, with rail asset maintenance and management experts regarding current procedural aspects of asset management and maintenance. We analyse and present the results from a human-centric sensemaking timeline perspective. We found that within a complex sociotechnical environment such as rail transport, asset maintenance processes apply not just at local levels, but also to broader, strategic levels that involve different stakeholders and necessitate different levels of expertise. This is a particularly interesting aspect within maintenance that has not been discussed as of yet within a process-based and timeline-based models of asset maintenance. We argue that it is important to consider asset maintenance activities within both micro (local) and macro (broader) levels to ensure reliability and stability in transport services. We also propose that the traditionally distinct notions of individual, collaborative and artefact-based sensemaking are in fact all in evidence in this sensemaking context, and argue that a more holistic view of sensemaking is therefore appropriate by placing these results within an amended Recognition Primed Decision making model.

Keywords: rail asset maintenance; sensemaking; context timelines; processes; human-centric

## 1.Introduction

Asset Management has been widely explored within different domains in industry (Vanier 2001). According to European Maintenance Standards (EN 13306:2001. (2001), maintenance constitutes all the actions necessary during an asset's operational lifecycle. These actions can be technical, managerial or administrative and aim to either sustain, fix or replace an asset so that it is in a state to deliver its function successfully. These actions span both specific maintenance work for the assets themselves, as well as strategic approaches to ensure the appropriate work programmes, technologies and procedures are in place for reliable maintenance. Maintenance management, for example, entails a number of activities such as inventory and procurement, computerized maintenance systems, operational involvement, total productive maintenance (TPM), technical and interpersonal training, statistical financial optimization, reliability maintenance and, more recently, preventive and proactive maintenance (Marquez and Gupta 2006).

Without appropriate asset maintenance, services run high risks of failure with knock-on effects for user satisfaction and asset professionals' performance (Markeset and Kumar 2003). Considering all the factors contributing to the degeneration of assets (e.g. useage, weather, finances etc.), and that maintenance spans both technical and managerial levels, asset maintenance can be expensive and may absorb the largest part of operations budget in a company (Garg and Deshmukh 2006). If a malfunction occurs, asset professionals are notified (e.g. via a phone call) and are requested to inspect and resolve the problem. In this case, asset treatment occurs if and only if an asset failure is *detected and appropriately acknowledged*. Therefore, reactive maintenance approaches require speedy reaction and diagnosis of the failure in order to recover service as soon as possible, but by this time costly service disruption may already have occurred (Golightly and Dadashi 2017).

Historically, the means to prevent failure has been scheduled inspection or renewal, however this involves much manual labour to inspect assets, can involve redundant inspection and even unnecessary renewal, and may still not identify assets that might fail due to unexpectedly rapid deterioration (Ahren and Parida 2009). Empirically-driven maintenance can potentially increase the speed of diagnosis and maintenance reactions. This goes beyond simple remote condition monitoring of an asset, to analyse patterns of performance and degradation over time and over classes of assets. Not only does this lead to a better understanding of asset's lifecycle and health status, it supports the adaptation of maintenance regimes to reflect the needs of the asset, rather than inefficient fixed schedules, thus saving cost and ensuring service continuity. Longer term, greater knowledge of asset performance can be fed back into the supply chain as they redesign assets to better reflect operational conditions (Golightly, Kefalidou and Sharples, 2017).

Effective user-centred design of computerized asset maintenance systems becomes mandatory if technology is to support new ways for providing asset maintenance understanding (Dadashi et al. 2014; Houghton and Patel 2017). Associated challenges include not only initial increased costs and resources, but also understanding and defining performance metrics that are both historically and empirically-driven, and setting up new standards and expectations for the reliability, safety and affordability of the railway services (Zoeteman 2006). This may be particularly challenging when, as with rail, technologies are being retrofitted onto existing assets and into existing working practices and culture (Ciocoiu, Siemieniuch and Hubbard 2015). Given the strategic nature of maintenance, decision making from planning, strategy and collaboration is just as important in human factors consideration of predictive maintenance as human-machine interface design (Golightly et al., 2017).

Prior asset maintenance models focused on mapping processes across the asset lifecycle. Within the rail network setting, key themes for asset maintenance include: strategy and planning, decision-making, asset knowledge, delivery planning, organization and people, review and improvement (Office of Rail Regulation Report, 2012). We argue that to improve the above processes, we first need to identify how human asset operators and managers understand and interpret asset data and what process stages are involved in that. It is these aspects that attempt to model in regards to asset maintenance in railways within this paper.

The work presented in this paper contributed to research developing a predictive maintenance architecture that could encompass a number of specific predictive maintenance technologies within a single, flexible platform for an urban metro system (Myers et al., 2016). The specific aim of the human factors work reported in this paper was to understand current maintenance decision-making stages and processes, with a view to informing use cases and requirements that would both support human-machine interface design, and inform the wider project of typical decisions and the operational context in which the architecture would be embedded. An approach based on sense-making (Kefalidou and Houghton 2016) and recognition-primed decision making (Baber and McMaster 2016, Klein 1993) was used to ground the analysis of decision-making, as this draws on how asset professionals use their prior experiences and expertise shape both how they respond to specific asset failures, and how the approach more strategic questions of effective maintenance.

The contributions of this paper are:

- Identifying a set of decisions for both current, small scale, individual maintenance activities (micro) and larger maintenance programmes and processes (macro).

- Describing a set of cognitive activities associated with these decisions that would need to be reflected in future predictive maintenance solutions
- Discussing, in sensemaking terms, both the advantages of predictive over reactive maintenance, and those aspects of current decision-making that must be reflected in future predictive maintenance solutions.

## 2. Background

### 2.1 Maintenance Models and Frameworks

A number of maintenance models have been generated that are either based on performance, empirical, theoretical and process-based approaches in an attempt to track down maintenance processes to minimize costs and challenges. The majority of such process models usually focus on *information provision* and *information flow* in maintenance. Asset-related information is necessary to establish a baseline understanding of what an asset's expected lifecycle is, what the available budget is and what the associated actions would need to be. Jones and Sharp (2007) provided an example of such a cyclic process in built maintenance where policy plays a start-up role in triggering the maintenance process, which mainly consists of information collection, modelling and planning activities. Other maintenance models focus on mapping the *process activities* that emphasise on the *interoperability*, necessary to be established in-between the different maintenance phases. Hassanain, Froese and Vanier (2001) proposed a performance requirements model that incorporates measuring, planning and managing activities (Hassanain, Froese and Vanier 2001). Other models are based more on processing *failure modes and knock-on effects* from a reliability maintenance perspective (e.g. Braaksma, Klingenberg and Veldman 2013).

It is understood that existing maintenance process models focus on sequential task-oriented processes (Hassanain, Froese and Vanier 2001; Braaksma, Klingenberg and Veldman 2013; Zoeteman, 2006). Few of them only (see Jones and Sharp 2007), acknowledge the importance of human factors within assets maintenance process life-cycle or recognize potential iterative steps embedded within identified processes. This seems to be rather counter-intuitive considering that it is human actors (operators and asset managers) who formulate and execute asset maintenance plans and actions.

Existing asset maintenance frameworks focus either on *operations management and decision-making* (e.g. Pintelon and Gelders 1992) or on developing *maintenance management toolkits* that support advanced computations based on asset failure occurrences, optimizing actions and in-house policies (e.g. Pintelon and Van Wassenhove (1990) or on *maintenance performance analyses* (e.g. Vanneste and van Wassenhove 1995). Madu (2000) approached asset maintenance management from an *organizational perspective* based on which, effective maintenance and reliability can be offered only when all the organization departments (and not only asset maintenance and management groups) *work together towards a common goal* (e.g. a highly reliable, safe and robust system is maintained). Chang (1998) acknowledged that in order to manage and support a wider maintenance goal network (e.g. through a more free and extended provision of information flow), more powerful computational tools and infrastructure are needed (Chang 1998).

More recently, Too (2010) posits the need to link asset management and asset maintenance processes more strongly. Within the proposed framework, *decision-making* plays a fundamental role in *creating business value* (e.g. capital investments such as finding the funds and sponsoring new asset projects), in making decisions on maintenance requirements (e.g. decisions made by asset managers) and on target

service levels (e.g. Lost Customer Hours (LCH) within a rail service context). Rail infrastructure appears to be moving from *re-active* models of asset maintenance to more '*predict-and-prevent*' models where intelligent systems are embedded within the complex socio-technical transport network (Zoeteman 2006; Al Douri, Tretten and Karim 2016; Zoeteman 2001; Bousdekis et al 2015; Moore and Starr 2006). Such intelligent infrastructure incorporates the use of remote sensors that provide condition-based maintenance approaches whereby the sensors attached to the assets track asset health data continuously (Bousdekis et al 2015; Campos 2009; Garci, Schmid and Collado 2003; Wang, Peter and Lee, 2007). Ollier (2006) discusses the implications of transitioning from a legacy-based maintenance approach to more condition-based monitoring approaches within the context of monitoring assets continuously. Increased complexity within the network is a clear implication, opening up new challenges and opportunities for handling new asset data (Ollier 2006; Brickle et al 2008). For example, overlaying and matching disparate asset information poses new challenges for data analytics and data interpretation, both necessary for enhancing maintenance decision-making and for reducing associated maintenance costs – however, new opportunities arise for obtaining and calculating dynamic asset health thresholds that provide more accuracy and reliability in understanding asset status (Ollier 2006; Brickle et al 2008).

In railways particularly, the so-called 'Intelligent Infrastructure' (II) model incorporates a set of new maintenance support interventions such as forecasting algorithms, distributed sensors, live CCTV and head-mounted cameras that facilitate 'live' monitoring of maintenance conditions and assets' health status (Network Rail et al. 2007). The purpose of II is to provide a framework to synthesise 'live' empirical assets' data to improve maintenance regimes, increase reliability and stability in services as well as increase operational and human performance. Dadashi et al (2014), argued that II in rail



networks demand for new ways to understand the raw asset data, process it accordingly to transform it to information and intelligence to provide an appropriate proactive infrastructure for asset maintenance. According to Dadashi et al (2014), this data processing - necessary for supporting II - has a serial nature that builds up gradually from raw data to *business intelligence*. We argue that in order to develop appropriate interoperable technological infrastructure that facilitate II needs, we need to understand first how engineers understand asset data and how they interact with it. To do so, within this paper we draw insights from existing theories in sensemaking.

## 2.2 Sensemaking Processes

Asset maintenance entails complex processes, especially during the phases of *understanding what the asset failure is, what caused it and how to resolve it*. A large part of the process of *understanding what the asset failure is* relies upon the existing knowledge and expertise of individual operators. This prior knowledge is synthesized with current knowledge and intelligence and formulates a coherent, plausible account for a given situation (e.g. an asset failure). This process is known as individual *sensemaking*. Sense in its core can take two forms: the impasse of a *subjective individual understanding of the environment* and the more objective *product (or artefact)* which facilitates the understanding and sharing of a situation description (Baber and McMaster 2016). Individual sensemaking makes use of one's own prior experience and knowledge through appropriate cognitive structures called schemas – according to Klein et al (2007), the process of individual sensemaking takes place in dynamic environments to guide both understanding and action. Prior literature considers sensemaking as a Recognition-Primed Decision model (RPD) (Klein 1993). Klein and Crandall (1995) proposed an RPD model based on expert interviews conducted with experienced commanders in fire brigade which was later further developed to address more dynamic contexts (e.g. Klein 2011). According to this model

(Figure 1 below), expert decision-makers assess a given situation that for example, disrupted their goal (e.g. in rail asset maintenance that would involve tracking down what has happened and a service was disrupted) and then they extract appropriate cues that will lead them to a phase of *pattern recognition* (Baber and McMaster 2016). Identifying patterns within a given situation will activate action scripts that will in turn initiate an internal mental simulation utilizing their existing mental models. Mental simulation, which is an evaluation stage where the course of action is assessed (as per Klein 1993) feeds back into the action scripts that determine the decided actions, which will in turn affect (and/or change) the given situation (e.g. in rail maintenance that would involve dispatching the individual ground engineer investigate and fix the asset).

The Data-Frame Model (Klein et al 2006) fits within the RPD Model (Baber and McMaster 2016). According to Klein et al (2006a; 2006b), frames constitute conceptual constructs that can be explanatory structures accounting for the data (where data can be interpreted as events and stimuli such as maps, stories, diagrams). Frames can also *shape* the data within a closed-loop transition sequence between mental models (representing explanatory backward-looking processes) and mental simulation (representing anticipatory forward-looking processes) (Figure 1). Within this process, individuals that engage in sensemaking attempt to place data into frames, structures and contexts to gain meaning. In that sense, the Data-Frame Model aligns with RPD Model but emphasises different processes and interactions. For example, the RPD Model focusses on how people derive a series of patterns through their experiences in an attempt to provide a description of the causal factors of a given ambiguous situation. On the other hand, the Data-Frame Model focusses on investigating the interactions and relationships between the data (e.g. maps, diagrams, stories etc.) and the frames (i.e. explanatory structures).

[INSERT FIG. 1 HERE]

**Fig. 1** The Recognition-Primed Decision (RPD) Model (Baber and McMaster 2016; Klein 1993)

Apart from individual sensemaking processes, sensemaking can be assisted through the use of *artefacts*. Artefacts can be anything that exist within the situational environment (internal and external) of a sensemaker (e.g. an actor or operator) and can take the form of either cognitive aids (which people can use to offload the information they process during their sensemaking activity – e.g. language and speech) or physical aids (with which people can interact and sensemake). Within this context, artefacts in sensemaking can facilitate a link between internal representations of a situation (e.g. mental models) and external representations of a situation (e.g. physical models and objects)(Attfield & Blandford, 2011). Furthermore, artefacts in sensemaking can play the role of task-relevant information representations that are amenable to progressive transformations that take place through data combinations, representations and interpretations. Indeed, such combinations and interpretations are a product of a joint processing approach that involves artefacts, individuals, work-flows, information flows and system components that interact with each other to provide a system-level cognition (Perry 2003; 2013).

Extending the notion of sensemaking with artefacts and the need to establish a ‘common ground’, sensemaking -as a process- can manifest strong collaborative elements. Sensemaking according to Weick (1995) constitutes a collaborative, intrinsically-social process whereby a set of different ideas are developed that entail a set of explanatory possibilities aiming to facilitate and explain different understandings through the construction of a shared meaning. Collaborative sensemaking aims to construct socially-shared cognitions and co-construct shared meanings within systemic environments

and amongst the people/agents that lie and interact in them. According to Weick (1995), collaborative search lies at the heart of collaborative sensemaking and can have a number of different attributes such as: 1) characteristics of identity; 2) retrospective reflection; 3) enactment; 4) shared meaning; 5) continuity; 6) cues extraction from the environment and 7) action-orientation as a goal rather than accuracy. We note the similarities between sensemaking and situation awareness (Endsley, 1995), in that both are concerned with interpretation of the world and, particularly for asset maintenance, the prediction of future states. Much work in Situation Awareness emphasises the role of a knowledge product, or state of awareness, sensemaking is more concerned the ongoing process of framing and reframing information (Klein, Moon and Hoffman, 2006a). However alternative accounts (see Stanton et al [2017]) emphasise the dynamic nature of situation awareness that is both ‘framed’ by prior expectation, and is distributed between people as individuals and teams, and artefacts.

Within the context of rail asset maintenance, the given situation would relate to an asset failure and more specifically the cause of the asset failure. In such incidents, information about the asset, associated assets, the network and service need to be acquired as much as possible and as fast as possible in order to recover the service. Sometimes, factors that result in asset failure are known or expected – usually such factors are controlled via planned asset maintenance processes that occur periodically within the socio-technical system. However, in reactive maintenance modes when an unexpected failure occurs, such factors are often unknown and an expert (e.g. operation and ground engineer) investigation is needed to *understand and resolve* the issue. This may involve reference back to technical systems as artefacts, and cross-referencing with other experts and staff. As such, there seems to be a process akin of sensemaking within asset maintenance.

### 2.3 Research Scope

While current investigations in asset maintenance have dealt with frameworks and models orientating towards processes, activities and information flow (eg. Jones and Sharp 2007, Pintelon and Gelders 1992, Pintelon and Van Wassenhove 1990, Vanneste and van Wassenhove 1995, Hassanain, Froese and Vanier 2001; Braaksma, Klingenberg and Veldman 2013; Zoeteman, 2006). There is limited research that has unpacked notions of *sensemaking* that aim to enhance the way that asset professionals understand and interact with asset data (Sergeeva 2014; Mardiasmo, Tywoniak, Brown and Burgess 2008; Schipperera and Gerritsb 2017). Approaching asset maintenance with such a lens can provide a further insight as to human-centric needs and requirements that emerge within asset maintenance. For example, it can show how currently the transition from information to intelligence, identified in Dadashi et al (2014), takes place in current practice, and could be supported in future.

The research questions of this paper are therefore:

- What are the current context, practices and processes for asset maintenance?
- What is the associated decision-making that takes place within these asset maintenance processes?
- What sensemaking behaviours are present that inform decision making within current asset maintenance practices?
- Can these sensemaking behaviours be described within an adapted recognition-primed decision making model?

### **3..Method**

#### *3.1 Design.*

We conducted light Critical Decision Method (CDM) interviews, which lasted for approximately 1 hour. Critical Decision Method is a retrospective Cognitive Task Analysis (CTA) technique during which professionals are prompted to discuss decision-making key points and experienced incidents in an attempt to acquire information regarding their regimes, working patterns and challenges (Klein et al. 1989).

The reason for choosing CDMs to elicit important information is that they offer opportunities to acquire deeper and richer insights from the experts' perspective in regards to their work tasks while maintaining a flexibility based on their responses as our experts came from a quite wide background (e.g. ground operators; managers and control operators). More importantly, CDMs allow the experts interviewed to identify for themselves those incidents they believe are critical or representative in terms of outcome, staff involvement and knock-on effects on the service (e.g. service disruption and Lost Customer Hours (LCHs)). Furthermore, CDMs have been widely used across different domains and themes illustrating the depth of enquiries that elicits to identify criticalities and human behaviour (e.g. medicine – Galanter and Patel 2005; driving – Walker et al. 2009; emergencies – Mendonca 2007; accidents – Salmon et al. 2011). CDMs offer interviewees the opportunity to narrate and discuss real-case incidents as they occurred within the natural eco-system while the interviewer can guide through the narration (through the CDM probes) to aspects interesting to the incident decision-making and sensemaking process. This study employed a light version of the prompts provided by Klein et al. (1989) – the used prompts can be seen in Table 2. By adopting a light version of the CDM prompts, we allowed flexibility in participants' responses. For example, we provided affordances for participants to provide some responses to all the

prompts, without necessarily following the standardised serial nature of the prompts but rather maintaining flexibility in discussion.

One could argue that CDMs, by being retrospective recollections of critical incidents, can be subject to memory retrieval alterations or post-event biases and subjectivity, which in turn can pose challenges in re-producing or replicating findings. However, CDMs provide an established method for eliciting expert knowledge in a structured yet flexible way that allow for gathering in-depth understandings regarding expert knowledge and experience (in this case, that of asset maintenance professionals in Rail).

Furthermore, the main aim of the present paper was to acquire subjective expert knowledge in regards to how maintenance professionals experienced and recalled themselves critical incidents in asset maintenance to understand own sensemaking processes and not to compare the different incidents with each other. We acknowledge that each maintenance incident entails particularities and individual characteristics compared to other similar incidents due to differences in context complexities (e.g. natural environment characteristics, time of incident and people involved). As such, a CDM interview technique was adopted to obtain the aforementioned knowledge. All interviews were audio recorded after participants' permission using an Olympus digital voice recorder.

### ***3.2 Participants***

Ten Rail professionals (all male but one) were interviewed at their business premises. All professionals have worked for many years within Rail. Participants were recruited based on their business's recommendations and had variable seniority roles. Table 1 shows the family of roles our participants belong to and their codings. From now on within this paper, we utilise these codings (i.e. participant 1, participant 2 etc.) to map the presented data to the expertise and job role of each individual participant.

*Table 1: Participants family of roles (number of participants belonging to this category in parenthesis)*

Maintenance Planners for Tracks and Signals (2 – participants 7 and 8)
Maintenance Manager (2 – participants 1 and 2)
Engineering Manager (2 – participants 5 and 9)
Maintenance Sponsor (2 – participants 3 and 6)
Incident Response and Command Manager (1 – participant 4)
Asset Maintenance support (1 – participant 10)

As it can be seen in Table 1, professionals currently in managerial and operational positions took part in our interviews. In addition, all participants apart from two (i.e. participant 10 and 3) have experience in frontline maintenance and engineering operational roles, before moving on to more senior positions. As such, all participants were able to provide both strategic and incident (operational)-based perspectives.

## 2.2 Procedure

The study was granted Ethics approval by the  
XX. Professionals were selected and recruited through suggestions provided by the corresponding transport infrastructure's Assets Maintenance department. Participants were first introduced to the purpose of the study and signed the consent form for agreeing to participate. The session began with eliciting some background information and demographics from participants in regards to their training/educational studies, expertise and length of current and previous posts (if any) within their rail employee and/or in other organisations.



Professionals were asked to describe a routine day in an attempt to get them discussing about their everyday work activities and demands. They were then prompted to recall interesting incidents from their experience up to date. The next stages involved 1) identifying key incidents (as volunteered by the professionals) and 2) examine them on a deeper level together (incident identification selection stage). The identified key incidents were subjective and drawn from participants' own interpretations of maintenance incident severities. The severity of incidents were judged by participants themselves during CDM interview sessions and corresponded to 1) severity and impact of knock-on effects on service provision and to them individually for their professional career and development and 2) on communication and execution of maintenance tasks. More particularly, professionals were asked to describe the incident, being probed for further information whenever necessary (sensemaking of situation and 'what if' queries). During this process, the researcher was constructing an incident timeline based on participants' discourses. In the end, the researcher and the professionals went through the timeline to verify it (timeline construction and verification). The questions asked within these stages retained a level of flexibility in terms of the depth that they aimed at or acquired due to individuals' different levels of expertise and domain of work. The CDM interview protocols allow for such key incidents identification through the standard prompts employed during the interview as part of the CDM protocol. For example, the standard CDM probes (see Table 2) unpacked criticalities in the decisions that participants had to make when important (according to their subjective evaluation) incidents occurred within the professional life. These probes aimed to elicit details in regards to participants' needs given their discussed critical incident contexts in asset maintenance. While questions retained their overall thread theme, they were adjusted accordingly based on the flow of the CDM interview. However, depending on the issues that each professional brought forward, certain CDM probes overpowered others. Table 2 shows the stages of the CDM interview process alongside with example

questions per each stage. Specific CDM stages relevant to the key incident identification stage are highlighted in light grey colour. These stages particularly are the ones eliciting useful information in regards to participants' decision-making and sensemaking approaches. For example, the 'timeline construction and verification' CDM stage (Table 2) was the phase where the interviewer and the interviewee were co-constructing the key maintenance incident timelines followed by a cross-validation and verification of the identified stages and their sequence with the interviewee. During this particular stage, the timeline results presented later in the present paper were generated.

Table 2: Interview process with example questions.

Interview Process	
Content	Example questions
Background information and demographics	What is your expertise background? How many years have you been working within XXXXXX?
Routine activities	Could you please describe a routine day?
Identifying incidents (selection stage)	Could you please elaborate on the X incident? What happened?
Timeline Construction and Verification	Could you please confirm that these are the stages you have been through?
Deepening Understanding	How did you find out? To whom have you spoken to? What did you need at that time?
'What-if' queries	Could you do something else? If the situation was different, what would you do?
'Wish list'	What could be a 'wish-list' from your perspective to improve your everyday work activities?

The CDM interview probes as presented in Table 2 are standard in CDMs (please see Klein, Calderwood and MacGregor, 1989; Hoffman, Crandall and Shadbolt, 1998) and have been previously used successfully to identify expert knowledge within the context of cognition, technology and work (see for examples Tichon 2007; Ross, Anderson, Kodate, Thompson,

Cox and Malik 2014; Hoffman, Neville and Fowlkes 2009; Okoli, Weller and Watt 2016; Rankin, Woltjer and Field 2016).

#### *Data analysis.*

All expert interview sessions were transcribed. Timelines were identified from each of the participant responses, corresponding the maintenance processes that they described. Both the transcripts and the resulting timelines were reviewed by both first and second author for validation. A thematic analysis was then utilised across all transcripts to identify core themes within professionals' responses. Thematic Analysis was chosen as the analytic approach because it is not bound to a particular pre-determined theoretical framework allowing for a 'free-style' themes and pattern recognition across all the available dataset while maintaining flexibility (Braun and Clarke 2006). While these were identified and defined by the first author, they were reviewed and validated by the second author who also reviewed transcripts in the light of this coding.

## **4. Results and Analysis**

Results are presented in two sections – section 3.1 presents asset maintenance timelines, and section 3.2 presents decision-making themes.

### ***4.1 Asset Maintenance Timelines***

Considering the subjectivity that a CDM technique may pose as discussed within the Methodology section, the results presented here constitute approximations of the reported case studies and incidents that aimed to identify key sensemaking and maintenance process stages including decision-making.

For the purpose of this paper, we present here two major exemplary sets of asset maintenance timelines as identified within our CDM interviews with the maintenance professionals (construction of a key incident timeline has been one of the key stages for the adopted CDM interview protocol – please see corresponding section in Method). It is important to note at this point that within all the interviews, participants discussed about a number of different maintenance incidents and issues. However, for the purpose of this paper, we present two representative case studies and their associated timelines (as generated and cross-validated with the professionals at the time of the interview).

Participant data demonstrated the existence of different types of asset maintenance timelines depending on the context of application, processes and business priorities. For example, while there is a standard set of maintenance steps that need to take place to recover a service, the quality and quantity of these steps may vary depending on the application horizon, the time and place of the maintenance incident and of course depending on the nature of the maintenance goal. Figure 3 below depicts an example of a representative timeline co-constructed with participant 7, discussing a localized operational asset maintenance incident. This incident related to drainage issues due to water logs, which was a recurrent issue appearing periodically within the operational life of the asset (i.e. tracks and signals).

Broadly, two types of process were highlighted.

*A micro-maintenance process* (i.e. localized and operational)– These are processes in response to the maintenance of individual assets, normally in the form of a repair or replacement in response to a specific asset failure. These processes are micro in that they describe operational processes specific to on the ground repairs or replacements. These are often taking place to rectify current, or approaching, failures as identified by visual inspection. Also, they may be in response to actual failures identified in service, or approaching risks due to changes in context and environment – for example, an approaching

storms means there is a risk of flooding that requires pumps to be preventatively checked. As a result, micro processes can be, though are not always, reactive in their nature and typically operate at a short application horizon – such as hours or days – leading to decision-pressure and need to interpret and integrate environmental / contextual information to make a judgement. Figure 2 gives an example of a micro process timeline elicited during the interview. As Fig. 2 also demonstrates, communication and cross-validation processes amongst the service's and 3<sup>rd</sup> Party professionals is absolutely necessary to ensure high levels of situation, context and process awareness. These types of awareness are necessary to be maintained throughout the asset maintenance lifecycle

[INSERT FIG. 2 HERE]

**Fig. 2** Example micro-context timeline

*A macro-maintenance process (i.e. global and strategic)*– The other type of timeline was a maintenance process that was more strategic in that it covered a wider geographic area (eg a complete line), or a whole category of an asset. Also, this type of process was often triggered in response to strategic analysis of emerging asset behaviour and faults. It might also be triggered in response to much larger contextual events. For example, the London 2012 Olympics was given as a major trigger to assessing asset performance in order to ensure complete asset availability. Another trigger was strategic efforts to improve capacity overall by improving signalling performance. These processes may encompass many smaller micro maintenance processes, and therefore we have termed them macro maintenance. An example macro-context timeline is presented in Fig. 3. As Fig. 3 shows, communication amongst colleagues and third parties is critical in planning and reacting to maintenance needs independently on whether they are short-term and long-term. Considering the macro-timeline presented in Fig. 3, it is evident that the number of decision-making and associated maintenance processes increases and the involvement and dependencies on other external and internal parties and

stakeholders increases as well. Expertise (or lack of) is critical to understand the volume of new asset data that comes into the system and when in-house expertise needs to be complemented, it becomes even more mandatory to discuss, identify risks and plan mitigations.

[INSERT FIG 3 HERE]

**Fig. 3** Example macro context timeline

Furthermore, the timeline presented in Fig. 3 covers maintenance processes that are relevant when applying corrective planned maintenance rather than when reacting to an unexpected incident of service failure.

**4.2. Nature of Cognition in Asset Maintenance**

What follows next is a thorough walkthrough of identified overarching cognitive elements in asset maintenance. The data presented below is also coded in such a manner to demonstrate associated sensemaking processes as per RPD model. The presented codes below are formulated on two layers: 1) type of sensemaking (i.e. collaborative, individual and artefact-based) and 2) sensemaking stages (e.g. situation, data/cue extraction, pattern recognition, action scripts, mental stimulation and mental models).

Table 3 below shows the sensemaking codes utilised for analysing what professionals reported.

*Table 3. Sensemaking Data Codes*

Type of Sensemaking (Code)	RPD Sensemaking Stage (Code)	Additional
Collaborative (COLL)	Situation (SITU) (RPD Model)	Reflective Practice (REFL)
Individual (INDI)	Cue extraction (CUE) (RPD Model)	Knowledge / Existing Intelligence (KNOW)
Artefact-based (ARTE)	Pattern Recognition (PATT) (RPD Model)	

Action Scripts (ACT) (RPD Model)
Mental Stimulation (MENT-STIM) (RPD Model)
Mental Models (MENT-MODE) (RPD Model)
Processing (PROC)
Connection-Making (CONN)

Key decision-making processes as identified within our CDMs, which are shared on an operational(micro) and strategic (macro) level in asset maintenance are described below in detail providing professionals' quotes. Furthermore, we map identified themes within professionals' quotes to demonstrate the emergence of these themes within sensemaking and asset maintenance processes.

**1) Tasks definition:** deciding what strategic maintenance tasks are relevant to promote putting organisational service forward is an important first step that needs to take into account the needs and requests of external stakeholders. Usually asset managers and professionals placed on managerial roles are responsible for setting the themes of asset management and maintenance tasks to be completed on a strategic and cultural level. Participant 1 below outlines their managerial role and responsibilities over a team for technical assistance. Participant 1 is responsible for defining their team's priorities, core tasks and expectations:

*"I'm responsible for a team for technical assistance and they look after... well, all of the technical matters. They'll look after all of the ... defect database [ARTE], which is quite important on the X Line."* [participant 1]

Participant 2 despite being in a completely different post from professional , is responsible for defining and determining the business cases within asset maintenance, but are also responsible for assigning sponsors to their business cases approved by the business higher ranks:

*“I may do the high level business case (INDI) and if the business (COLL) wants it then I will decide (ACT), ok here is a sponsor (COLL) I need this project delivering to a party (ACT)”* [participant 2]

It is clear that there is a strong *hierarchical responsibilities* approach within asset maintenance and indeed in task definition. Each layer of hierarchy maintains a level of control and management yet it accepts input on task definition matters from higher in the hierarchy. Furthermore, as it can be seen within our quotes, professionals (independently of the type and core of their responsibilities) engage in both individual and collaborative activities that lead to action (e.g. maintenance actions such as constructing the business case, assigning sponsors and providing the ‘green light’ for project delivery). The data also suggests the utilisation of artefacts such as defect databases with which professionals interact with as part of monitoring and maintaining asset maintenance data as part of their routine work.

**2) Understand current asset:** Deciding upon what the current (and forecasted) asset issues, priorities and in-between interdependencies are, constitutes a fundamental decision-making phase that needs to take place as early as possible. It is part of a *sensemaking* process, the aim of which is to solidify strategic priorities as to what assets need to be tracked and maintained to secure a long-term service provision across the whole network. Identifying and acknowledging interdependencies is absolutely critical for the smoother operation of the whole network. This decision-making can take place on two levels: managerial and operational as participants 1 and 3 highlights below:

*“And we just talk about the issues and raise (COLL)... we talk about any problems we’ve had or any accidents (COLL) (REFL). Well, the first thing is accidents or injuries, then failures and delays and so*



*on (SITU)... And usually the first bit I get involved in would be rail defect reports (ARTE) and then any changes to our plans (ACT). We discuss them (COLL) and [perform] necessary changes to our plans (ACT), we'll discuss them on the conference call (COLL)."* [participant 1]

*"the idea of the XXX process (COLL) is that at the end of it I should have information at my disposal (ARTE) that tells me right...this asset isn't directly straight (CUE)...I need to do something about it (CONN)(EVAL)"* [participant 3]

As part of understanding current assets, professionals take part in a number of collaborative processes with other professionals to discuss, reflect upon, solidify and action their interpretations of asset statuses. As part of this process, they rely on the availability of generated maintenance artefacts such as rail defect reports. They study these artefacts and they adjust their plans and actions based on the discussions they have about them. Particular asset maintenance professionals e.g. managers, rely on such maintenance artefacts (e.g. periodic reports) to provide indicators to them and cues insofar as asset health behaviour and potential failure.

**3) Business process:** Within a complex socio-technical system setting, where different parties cooperate and co-ordinate for the continuous provision of transport services, an overarching strategic aim does not exclude a number of emerging sub-strategies coming from all associated parties. Decisions need to be made to harmonise the different strategies and to cross-validate how they contribute to achieving the overarching business strategy. This decision step is usually coordinated by asset managerial staff but also communicated to more operational staff as part of performing asset maintenance tasks. Participant 1 provides an example below on how experts aim to utilise different means (e.g. visual inspection and observation highlighting that traditional (and perhaps more intuitive) maintenance approaches may not always be the most appropriate. To evaluate and decide whether an

action is appropriate for a particular asset, professionals need to know the asset characteristics and nature very well. Usually, such knowledge is being drawn from existing technical knowledge, expertise and experience in the field.

*“you can follow that up with a visual inspection (ACT), but the visual inspection rarely gives you very much more information. You can’t see an internal crack in the rail (KNOW).”* – [participant 1]

**4) Data Analytics (Data definition):** To perform asset maintenance (especially considering the strategic shift to more ‘predict-and-prevent’ maintenance approaches) is necessary to decide upon what asset data is needed to support such a maintenance model and how can that be defined appropriately to minimise inconsistencies and misunderstandings. This decision-making can be performed by both managerial (e.g. asset manager) and sponsor staff. Participant 2 highlights how important was for them to communicate and link up with other engineers in order to ‘sensemake’, understand and define what data they have available and what data they are missing in order to perform their planning tasks.

*“the upgrade was going to deliver the technical stuff nine months before we wanted to implement the final X (PLAN) so didn’t already fit so we re-engineered (ACT) in terms of the process so that we can push stuff as late as possible or so that we can get the actual performance data (PLAN)(COLL)...we did a lot of really good work with the X engineers (COLL) to understand what we did know what we didn’t know what we were confident (REFL) about what we needed to measure”* – [participant 2]

In this instance, participant 2 (and their colleagues) was collaboratively planning and re-planning for delivering innovations and fitting them into the existing infrastructure. This included jointly identifying

and reflecting upon what knowledge and confidence levels they had available before proceeding with extra measurements.

**5) Data Analytics (Understanding Data):** Part of understanding what asset data is already available within the system, is deciding what data to process at which stage and which data to exclude from processing. This stage links strongly with stage 4. To be able to make such a decision, an understanding of what this data represents is necessary. Participants 6 and 3 below demonstrate in their discussions some examples of the processes they adopt to reach an understanding of the data they have available: *“It depends on the action code (SITU)(ARTE)(KNOW). We have ultrasonic inspections carried out throughout the week (ARTE). That’s managed by an external [tech mark](INDI)(COLL), another team. It’s managed by X. They have a programme to work to (SITU), so they report to us each night on what has been done (ARTE) (COLL) and we have to keep a record of all of the defects they’re reporting (ARTE). The defects will have a response code (ARTE). And that code is alphanumeric. The number indicates the immediate action that needs to be taken, so if it’s a ‘1’, it means a speed restriction has to be applied, generally speaking (SITU) (KNOW) (CUE) (INDI). ‘2’ means the defect has to be clamped (CUE) (KNOW) (INDI). And a ‘3’ is no action (CUE) (KNOW) (INDI). And then the letter determines the follow-up action that’s required (CUE) (KNOW) (INDI)(ACT). An ‘IE’ defect would mean it has to be removed from the track within 48 hours. And a ‘B’ defect within 7 days. And then there are some defects that can remain in the track and be monitored (CUE) (KNOW) (INDI)(ACT). And the monitoring period will vary depending on the location (SITU)(ARTE)(KNOW).”* – [participant 6]

In this first case, professional 6 requires information to be passed to them by a third external party in regards to all the defects recorded. At this point, the two teams act in collaboration and are dependent on each other’s actions and results. Once they get the generated artefacts (e.g. reports and defect records)

then need to engage with another sensemaking process; that of going through the coding of the reported defects. Defect coding follows current situation standards and constitutes a ‘lexicon’ that professionals (as individuals) need to know in order to ‘decipher’ it. Each defect is coded in a way that can be semantically-associated to the nature of the defect. This process is part of cue extracting *and* placing meaning in asset defects.

However, understanding information provided by 3<sup>rd</sup> parties can prove to be challenging to interpret. The problematic situation they have to deal with is the lack of coding scheme for the logs (artefacts) provided by the 3<sup>rd</sup> party leading participant 3 to be unable to de-cipher the asset information provided. For this process, they rely heavily on appropriate artefact-based and individual-based sensemaking through cue extraction.

*“the problem (SITU) we had was the logs (ARTE) have been produced by X [external company/3<sup>rd</sup> party] for diagnostic purposes (INDI) and the log format (ARTE) (CUE) was not documented there was no technical documentation (ARTE) (CUE) we could go to explain (INDI)”* [participant 3]

**6) Data Meta-Analytics (Data needs and gaps definitions):** Alongside understanding the nature of the available asset data, deciding upon what further data is needed becomes necessary to optimise the associated data processing. For example, asset data that 3<sup>rd</sup> parties may hold may need to be available to be able to proceed with asset maintenance planning and modelling. Participant 8 provides below an example of how they identified misalignments between action codes and standards within analyses reports provided by others. The example below highlights how experience in spotting such flags is critical in ensuring robust asset maintenance.

*“Sometimes (EVAL) we have to check the action code against the standards (REFL) (KNOW) (INDI). Generally their [inspectors] action code is correct but sometimes (EVAL) (...) there is something there*

*when you look through the details (CUE), there's often something that doesn't quite tie up (CUE) (KNOW), and it flags up (CUE) that it needs to be checked (ACT)."* – [participant 8]

As participant 8 suggests, the process of looking through externally-provided artefacts (e.g. failure reports) includes evaluating the mapping of actions codes against the available standards and extracting cues on whether this process has been performed correctly (or aligns with team B's evaluations). Part of these evaluations rely on individual's and group's existing knowledge (including presence of appropriate standards).

**7) Post-analytics and Coordination (thresholds identification):** The decision on which asset performance thresholds constitute healthy behaviour and which not, needs to be collaborative and often relies heavily on training, expertise and personal experience – it is also a *learning process*. Asset behaviour may change over time due to a number of reasons including environmental and natural degradation. Nevertheless, within a 'predict-and-prevent' model of maintenance that relies heavily on empirical data, asset health thresholds need to be revisited and revised 'as and when needed'. Participant 4, for example, looks upon the provided standards to identify when to remove or replace a degraded asset. However, they also utilise their own expertise and experience on *performing* this removal or replacement (there are either no or limited standards in certain areas within asset maintenance on *how* to perform asset maintenance tasks – however, there are standards on *when* to perform such tasks). The way that certain asset maintenance tasks take place is decided by the asset maintenance expert responsible at the given moment.

*"So it's checked (ACT). We decide (COLL)... the standards (INFO)(ARTE) will say it has to be removed within a certain time frame (INFO). It doesn't say how it's to be removed (INFO). So many of the*

*defects, the smaller defects, we can weld repair (EVAL). Some of them (EVAL), we have to re-route (ACT), but that's our decision (EVAL)(ACT)(COLL)*" – [participant 4]

**8) Determine Asset Status:** Uncertainties can occur in relation to data quality, data validity and asset priorities at a given moment. At the same time, deciding upon what status an asset maintains and what the appropriate maintenance regime is for that particular asset is a critical process. On a strategic / macro contextual level, determining uncertainties, asset status and regime is a strongly collaborative decision-making step that can take place over a period of time and rather than momentarily (e.g. as it may occur within a reactive maintenance incident context). Participant 2 below gives an example of the *'negotiation' and communication process* they had to go through themselves to reduce their uncertainties in regards to the information they were given in an asset maintenance report:

*"[got hold] of these two conflicting (EVAL) (CUE) pieces of information (ARTE)(INFO) with me (INDI) so when I (queried?) (COLL)(ARTE) [I found that] would last a bit longer (INFO),"* [participant 2]

In this case, the report was related to the determination of the timeline lifecycle of a particular type of asset proposing a 'replacement' date. The sensemaking process (in resolving their identified mismatch) included individually evaluating the information and artefacts they had available (drawing from their own knowledge and expertise portfolio) and then querying about further information collaboratively. Similarly in the case of participant 3 below, the rationale of the data that is being provided on asset maintenance reports is questioned as a means for -not necessarily- challenging the data given but more so as a means for understanding, digesting and processing the data to transform it to information and intelligence – furthermore, detail can be critical in asset maintenance especially in cases of critical services provision and planning:

*“because there were uncertainties (EVAL) about what the detail was for something like the upgrade (SITU) we cared about the seconds (...) we cared about fractions of seconds really cause it all add up and makes a difference (EVAL)”* – [participant 3]

**9) Board/Organisational Evaluations (decision-making on feasibility):** When all the above set of decision-making processes take place, a feasibility asset maintenance report is generated and taken to the Board to decide upon whether the proposed maintenance strategy is feasible and viable. Participant 10 below links explicitly this notion of board decision-making to the level of quality the business (and consequently the service) offers. Transparency is critical for transport services as they can get public and/or private funds that necessitate compliance and clarity on how these funds get spend for the good of the service. The feasibility of asset maintenance projects that get the ‘green light’ to go ahead go through a scrutinising process where a number of factors are discussed that can determine the success or failure of the project – certain transparency processes are in place to guard this check-up (e.g. XXXXXXXXXXXX in the example below):

*“the business, it is like a level of quality, isn’t it, that we are transparent and obviously because of our level of our business (...)we get funded and all the rest of it (...) we have to be compliant and transparent and one of this is XXXXXXXXXXXX - that’s my understanding of the process (KNOW) (SITU) (INDI)- we -as a business (COLL) have this reviewing (INFO) to achieve a certain level or to pass we have to prove (COLL) (ACT) below how we do things in lots of layers”* [participant 10]

Participant 10 demonstrates how business and service work on layers. This hierarchical structure leads to an individual sensemaking approach where individual professionals create their own understanding of business levels and processes embedded within the overarching business ethos. Participant 10 further elaborates on how collaboratively now (as opposed to individually before) have to prove (through action) the quality of their processes to their funders.

**10) Board/Organisational Evaluations (internal iterative discussions):** Once a verdict on the asset maintenance regime report is generated by the Board, it is then communicated to asset maintenance teams (e.g. sponsors and operations). Following that, available maintenance options are internally discussed and decisions upon how they are going to be realised take place. Participant 3 for example, discussed the internal discussions they (as a team) went through as a result of the strategic shift to using empirical asset data rather than experience. Acknowledging that acquiring such data can be time-consuming they (as a team again) engaged in a discussion to identify available options to optimise empirical data acquisition (this is a process that links strongly with the next step (i.e. point 11).

*“so I was in support team and to say what our options for accelerating this whole process what can we do and I worked with the existing upgrades team (COLL) to work through that and got into saying “but we want empirical data but we want it really quickly” (SITU)(EVAL) so whereas normally it would take weeks or months to collect the x data actually “how soon could we get as accurate data as possible” we looked a few options (COLL) (CUE)... actually looking at the X data (ARTE) was the last option (EVAL) because it wasn’t that source we knew (PATT)(KNOW) and so knew we have to do work to build an interpreting data (ACT)” – [participant 3]*

The sensemaking situation outlined above has to do with an uncertainty as to how/whether they can get accurate empirical data within a strict limited time constraint. They engage into a collaborative evaluation process to look through the different options. Within this process, they evaluate each option individually and they prioritise them based on what patterns they identify regarding feasibility – these patterns appear to be drawn from their already existing knowledge and experience.



**11) Fixing Asset (Preparing maintenance activities):** Part of putting the decisions made (as outlined above) into action includes deciding what preparatory activities are needed in order to put the maintenance plan in place. Especially, within an empirical data-processing perspective, it is necessary to define what filtering is needed to streamline the agreed asset maintenance protocol before moving to the next stage of asset maintenance. Participant 3 continued this discussion by going through the different steps they went through to filter out the raw asset data they were getting from the external party engineers – part of this filtering was to identify meaningful from non-meaningful data and useful from non-useful data:

*“we built (COLL) we ... our engineers extract the information (ARTE) from them (CUE) and we built a lot of analyzing to work through all of that (INFO)(KNOW) (...) threw most of it away (EVAL) (ACT) because it wasn't stuff we were interested in (EVAL) but extracted from there (CUE)”* [participant 3]

As the participant above discusses, they work collaboratively to make sense of the information (artefact) they have available through cue extraction. They also suggest an iterative evaluation process for their sensemaking that results in a number of actions such as disregarding analysed data acknowledging no use for them.

**12) Fixing Asset (Maintenance strategy shifts):** Especially within *'hybrid' maintenance provision models (e.g. incorporating both proactive and reactive elements)*, it is necessary to decide upon what and when it is needed to perform asset maintenance strategy shifts to maximise the quality of asset data collected and to ensure the service is running safely, reliably and robustly. Maintenance strategy shifts can be dependent not only on the nature of the asset (e.g. type and built) but also on their location as participant 8 outlines below. Furthermore, scheduled and reactive asset maintenance within the general

lifecycle are approaches that constantly interplay with each other. As participant 8 mentions below, it is about understanding the circumstances and prioritising accordingly:

*“It depends on the location (EVAL)(ARTE)(KNOW). Generally speaking, at the moment, 3 times a week. Some locations, twice a week. We are looking to change some of those [regime] (COLL), but that change process has been long and drawn out and difficult...to reduce it. To extend the time between inspections. (...) It’s been involved in lots of discussions (ARTE) (COLL) with trade union and health and safety reps, and it’s lagged on for... well actually, for years. (...) If we find something that needs to be dealt with straight away (EVAL) (...)it just becomes an urgent job (PROC)(CONN) and we deal with it as it needs to (ACT). I suppose, the most critical thing we have to deal with would be something like a broken rail” – [participant 8]*

Extending time elapsed between inspections constitutes a long-term goal acknowledging the difficulties in achieving this. The process of identifying and applying the most appropriate asset maintenance regime is a complex decision depending on a number of different and diverse parameters e.g. asset location and XXXXXXXXXXXXXXXXXXXX needs. It is a collaborative process that involves a series of periodic discussions (artefacts), intra and inter-group communications that realise both on horizontal and vertical layers within the business hierarchy. On a localised and micro context level, asset maintenance professionals need to evaluate a maintenance situation on a one-to-one basis and prioritise the criticality of the incident accordingly. If it is urgent, then their actions will be immediate (reactive maintenance and asset data collection as an action of asset maintenance).

**13) Asset Data Collection:** Once strategy shifts are decided, the asset maintenance protocol is ready and available for execution. Its execution involves collecting asset data to start constructing empirically-driven performance models that can potentially be used for service planning activities such as timetabling. Asset data is being collected by operational staff and fed into the system for further

processing. Participant 5 below demonstrates how the use of technology can change the way asset data is collected and transmitted to themselves and other associated experts.

*“And then there are a number of other specialist inspections (ACT). And then of course there’s the track recording vehicle (ARTE), which gives us data on track geometry (ARTE). Both of those things will feed into our maintenance plans (ACT) (...) my technical team will be managing some of the manual interventions (ARTE) will just be done by the local supervisors (ACT) and they’ll arrange that themselves. (...) It all goes into XXXXXXXXXXXX via handheld devices (ARTE). Track recording information (INFO) comes as a series of different reports (ARTE). Well they’re emailed to us now, but then there’s the analogue trace is paper (ARTE). That’s still in that format.” – [participant 5]*

**14) Determine new Asset status:** This further data processing is currently being performed by operation professionals based on their knowledge base, expertise and experience and may involve a series of collaborative steps with other associated professionals. However, within a proactive maintenance shift, it is anticipated that this decision-making task will be assisted by appropriately designed algorithmic approaches for handling complex asset Big Data. Understanding asset status (i.e. determining whether it is healthy, borderline failed/close to failure) is an iterative decision stage that needs to be monitored throughout a proactive and reactive maintenance cycle. There are however, some differences as to how these stages develop depending on whether the asset maintenance mode is reactive or proactive. For example, within a reactive mode, understanding an asset’s status is dependent on a shorter turnaround timeline (e.g. decisions need to be made fast and potentially ‘on-the-fly’ as demonstrated earlier on through our professionals’ discussions). On the contrary, within a proactive mode, an extended decision-making timeline is supported as new asset-related information regarding asset health becomes available at earlier stages within the asset maintenance lifecycle.

*“They do some analysis offline (CONN), directly off the train itself.(...) There were operating staff there as well, as they would always be. So they clamped the defect (ACT), we put the speed restriction on (ACT), and they had to move the chair (ACT)... a route chair because the defect was close to the chair (EVAL). So the support had been removed so they had to put wedges in as well (ACT). I wasn't confident that the wedges would stay there all day (REFL) (KNOW), so even though we had a speed restriction on, I arranged for a couple of inspections to take place through the day (EVAL) (ACT).” – [participant 7]*

Analyses of maintenance data occurs both online and offline and with the presence of additional professionals. Proceeding analyses, maintenance actions follow and this is not a static process. For example, formative asset data analyses completion does not necessarily mean that asset evaluation finishes; instead, it is a continuous process that gets evaluated and re-evaluated periodically and for the duration of the maintenance regime.

## **5. Discussion and Limitations**

The work presented in this paper aimed to apply a sensemaking approach to the processes of asset maintenance with a view to informing predictive asset maintenance strategy and technology. In practice, decision-making, sensemaking and process activities often intermingle in such a way that it is difficult to separate them when mapping asset maintenance processes. We found that asset maintenance processes incorporate a strong element of maintenance management. This management and strategic maintenance can manifest within both localised maintenance processes (e.g. planning and executing asset maintenance on particular parts of the rail network – localized operational (micro)-context) and within more global and strategic maintenance processes (e.g. planning and executing asset maintenance on a single line(s) – strategic global (macro)context). Furthermore, different modes of sensemaking (e.g.

individual, collaborative and artefact-based) interplay through a typical planned (routine) or reactive asset maintenance process whether this occurs on a localized or strategic setting. Instead of observing isolated sensemaking processes within the asset lifecycle (as have been theorised and empirically-concluded in other research domains (e.g. firefighting (Dyrks, Deneff and Ramierz 2008; crime investigation (Baber, Attfield, Wong and Rooney 2013); rail accidents (Busby and Hibberd 2004)), we found that all these different modes of sensemaking emerge and develop within asset maintenance lifecycles independently of whether maintenance processes are localised and operational (micro) or strategic (macro). We found that participants acknowledge heavily the importance of strategic maintenance and that ground operators need to be aware of these strategies and business priorities in order to make sense of the incident situation and in order to perform efficiently their day-to-day operational asset maintenance. As such, we propose to view rail asset maintenance sensemaking processes from a holistic point of view where both individual, collaborative and artefact-based approaches synergise to support and enhance effective and safe rail asset maintenance on both a strategic (global and macro) and localised operational (micro) level. The above are core findings and contributions within this paper as existing asset maintenance models approach maintenance from either one perspective or another, with a lesser emphasis on the how strategic global asset maintenance aspects intermingle with localised ones.

We found that there is a strong timeline element when identifying asset maintenance activities, which are often characterized by iterations and not necessarily concrete sequential activities. Dadashi et al. (2014), suggested that within a Railway II setting, data collected goes through a series of processing stages. These stages start from raw data (as collected via e.g. sensors), moving towards an information stage (in which data is filtered and matched to prior data). This leads to the construction of a knowledge base that

transforms raw data to intelligence incorporating aspects from organizational culture, human automation interactions, user engagements and work organization. Within our work in asset maintenance we found that these stages intermingle and do not necessarily follow a serial process necessarily. Professionals, depending on their role, expertise, mindset and personal style, engage into data processing in different ways through a series of iterative loops that involve the engagement of both internal and 3<sup>rd</sup> party experts and incorporating both individual, collaborative and artefact-based sensemaking.

A ground operator, for example, will interpret raw asset data with a different *motivation, mind-set and knowledge base* from an asset maintenance engineer – the same applies for asset managers and operations engineers. We found that this process of interpreting and understanding asset data benefits heavily from the engineer's own prior experience and working culture. We posit that this finding has strong similarities to processes defined within the sensemaking literature and indeed, maintenance processes embed sensemaking processes on a multi-level context. For example, as seen in the literature (e.g. Weick 1995; Baber and McMaster 2016; Klein 2007; 2011; Perry 2003; 2013) sensemaking can be individual, collaborative and/or utilizing environmental artefacts (internal or external). Within asset maintenance processes, understanding maintenance problem, asset status and interdependencies can be both individual (e.g. one operator's) and collaborative (e.g. across different engineers) sensemaking processes that can also rely on artefacts (e.g. own's experience, expertise, mindset, maintenance reports, meeting minutes, 3<sup>rd</sup> party knowledge etc.), often at the same time. We found that within a standard asset maintenance lifecycle, all these different sensemaking processes intermingle and occur iteratively.

We also found that business culture, business strategy, in-house expertise and third parties play each of them a fundamental role in interpreting data, in synthesizing data into useful information (e.g.

sensemaking and identifying ‘cause and effect’) and transforming it to intelligence that can put in context.

### **5.1 Theoretical implications**

Building upon the RPD model of sensemaking (Klein and Crandall 1995; Klein 2011), we have adapted the model to fit in the rail asset maintenance context as we found that operators, ground engineers and asset managers utilize their own experiences to reach to fast decisions under uncertain, constrained and stressful environments (e.g. asset failures, budget constraints, maintenance planning).

We propose an adapted RPD model consisting of 5 core phases: 1) situation setting; 2) data or cue extraction; 3) Cues/Hints Schemas construction; 4) Connection-Making and 5) Decision-Making and Action Scripts (Fig. 4 ). This adapted RPD sensemaking model for asset maintenance focusses on 4 principles (acronym SENSE PLAN) which are the following: SENSE – this involves sensing asset status and contextual factors (including connection-making and processing); PLAN – this involves planning maintenance activities and strategies (including making plans based on existing knowledge and prior experience); ACTION – this involves performing asset maintenance actions depending on the role of the professional in each case such as making a phone call to fetch the most appropriate ground operator (e.g. if the professional is an incident response and command manager) or fixing the asset on the ground (e.g. if a ground engineering) – as such, this stage can include both decision-making and action tasks; and NEED – this involves identifying the operational and strategic needs to perform asset maintenance in the short and long-term (including interdependencies amongst assets, expertise and need for additional artefacts).

During the Data/Cue extraction, certain artefacts can be used to assist the asset maintenance process such as asset raw data, environment and service data (e.g. notes, weather and asset reports, maps, asset logs, calls, discussions, videos, spreadsheets). These artefacts constitute and contribute to the development of both cognitive (e.g. internal) and social toolkits (e.g. external such as communication and collaboration with others) that asset maintenance professionals can employ during the asset maintenance lifecycle whether this is reactive or planned. Following data/cue extraction, professionals engage with available information and existing intelligence (acquired through their experiences and expertise) and formulate a joint knowledge base that feeds into the schematization of hints in regards to how to react and maintain an asset.

[INSERT FIG. 4 HERE]

**Fig. 4** The RPD Sensemaking Model of Rail Asset Maintenance (the color-coding used maps onto the 4 principles SENSE PLAN; the blue sections correspond to SENSE; the red section to PLAN and ACTION and the orange section to NEED)

What professionals need to perform next is to make connections amongst the different information and intelligence they have at their disposal, which will lead to adapting their existing mental models of asset maintenance situations. This iterative process involves evaluating and re-evaluating the new and emerging information, data, knowledge and intelligence connections. This connection-making will inform the decision-making necessary to trigger the action scripts relevant to asset maintenance (e.g. dispatch appropriate personnel, resume service, halt service, identify criticalities and minimize knock-on effects). This decision-making stage feeds back to the situation setting with the aim to change and improve it (in rail maintenance, that would be to recover the service and/or fix the asset that failed).



We also found that training (or lack of training) and data processing can potentially increase complexity (or perceived complexity) independently of the mode of that asset maintenance (reactive or predictive). When using empirical data to inform and construct performance models or plan timetables, the ability to process asset data to inform decision-making becomes even more demanding. We found that sometimes interpretation of empirical raw data may need to be outsourced to third parties leading to increased complexity in the process. This process moves from being an individual (or company-based) sensemaking process towards a more collaborative one as both company's and 3<sup>rd</sup> party's experts work together to understand the new asset data. This is further evidence of the importance of cross-organisational factors affecting the success of predictive maintenance solutions identified by Golightly, Kefalidou and Sharples (2017).

## **5.2 Practical implications**

We anticipate that after the maintenance shift towards a more 'predict and prevent' model of maintenance, higher level sensemaking data processes (e.g. knowledge and intelligence) and Experts-Data-Interactions (EDI) will have to be distributed across all data processing stages as understanding asset data becomes more complex and bigger. The higher number of raw data facilitators (e.g. sensors) are introduced into the asset network system (and consequently into the service) the lower are going to be the levels of raw data processing that need to take place to facilitate higher levels of sensemaking. For example, within the context of modern intelligent decision support tools for asset maintenance, technologies should support and facilitate enhanced communication interactions amongst all the relevant parties (external and internal stakeholders) as our participants highlighted within our data. Mapping this need to our proposed sensemaking model, such a technological facilitation would support 'data/cue extraction' using historical, empirical and 'live (through remote sensors) data through a 'socio-cognitive

toolkit' which would be comprised of a number of technological and interactive 'artefacts' to which both managerial and ground asset maintenance professionals could have access to. In effect, this could act as an 'artefacts interactive database that would be updated continuously as new asset data is dropped into the system (e.g. via the remote sensors) or calculated (e.g. via the predictive mechanisms and algorithms at the back-end). The processing facilitated through the 'socio-cognitive toolkit' would generate 'cues/hints schemas' that would interact with another knowledge database (i.e. 'Reflective Practice' database), the purpose of which is to provide a physical and cognitive space for sharing joint knowledge and prior experiences on processes, procedures, standards and meta-analyses of external sources. Again, this reinforces the importance of knowledge management, both within a given organisation, and across the supply chain, for predictive maintenance (Golightly, Kefalidou and Sharples, 2017). This database would need to incorporate both operational and strategic joint knowledge and would act as a 'feeder' to the 'cues/hints schemas' construction. The generated schemata of the asset maintenance situation would be passed on to a 'connection-making planner' that would act as a platform to formulate a 'common operation picture' for both operational and strategic maintenance levels. Once this common picture and the shared understanding is visualized, then a decision-support tool takes this visualization and 'translates' it to a set of 'action plan scripts', which can take the form of a suggestions list of maintenance actions mapped to severity and priority levels. Within a proactive maintenance mode (e.g. using remote diagnostics), such a sensemaking model (and a technological innovation based on it) would need to be supported by a strong technological infrastructure that offers high predictive algorithmic power at the back end and appropriate hardware and database management that can handle the volumes of Big asset Data that is being constantly generated through the remote sensors. While remote sensing can provide a more realistic depiction of an asset's health (and thus, more reliable sensemaking on its condition based on our proposed adapted sensemaking model), it would necessitate strong interpretive

capabilities to analyse such Big Data and to be able to construct valid or appropriate ‘cues/hints schemas’ that will lead to efficient connection-making. In effect, by introducing new assets (i.e. remote sensors) attached to the ‘legacy’ assets, the complexity of the rail network increases and this complexity needs to be addressed and managed accordingly through analytics and new types of planned maintenance.

Furthermore, within a proactive maintenance mode, knowledge integration to an intelligence hub (e.g. planning maintenance) can occur within a different timescale (e.g. allowing more time to plan for maintenance cycles to run rather than plan ‘on-the-fly’ maintenance actions as happens within a reactive maintenance mode). It seems that a separate (or even adaptive) and personalised data infrastructure is needed to not only support future proactive asset maintenance but also to accommodate and support the shift and transition from a reactive maintenance mode as well as facilitating the co-existence of both legacy and ubiquitous systems.

## 6. Conclusions

In this paper we presented results from our investigation of rail asset maintenance processes with asset maintenance and management experts. We found that asset maintenance lifecycle is influenced strongly by human-centric factors such as experience, mind-set and knowledge and that a lot of these processes are intrinsically sensemaking processes that are individual-based, collaborative and artefact-based at the same time. Furthermore, our work here emphasised the need to approach and understand asset maintenance from both a strategic global (macro) level and a more localized operational (micro) level. This is because our data suggests that all professionals independent of their seniority, current position and expertise, are acknowledging the importance of syncing and adjusting to the strategic maintenance

levels even when operating within a localized context. It seems that strategic priorities are more intrinsically embedded within operational maintenance processes than it was believed before.

Identifying human factors and sensemaking processes in asset maintenance can change the way that asset maintenance engineers approach and execute processes, procedures and standards when maintaining assets and can promote a more enhanced awareness of strategic and operational priorities.

We also identified a series of different process timelines that highlight core stages within asset maintenance and management within a localized operational (micro) and global strategic (macro) complex socio-technical system settings. We particularly found that these micro and macro-context timelines share both similarities and differences. For example, while information input is necessary to trigger and sustain the asset maintenance cycle in both cases, the type of information -and indeed the source of that information- varies (e.g. understanding a maintenance issue necessitate input internally from within the operating team and associated teams (i.e. horizontal layer – team(s) across the business organisation) on a micro-context; on the other hand, on a macro-context level, information can come as e.g. externally defined tasks from the higher levels of the organisation). I think this is a really useful contribution for usercentred design, because most people are just designing for the operational / reactive situation, and not thinking about the strategic. A second really useful outcome of the paper is the emphasis on collaborative sensemaking. This is somewhat apparent in the operational, but because of the strategic, which involves group decision making and board level strategy, is again something that is lost in the typical HCI research that one might draw on for RCM systems.

Furthermore, the step of understanding an asset (e.g. on a micro-context) extends to a broader need to understand asset issues and interdependencies on a more strategic and long-term level when on a macro-

context. As asset maintenance and management shifts more towards the utilisation of empirical asset data to perform planning and maintenance tasks, more asset data becomes available for analyses and meta-analyses (e.g. Big Data analytics and post-analytics). Such a stage becomes strongly apparent when performing asset maintenance on a macro-level as more aspects and parts of the transport network and processes become dependent on it. Furthermore, macro-context process timelines encompass inevitably more process steps as their individual lifecycle extends further in the maintenance horizon. This can potentially have technological implications as to how to support best both longer-term and shorter-term asset maintenance procedures and processes. For example, under a 'predict-and-prevent' maintenance approach, processes change to become heavily supervisory and monitoring sensemaking on a longer lifespan while under a 'reactive' approach processes tend to become more of emergent sensemaking and within a shorter lifespan. Future steps to expand this investigation could include ethnomethodological in-situ observations to validate and enrich current insights.

Despite the insights in asset maintenance that our research has provided, our present study has some limitations as well. For example, while our current participant sample incorporated maintenance professionals from both managerial, sponsor-based and operational-based backgrounds, it has been limited in terms of numbers. A next step would be to conduct a study with a wider sample size that incorporates professionals from 3<sup>rd</sup> parties and external individuals that contribute to the asset maintenance processes of Rail. In that way, we can gain further insights as to what strategic and operational priorities the other stakeholders (e.g. 3<sup>rd</sup> parties) entail and how they fit within the strategic and operational maintenance priorities of Rail transport. Furthermore, the current methodological approach adopted within the present research focused on a CDM approach in data collection that prompted participants to discuss key asset maintenance incidents within their career. While the timelines of these key incidents were cross-validated with participants at the moment of the data collection, they

may not have captured a full range of key maintenance incidents due to time and resource limitations and constraints. A next step would be to 'cross-validate' and expand these key incidents through the utilization of additional research data collection approaches that complement CDMs. Examples of such could be observational methods and ethnomethodology that would help capturing incidents and experiences 'as-and-when' they occur within the natural operational and strategic environment (as opposed to CDMs recollection and reflection approaches). Furthermore, employing questionnaires would assist in capturing experiences and insights from a bigger sample size of asset maintenance professionals.

## References

- Åhrén T, Parida A (2009). Maintenance performance indicators (MPIs) for benchmarking the railway infrastructure: a case study. *Benchmarking: An International Journal*, 16(2), 247-258.
- Al-Douri Y K, Tretten P, Karim R (2016). Improvement of railway performance: a study of Swedish railway infrastructure. *Journal of Modern Transportation*, 24(1), 22-37.
- Attfield S, Blandford A (2011). Making sense of digital footprints in team-based legal investigations: The acquisition of focus. *Human-Computer Interaction*, 26(1-2), pp.38-71.
- Baber C, McMaster R (2016). *Grasping the Moment: Sensemaking in Response to Routine Incidents and Major Emergencies*. CRC Press.
- Bousdekis A, Magoutas B, Apostolou D, Mentzas G (2015). A proactive decision making framework for condition-based maintenance. *Industrial Management & Data Systems*, 115(7), 1225-1250.
- Braaksma AJJ, Klingenberg W, Veldman J (2013). Failure mode and effect analysis in asset maintenance: a multiple case study in the process industry, *International Journal of Production Research*, Vol. 51, No. 4, 1055-1071.
- Braun V, Clarke V (2006). Using Thematic Analysis in Psychology. *Qualitative Research in Psychology* 3(2), pp. 77-101.

Brickle B, Morgan R, Smith E, Brosseau J, Pinney C (2008), "Identification of existing and new technologies for wheelset condition monitoring", RSSB Report for Task No. T607, TTCI (UK) Ltd., Rail Safety and Standards Board, London.

Campos J (2009). Development in the application of ICT in condition monitoring and maintenance. *Computers in Industry*, 60(1), 1-20.

Chang T (1998), "Computers spur maintenance-management concepts", *Oil & Gas Journal*, 27 July, pp. 86-7

Ciocoiu L, Siemieniuch C E, Hubbard E M (2015). The changes from preventative to predictive maintenance: the organisational challenge. Proceedings of 5th International Rail Human Factors Conference, London, September 2015.

Dadashi N, Wilson J R, Golightly D, Sharples S (2014). A framework to support human factors of automation in railway intelligent infrastructure. *Ergonomics*, 57(3), 387-402.

Maintenance European Standards - EN 13306 (2001). Maintenance Terminology. European Standard. CEN (European Committee for Standardization), Brussels. *AFNOR*

Endsley M R (1995). Toward a theory of situation awareness in dynamic systems. *Human factors*, 37(1), 32-64.



Galanter CA, Patel VL (2005). Medical decision making: a selective review for child psychiatrists and psychologists. *Journal of Child Psychology and Psychiatry*, 46(7), pp.675-689.

Garcí F P, Schmid F, Collado J C (2003). A reliability centered approach to remote condition monitoring. A railway points case study. *Reliability Engineering & System Safety*, 80(1), 33-40.

Garg A, Deshmukh S G (2006). Maintenance Management: Literature Review and Directions. *Journal of Quality in Maintenance Engineering* 12(3), pp. 205-238.

Golightly D, Kefalidou G, Sharples S (2017). A cross-sector analysis of human and organisational factors in the deployment of data-driven predictive maintenance. *Information Systems and e-Business Management*, 1-22.

Golightly D, Dadashi N (2017). The characteristics of railway service disruption: implications for disruption management. *Ergonomics*, 60(3), 307-320.

Hassanain M/A, Froese T M, Vanier DJ (2001). Development of a maintenance management model based on IAI standards, *Artificial Intelligence in Engineering*, v. 15, no. 2, April 2001, pp. 177-193.

Hoffman R R, Crandall B, Shadbolt N (1998). Use of the critical decision method to elicit expert knowledge: A case study in the methodology of cognitive task analysis. *Human Factors*, 40(2), 254-276.

Hoffman R R, Neville K, Fowlkes J (2009). Using cognitive task analysis to explore issues in the procurement of intelligent decision support systems. *Cognition, Technology & Work*, 11(1), 57-70.

Houghton R J, Patel H (2015, August). Interface design for prognostic asset maintenance. In Proceedings 19th Triennial Congress of the IEA (Vol. 9, p. 14).

Jones K, Sharp M (2007). A new performance-based process model for built asset maintenance. *Facilities*, 25(13/14), pp.525-535.

Kefalidou G, Houghton RJ (2016). How can a horse be in two places at once? ": Group sensemaking using diverse and ambiguous information *In: Ergonomics and Human Factors 2016*.

Klein G A, Calderwood R, Macgregor D (1989). Critical Decision Method for Eliciting Knowledge. *IEEE Transactions on Systems, Man and Cybernetics* 19(3), pp. 462-472.

Klein GA (1993). *A recognition-primed decision (RPD) model of rapid decision making* (pp. 138-147). New York: Ablex Publishing Corporation.

Klein G, Moon B, Hoffman R R (2006). Making sense of sensemaking 2: A macrocognitive model. *IEEE Intelligent systems*, 21(5), 88-92.

Klein G, Moon B, Hoffman R R (2006). Making sense of sensemaking 1: Alternative perspectives. *IEEE intelligent systems*, 21(4), 70-73.

Klein G, Phillips JK, Rall EL, Peluso DA (2007). A data-frame theory of sensemaking. In *Expertise out of context: Proceedings of the sixth international conference on naturalistic decision making* (pp. 113-155). New York, NY, USA: Lawrence Erlbaum.

Klein G A, Crandall B W (1995). The role of mental simulation, in naturalistic decision-making. In P. Hancock, J. Flach, J. Caird, & K. Vicente (Eds.), *Local applications of the ecological approach to human-machine systems*, (Vol. 2, pp. 324–358). Hillsdale, NJ: Erlbaum

Klein GA (2011). *Streetlights and shadows: Searching for the keys to adaptive decision making*. MIT Press.

Madu C N (2000), "Competing through maintenance strategies", *International Journal of Quality & Reliability Management*, Vol. 17 Iss 9 pp. 937 – 949

Mardiasmo D, Tywoniak S, Brown K A, Burgess J (2008). Asset management and governance: Analysing vehicle fleets in asset-intensive organisations.

Markeset T, Kumar U (2003). Design and development of product support and maintenance concepts for industrial systems. *Journal of Quality in Maintenance Engineering*, 9(4), pp.376-392.

Marquez AC, Gupta JN (2006). Contemporary maintenance management: process, framework and supporting pillars. *Omega*, 34(3), pp.313-326.

Mendonça D (2007). Decision support for improvisation in response to extreme events: Learning from the response to the 2001 World Trade Center attack. *Decision Support Systems*, 43(3), pp.952-967.

Network Rail (2007a). Strategic Business Plan Control Period 4. Available at [www.networkrail.co.uk](http://www.networkrail.co.uk)

Office of Rail and Road (2012). Office of Rail Regulation Report. Available at <http://www.orr.gov.uk/rail/publications/reports>

Okoli, J. O., Weller, G. and Watt, J. (2016). Information processing and intuitive decision-making on the fireground: towards a model of expert intuition. *Cognition, Technology & Work*, 18(1), 89-103.

Ollier B D (2006, November). Intelligent Infrastructure the business challenge. In Railway Condition Monitoring, 2006. The Institution of Engineering and Technology International Conference on (pp. 1-6). IET.

Pintelon LM, Gelders LF (1992). Maintenance management decision making. *European Journal of Operational Research* 1992; pp. 58:301–17.

Pintelon LM, Van Wassenhove LN (1990). A maintenance management tool. *Omega*;18(1), pp. 59–70.

Perry M, 2003. Distributed cognition. *HCI, Models, Theories, and Frameworks*, London: Morgan Kaufman.

Perry M 2013. Socially distributed cognition in loosely coupled systems. In *Cognition Beyond the Brain* (pp. 147-169). Springer London.

Rankin A, Woltjer R, Field J (2016). Sensemaking following surprise in the cockpit—a re-framing problem. *Cognition, Technology & Work*, 18(4), 623-642.

Ross A J Anderson J E, Kodate N, Thompson K, Cox A, Malik R (2014). Inpatient diabetes care: complexity, resilience and quality of care. *Cognition, technology & work*, 16(1), 91-102.

Salmon P M (2011). *Human factors methods and accident analysis: Practical guidance and case study applications*. Ashgate Publishing, Ltd.

Schippera D, Gerritsb L (2017). Communication and Sensemaking in the Dutch Railway System: Explaining coordination failure between teams using a mixed methods approach. *Complexity, Governance & Networks*, 3(2), 31-53.

Sergeeva N (2014). Understanding of labelling and sustaining of innovation in construction: a sensemaking perspective. *Engineering Project Organization Journal*, 4(1), 31-43.

Stanton N A, Salmon P M, Walker G H, Salas E, Hancock P A (2017). State-of-science: situation awareness in individuals, teams and systems. *Ergonomics*, 60(4), 449-466.

Too E G (2010). A framework for strategic infrastructure asset management. In *Definitions, concepts and scope of engineering asset management* (pp. 31-62). Springer London.

Vanneste SG, Van Wassenhove LN. (1995) An integrated and structured approach to improve maintenance. *European Journal of Operational Research*;82, pp. 241–57.

Vanier D “Dana” (2001). Why Industry Needs Asset Management Tools. *Journal of Computing in Civil Engineering* 15, pp. 35-43. How adaptive systems fail. In: Hollnagel, E, Paries, J, Woods, DD, Wreathall, J (eds) *Resilience Engineering in Practice*. Ashgate, Aldershot

Wang W, Peter W T, Lee J (2007). Remote machine maintenance system through Internet and mobile communication. *The International Journal of Advanced Manufacturing Technology*, 31(7-8), 783-789.

Walker G H, Stanton N A, Kazi T A, Salmon P M. Jenkins D P (2009). Does advanced driver training improve situational awareness?. *Applied ergonomics*, 40(4), pp.678-687.

Weick K E (1995). *Sensemaking in organizations* (Vol. 3). Sage.

Zoeteman A (2001). Life cycle cost analysis for managing rail infrastructure. *European journal of transport and infrastructure research EJTIR*, 1 (4).

Zoeteman A (2006). Asset maintenance management: state of the art in the European railways, *International Journal of Critical Infrastructures (IJCIS)*, Vol. 2, No. 2/3, 2006